

# Bright The World

**Home Resource**

*2015 - 2016*

**Collection**



## Our Vision

To illuminate every part of the world

---

## Our Mission

- To be the leading lighting company in Taiwan and China
  - To be the best at what customers value most
  - To exceed customers expectation
  - Treat staffs & customers & substructures as partnership
  - Enjoy work as part of life
- 

## Our Core Competence

- Innovation
  - Integrity
  - Efficiency
  - Passion
  - Responsibility
  - Team Work
-

## President's Message



**Sam Chen** MBA

**President & Honorary  
Chairman of TLFEA**

■ TLFEA: Taiwan Lighting  
Fixture Export Association

Since its establishment in 1988, Home Resource Ind. CO.Ltd. has been dedicated to production and development of lighting products for two decades. We would like to take this opportunity to express our sincere appreciation for your fully supports and concerns over the past 26 years.

With years of efforts on upgrading production capability and capacity, Home Resource has grown into a consummate manufacturer of lightings on OEM (original equipment manufacturing) and ODM (original design manufacturing) basis. Globally reputed R&D talent has also helped Home Resource to enhance popularity and recognition of its own-brand products in recent years.

In addition to existing branches, Home Resource has officially operated a newly constructed plant of 26,000 square meters in China (Zhong Shan City, Guangdong Province), which employs advanced production equipment to assure even shorter delivery and more considerate services for clients than before.

We strive for success not only in having determination and courage, but also developing innovative products and marketing intelligence base on our core competence: innovation, efficiency, integrity and passion. Home Resource will definitely get hold of past success to carry on growing continuously in the lighting territory now and then. Let's witness the brand new, prosperous Home Resource to achieve an even higher peak of success in the coming future.

## Company Profile



**David Chen**

**General Manager**

Home Resource was established in 1988. Since then, the company has developed into one of the most professional lighting manufactures in Taiwan and Mainland China.

Home Resource/Green Resource would like to express our sincere thanks to all customers, parts sub-contractors and every one of our employees. It is their continuing support and hard work that has allowed Home Resource/Green Resource to grow as rapidly as they have been able to. HR&GR will continue to make even greater efforts in the future.

Other than a self-support manufacturer, through a presence in Ningbo and Zhongshan and 50 employees, Home Resource also operates a sourcing network of two offices in China.

We strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

We look forward to working with you all continuously to create a brilliant future.

► Taipei Headquarter



► China Factory




► Sales Team



► Production Line



► China Show Room



Exterior Wall Light




Exterior Garden Light



Stainless Steel Garden Light



Exterior Bulkheads



Interior Ceiling Light



LED Table Lamp



Novelty Light & Mood Light



In-ground Light & Deck Light

► Test Facilities



Integrator Machine Set



Integrator Machine Set



Integrator Machine Set (To test Color Temperature, Luminous Flux, Ra ...)



Salt Spary Test Machine (To test Anti-corrosion status of metal material)



LCR Test Machine (To test Electrical resistance, Capacitance, Inductance)



Switching Power (To Adjust Voltage and Frequency when conducting aging test)



Instrument for Color Temperature Contrast



Lampholder Torsion Test Machine (Torsion test after the lampholder is assembled)



LED Aging Test Machine (Mainly use to test High Power LED)



LED Luminous Intensity Meter (To test the bright of LED)

# HOME RESOURCE has received the following awards:

## Design Awards:



■ Good Design Product of Taiwan



■ Red Dot Award of Germany



L: Sam Chen  
(President of Home Resource Co.)  
R: Alfred Albrecht, TUVPS  
(GS Testing & Certification Body)

- Awarded from TUVPS as one of the Top 5 golden clients in 2003



L: Sam Chen  
(President of Home Resource Co.)  
R: P.K. Chiang  
(Minister of Economic Department Taiwan)

- Being elected as Chairman of TLFEA in 2004
- TLFEA: Taiwan Lighting Fixture Export Association



L: Jack Chen, Former President of HR/GR  
R: Representative of Senior Group

- Award from Senior Group  
Towards Annual Charity Donation

- The best innovation award of TLFEA 1993, 1994 and 2002
- Asia-pacific area golden quality award 1995
- In 1995, HR being the 1st Taiwanese company in receipt of NEMKO SEMKO, DEMKO, FI Certificate Excellent quality award, Spain 1996
- The excellent manufacture & export golden globe award in Taiwan 1997
- National excellent lighting quality award in Japan 1998
- Awarded as one of the best 'ISO 9001:2000' companies listed as members of KEMA organization in 1999 & 2004
- The best image award of Taiwan lighting fixture export association 1996 & 1997 & 1998 & 1999 & 2000 & 2001
- National quality award in Taiwan in 2002 & 2003 & 2004 & 2005 & 2006
- Good Design Product, Taiwan, since 2008
- Red Dot Design Award: product design 2008, Germany
- The Most Popular Product of Award in 2009 from Taiwan External Trade Development Council

➤ **Safety Approval:**  
CE, GS, CUL, ETL





**GS Certificate**

**CUL, ETL Certificate**



**CE Certificate**

➤ **More than 60 patents...**







虹瑞斯

**Home Resource**

Since 1988

**M**anufacturer

**&**

**B**uying Agent

**&**

**I**

**nspection**

**Agent**

# INDEX

## Exterior Light

◆ Exterior Garden Light.....	P11-P40
◆ Exterior Wall Light & Spot Light.....	P41-P78
◆ Exterior Rechargeable Work Light.....	P79-P81
◆ Exterior Non-Rechargeable Work Light.....	P82-P89
◆ Exterior Ground Light & Deck Light.....	P90-P93
◆ Exterior Bulkhead & Ceiling Light.....	P94-P101
◆ Exterior Fluorescent Light.....	P102-P104

## Interior Light

◆ Interior Cabinet Light & Kitchen Light.....	P106-P114
◆ Interior Picture Light.....	P115-P120
◆ Interior Mood Light & Novelty Light.....	P121-P138
◆ Interior Strip Light.....	P139-P140
◆ Interior Reading Light.....	P141-P171
◆ Interior Fluorescent Light.....	P172-P173
◆ Interior Ceiling Light.....	P174-P175
◆ Interior Bathroom Light.....	P176-P180
◆ Interior Pendant Light.....	P181-P185
◆ Interior Decorative Light.....	P186-P191
◆ Interior Spot Light.....	P192-P211
◆ Interior Down Light.....	P212-P218

<b>Commercial Light.....</b>	<b>P219-P224</b>
------------------------------	------------------

## Lighting & Electrical Accessories

◆ USB Light.....	P226-P227
◆ Wardrobe Light.....	P228-P231
◆ Flash Light.....	P232-P235
◆ Sensor & Sensor Socket.....	P236-P241
◆ Travel Adapter.....	P242-P244
◆ Bulb & Tube.....	P245-P248

# Exterior Light

HOME RESOURCE 2015~2016 COLLECTION

---

**Exterior Garden Light**

**Exterior Wall Light & Spot Light**

**Exterior Rechargeable Work Light**

**Exterior Non-Rechargeable Work Light**

**Exterior Ground Light & Deck Light**

**Exterior Bulkhead & Ceiling Light**

**Exterior Fluorescent Light**




# Exterior Garden Light

HOME RESOURCE 2015~2016 COLLECTION




# LED Garden Wall Light/Path Light


- Material: Aluminum + PC Diffuser
- Without E27 18W bulb
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP54



● **WG-857**



● **GPL-857**



● **GPL-857**




● **GPL-857**




## LED Garden Wall Light/Path Light

- Material: Aluminum + PC Diffuser
- With 6W LED
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP54



● ELED-164



● GPLED-164



● GPLED-164




● GPLED-164



# LED Garden Wall Light/Path Light


- Material: Aluminum + PC Diffuser
- With 6W LED
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP54



● **ELED-859**



● **GPLED-859**



● **GPLED-859**




● **GPLED-859**




## LED Garden Light

- Material: Aluminum + PC
- Lamp: 6W (30 x 0.2W LED)
- Color: Dark Gray / Gray
- Input Voltage: 220~240V
- IP44
- Ra:>80



● **ELED-756**  
Wall Light



● **GPLED-756**  
0.5M Path Light




● **GPLED-756**  
0.8M Path Light






## LED Garden Path Light


- Material: Aluminum body + PC Diffuser
- Lamp: 90 x 0.06W LEDs
- Luminous Flux: 2700K 585LM/5400K 675LM
- Finish: Dark Gray/Black
- IP54



● GPLED-156




● GPLED-162



● ELED-156

## LED Garden Wall Light

- Material: Aluminum body + PC Diffuser
- Lamp: 90 x 0.06W LEDs
- Luminous Flux: 2700K 585LM/5400K 675LM
- Finish: Dark Gray/Black
- IP54



● ELED-162


## Garden Wall Light

- Material: Aluminum body + PC Diffuser
- Finish: Dark Gray/Black



● **ELED-163**

90 x 0.06W LEDs  
2700K 585LM/5400K 675LM  
IP54




● **WG-853**

E27 ESB 23W Max. Spiral  
IP44




## Garden Path Light

- Material: Aluminum body + PC Diffuser
- Finish: Dark Gray/Black



● **GPL-853**

E27 ESB 23W Max. Spiral  
IP44



● **GPLED-159**

90 x 0.06W LEDs  
2700K 585LM/5400K 675LM  
IP54



● **GPLED-163**


90 x 0.06W LEDs  
2700K 585LM/5400K 675LM  
IP54






## Exterior Lantern


- Material: Die Cast Aluminum + Frosted PC
- Bulb Adaptable: E27 60W Max.   
E27 2U/13W Max.   
E27 ESB T3 /13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: White/Black/Matt Rust




● **EL-341PE2**  
IP44



● **EL-341HG**  
IP23







● **EL-341DN**  
IP23




● **EL-341P2**  
IP44




## Garden Path Light

- Material: Iron + Glossy Opal PC Shade
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Metallic Dark Copper
- IP44







● EL-946PE2




● EL-946PE2



## Garden Wall Light

- Material: Iron + Glossy Opal PC Shade
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Metallic Dark Copper
- IP44




● EL-946UP

## LED Garden Path Light

- Material: Stainless Steel + Clear PC
- Color: Stainless Steel
- 30pcs x 0.2W LEDs(6000K)
- Input Voltage: 100-240V
- IP44



● GPLED-757




● GPLED-757



## LED Garden Wall Light

- Material: Stainless Steel + Clear PC
- Color: Stainless Steel
- 30pcs x 0.2W LEDs(6000K)
- Input Voltage: 100-240V
- IP44








● ELED-757A









## Garden Wall Light


- Material: Iron + Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IP44



● EL-226UP

## Garden Path Light

- Material: Iron + Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IP44



● GPL-226  
H: 495mm



● GPL-226  
H: 995mm



## Solar Light

- Material: Glass + PP
- LED: 1 RGB LED or 1pc white LED
- Operating Time: 8 Hours fully charged
- Operating Temperature: -20° C ~ 70° C
- Mono/poly crystalline solar panels



● SOL-008

## Mosaics Solar Light

- Finish: Colorful Mosaics (Pattern A~F)



## Painting Solar Light

- Finish: Colorful painting (Pattern A~D)

● SOL-007





## Solar Light


- Finish: Stainless Steel
- Operating Time: 8 Hours fully charged
- Operating Temperature: -20°C~70°C
- Mono/poly crystalline solar panels
- LED: 1 x 0.06W Super bright



• **SOL-118**  
• Material: Plastic



• **SOL-128-B**  
• Material: Stainless Steel + Plastic






• **SOL-128-C**  
• Material: Plastic






## Solar Light

- Material: Stainless Steel + Plastic
- Finish: Stainless Steel
- Operating Time: 8 Hours fully charged
- Operating Temperature: -20°C~70°C
- Mono/poly crystalline solar panels
- 1 x 1.2V/AA 200mah Ni-MH battery
- LED: 1 x 0.06W Super bright




## Thermometer with Solar Light


- Material: Stainless Steel + ABS
- LED: 1 x 0.06W Super bright white LED
- Operating Time: 8 Hours fully charged
- Operating Temperature:  $-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$
- Mono/poly crystalline solar panels
- Finish: Stainless Steel



● SOL-301A







● SOL-301





● SOL-302




# Exterior Lantern

- Material : Stainless Steel + Glass
- Bulb Adaptable : E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 

• IP44




● EL-555UP-SS





● EL-555UPS-SS

Sensor Range: 10M x 110°




● EL-555DN-SS






● EL-555PE2-SS


## Exterior Lantern-Exito




● **EL-555DN1**




- Material: Iron + Glass
- Bulb Adaptable: E27 LED 9W   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W 
- Finish: Gavanized Iron/White/ Black
- IP44




● **EL-555HG**  
Painting Only



● **EL-555UPS**  
Sensor Range: 10M x 110°



● **EL-555PE2**



● **EL-555UP**




# Alum Exterior Lantern-Milano

- Material: Die Cast Aluminum + Acid Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Red Antique Brass/Verdi Green/  
Matt Rust/Black Gold
- IP44




● EL-798P2




● EL-798DN




● EL-798HG



● EL-798UP



● EL-798PE3



● EL-798PE2



# Exterior Lantern

- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: E27 ESB T3/20W Max. Spiral  
E27 C Class 70W  
E27 LED 9W
- Finish: White/Black/Matt Rust/Black Gold/Verdi Green
- IP44



● EL-560PE3



● EL-560P2



● EL-560HG



● EL-560DN



● EL-560UP




● EL-560UPS



● EL-560P1

# Exterior Lantern

- Material: Aluminum + Glass
- Bulb Adaptable: E27 40W Max.   
E27 ESB T3/13W Max. Spiral   
E27 LED 6W 
- Finish: Granulated Black Brushed Red/  
Granulated Black/Black Gold/Matt Rust




● EL-733UP




● EL-733HG




● EL-733DN



● EL-733P1



● EL-733P2







● EL-733PE2



● EL-733PE3-3

# Aluminum Outdoor Lantern-Noble

- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black / White / Black Gold / Verdi Green
- IP44



● EL-640UP




● EL-640DN



● EL-640HG



● EL-640P1



● EL-640P2

● EL-640PE2





## Exterior Lantern

- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black/White/Verdi Green/  
Black Gold/Matt Rust
- IP44



● ● EL-260PE2  
Overall Ht: 1M



● ● EL-260HG



● ● EL-260DN



● ● EL-260UP



● ● EL-260UPS  
Sensor Range: 10M x 110°








● ● EL-260P2




● ● EL-260P1

## Exterior Lantern in PC


- Material: PC
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. . Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: White / Black
- IP44




● EL-P490DN



● EL-P490UP








● EL-P490P2



● EL-P490HG

## Exterior Lantern in PC


- Material: PC
- Bulb Adaptable: E27 40W Max.   
E27 ESB T3/11W Max. Spiral   
E27 C Class 28W   
E27 LED 6W 
- Finish: White / Black
- IP44



● EL-P280HF




● EL-P280HFS



● EL-P270HG



● EL-P270UP





● EL-P270P2




● EL-P270DN

## Garden Wall Light

- Material: Stainless Steel + PC
- Bulb Adaptable: E27 PL 11W Max. 
- Finish: Stainless Steel
- IP44








● EL-045UP




● EL-045W



- Material: Stainless Steel + PC Diffuser
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Stainless Steel
- IP44




● GPL-SS01/UP




● GPL-SS01/W







## Garden Path Light


- Material: Stainless Steel + PC
- Bulb Adaptable: E27 PL 11W Max. 
- Finish: Stainless Steel
- IP44



● GPL-045



- Material: Stainless Steel + PC Diffuser
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Stainless Steel
- IP44



● GPL-SS01



- Material: Iron + Clear PC Shade
- Finish: Matt Black



• EL-SS05UP



• EL-SS05UPS




• GPL-SS05

## Garden Wall Light

- Bulb Adaptable: E27 60W Max.
- E27 ESB T3 13W Spiral
- E27 C Class 42W
- E27 LED 9W

- IP44

W/PIR Sensor  
Detection Range 12M Max. x 120°  
Adjustable Sensor Timing:  
from 5 Seconds to 8 Minutes



- Material: Brushed Stainless Steel + Clear PC Shade
- Finish: Stainless Steel



• EL-SS05UP-SS



• EL-SS05UPS-SS



• GPL-SS05-SS

## Garden Path Light

- Bulb Adaptable: E27 60W Max.
- E27 ESB T3 13W Spiral
- E27 C Class 42W
- E27 LED 9W

- IP44




(Available in 1M & 0.5M)


## Aluminum Garden Path Light

- Material: Die Cast Aluminum + PC
- Bulb Adaptable: E27 60W Max.
- E27 ESB T3/15W Max. Spiral
- E27 C Class 42W
- E27 LED 9W


- Finish: Black
- IP44



• GPL-01



• GPL-01




• GPL-01




## Garden Wall Light

- Material: Stainless Steel + Opal PC
- Bulb Adaptable: E27 11W Max. 
- 12 PCS LED + Sensor
- Sensor Range: 8M x 120°
- Finish: Stainless Steel
- IP44



● EL-142AS




● EL-142WS




## Garden Path Light

- Material: Stainless Steel + Opal PC
- Bulb Adaptable: E27 11W Max. 
- 12 PCS LED + Sensor
- Sensor Range: 8M x 120°
- Finish: Stainless Steel
- IP44








● GPL-142PS



● GPL-142PS







- Material: Stainless Steel + PC
- Bulb Adaptable: E27 60W Max.   
E27 ESB 2U 21W Max.   
E27 C Class 42W   
E27 LED 9W 
- Finish: Stainless Steel
- IP44




● GPL-7062



## LED Garden Wall Light

- Material: Stainless Steel + PC
- Bulb Adaptable: E27 60W Max.   
E27 ESB 2U 21W Max.   
E27 C Class 42W   
E27 LED 9W 
- Finish: Stainless Steel
- IP44




● EL-7062



## LED Garden Wall Light


- Material: Stainless Steel + Glass
- Lamp: LED Modules (16 LEDs Version)
- Finish: Stainless Steel
- Voltage : 220-240V
- IP44




● ELED-131UP



● ELED-131W



● ELED-130UP




● ELED-130W




## LED Garden Path Light

- Material: Stainless Steel + Glass
- Lamp: LED Modules (16 LEDs Version)
- Finish: Stainless Steel
- Voltage : 220-240V
- IP44



● GPLD-131



● GPLD-130




## LED Garden Wall Light

- Material: Stainless Steel Housing + Clear PC Diffuser
- Lamp: LED Modules (24 LEDs Version)
- Finish: Stainless Steel
- Voltage : 220-240V
- IP44



- Material: Stainless Steel Body + Clear PC Shade
- IP44




## LED Garden Path Light

- Material: Stainless Steel + PC
- Finish: Stainless Steel
- Voltage : 220-240V
- IP44








- Material: Stainless Steel Housing + Clear PC Diffuser
- Lamp: LED Modules (24 LEDs Version)
- Finish: Stainless Steel
- Voltage : 220-240V
- IP44







## Garden Path Light-Bollard & Garden Socket

- Material: Stainless Steel
- Bulb Adaptable: E27 60W Max. A Type   
E27 ESB T3/15W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Stainless Steel
- VDE Socket
- IP44



● GPL-58YG



● GPL-58YG-A



# Exterior Wall Light & Spot Light

HOME RESOURCE 2015~2016 COLLECTION




# LED Exterior Wall Light

- Material: Aluminum + PC Diffuser
- With 6W LED
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP54




● ELED-S820




● ELED-820

# LED Exterior Brick Light & Step Light



● RLED-49



● RLED-S49



## LED Garden Spot Light

- Material: Aluminum + Tempered Glass Diffuser
- With Built-in Driver
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP65




3 x 1W LED




1 x 3W LED



1 x 3W LED



• **GLEED-335SP**



# LED Garden Spot Light


- Material: Aluminum + Tempered Glass Diffuser
- With Built-in Driver
- Input Voltage: 220~240V
- Finish: Gray/Dark Gray/Black
- IP65



1 x 3WLED



1 x 3WLED



● **GLED-335A**



3 x 1WLED



1 x 3WLED



● **GLED-335**




3 x 1WLED



1 x 3WLED

## LED Garden Wall Light

- Material: Aluminum + Glass
- Color: Dark Gray / Gray
- Input Voltage: 220~240V
- IP44
- RA>80




### ● ELED-170

Lamp: 5.4W (27 x 0.2W LED)




### ● ELED-171

Lamp: 6W (30 x 0.2W LED)




# LED Garden Wall Light

- Material: Aluminum + PC
- Lamp: 10W (20 x 0.5W LED)
- Color: Dark Gray / Gray
- Input Voltage: 220~240V
- IP44
- Ra:>80



● **ELED-172**  
Without Sensor




● **ELED-172S**  
With Sensor

Detection Range: 90° , Max. 8M  
Duration Time: 10+/-5 Secs ~ 4+/-1 Mins (adjustable)




## LED Garden Wall Light

- Material: Aluminum + PC
- Lamp: 10W (20 x 0.5W LED)
- Color: Dark Gray / Gray
- Input Voltage: 220~240V
- IP44
- Ra:>80



● **ELED-173**  
Without Sensor



● **ELED-173S**  
With Sensor

Detection Range: 90° , Max. 8M  
Duration Time: 10+/-5 Secs ~ 4+/-1 Mins (adjustable)





# Garden Wall Light

- Material: Aluminum + Glass
- Color: Black / Grey
- Input Voltage: 220~240V
- IP44
- Ra $\geq$ 75




● **EL-233-2**

Lamp: 2 x G9 / 28W


● **ELED-233-2**

Lamp: 5.6W (28ps x0.2W SMD 5050 LED)



● **ELED-234**

Lamp: 4W (20ps x 0.2W SMD 5050 LED)




● **ELED-234S**

Lamp: 4W (20ps x 0.2W SMD 5050 LED)  
Sensor: 120° ; 8M Max. ; 10 Secs ~ 5 Mins




## Garden Wall Light

- Input Voltage: 220~240V
- IP44
- Ra  $\geq$  75



### ● ELED-235

Material: Stainless Steel cover + Aluminum back plate + PC diffuser  
Color: Black Painting / Grey Painting / Stainless Steel finish  
Lamp: 6W (30ps x 0.2W SMD 5050 LED)




### ● ELED-236

Material: Aluminum + PC  
Color: Black Painting / Grey Painting  
Lamp: 6W (30ps x 0.2W SMD 5050 LED)




# Garden Wall Light


- Material: Stainless Steel + PC
- Color: Stainless Steel
- Input Voltage: 220~240V
- IP44
- Ra $\geq$ 75



● **ELED-288-2**  
Lamp: 4W (20ps x 0.2W SMD 5050 LED)



● **ELED-288**  
Lamp: 2W (10ps x 0.2W SMD 5050 LED)



● **ELED-288A-2**  
Lamp: 4W (20ps x 0.2W SMD 5050 LED)



● **ELED-288A**  
Lamp: 2W (10ps x 0.2W SMD 5050 LED)




# Garden Wall Light



Finish: Polished Alum  
IP44




● **ELED-242**  
Aluminum Die Cast + PC  
12 x 0.2W LEDs



● **ELED-243**  
Aluminum Die Cast + PC  
12 x 0.2W LEDs





● **EL-119**  
Aluminum Die Cast + Glass  
2 x G9 40W Max. ⚡





● **ELED-119**  
Aluminum Die Cast + Glass  
30 x 0.06W LEDs




● **EL-240**  
Aluminum Die Cast + Glass  
2 x G9 40W Max. ⚡



● **EL-241**  
Aluminum Die Cast + Glass  
Bulb Adaptable: E27 ESB 7W Spiral ⚡




● **EL-118**  
Aluminum Die Cast + Glass  
G9 40W Max. ⚡



● **ELED-118**  
Aluminum Die Cast + Glass  
18 x 0.06W LEDs

# 2 in 1 LED Under Water Light/ LED Garden Spot Light

- Material: Solid Alu. Body
- Lamp: 1W&3W LED (6000K/Cool White)
- Finish: Aluminum Anodize
- IP68



## ● GLED-36BA/SP

1W	3W
6000K	6000K
80Lm	220Lm
Build-in Driver	Build-in Driver





- Option 1  
● **GLED-36BA**  
2.5M H05RN-F Cable  
IP68 VDE Plug



- Option 2  
● **GLED-36SP**  
2.5M H05RN-F Cable  
IP68 VDE Plug

# 2 in 1 LED Under Water Light/ LED Garden Spot Light

- Material: Solid Alu. Body
- Lamp: 1W LED (6000K/Cool White) x 3pcs
- Finish: Aluminum Anodize
- IP68



## ● GLED-311BA/SP

3 x 1W = 3W  
6000K: 210Lm  
Build-in Driver



Option 1

## ● GLED-311BA

2.5M H05RN-F Cable



Option 2


## ● GLED-311SP

2.5M H05RN-F Cable




## Garden Wall Light

- Material: Stainless Steel + PC
- Bulb Adaptable: E27 40W Max.💡  
E27 ESB 11W Max.💡  
E27 C Class 28W💡  
E27 LED 6W💡
- Finish: Stainless Steel
- IP44



● EL-722A





● EL-723A




# Exterior Lantern


- Material : Stainless Steel + PC
- Bulb Adaptable : E27 60W Max.💡  
E27 ESB 15W Max.💡  
E27 C Class 42W💡  
E27 LED 9W💡
- Finish : Stainless Steel
- IP44



● EL-932DN-B



● EL-932UP-B







● EL-932DN-A








## Exterior Lantern





- Material: Iron + Clear Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black/White/Galvanized
- IP44




● EL-991DN



## Exterior Lantern





- Material: Iron + PC/Black
- Bulb Adaptable: E27 60W Max.   
E27 ESB 11W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IP23




● EL-063HF



## Exterior Lantern




- Material: Iron + PC
- Bulb Adaptable: E27 60W Max. (B Type)   
E27 ESB 11W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Metallic Grey
- IP44




● EL-824DN



## Exterior Lantern





- Material: Iron + Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Antique Brushed
- IP44




● EL-825DN




## Exterior Lantern

- Material: Iron + Glass/
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IP44






● EL-641DN3







● EL-586UP


## Exterior Lantern

- Material: Iron + Opal Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black/Silver
- IP44







## Exterior Lantern


- Material: Iron + Acid Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black/Silver
- IP23



● EL-863DN

## Exterior Lantern

- Material: Stainless Steel
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- IP44





● EL-779





● EL-271UP

## Exterior Lantern

- Material: Stainless Steel + PC Shade
- Bulb Adaptable: GU10 50W Max.   
GU10 C Class 28W 
- IP44





### • EL-868 UPS

W/PIR Sensor  
Detection Range 12m Max. X 120°  
Lamp Time on (Adjustable):  
5 Seconds-8Minutes



### • EL-868 UP



## Exterior Lantern

- Material: Stainless Steel + PC Shade
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3 13W Spiral   
E27 C Class 42W   
E27 LED 9W 
- IP44



### ● EL-440 UPS

W/PIR Sensor  
Detection Range 8M Max. X 120°  
Lamp Time on(Adjustable):  
5 Seconds-8Minutes




### ● EL-440 UP





## Exterior Lantern


- Material: Iron + Bubble Glass
- Bulb Adaptable: E27 60W Max.   
E27 ESB 13W Max. Spiral   
E27 C Class 42W   
E27 LED 9W 
- Finish: Red Antique Brass / Black
- IP23



● EL-199DN


# Exterior Lantern

- Material: Aluminum + Bubble Glass
- Finish: Black
- IP44



## • EL-448LUP

- E27 60W Max.
- E27 ESB 23W Max.
- E27 C Class 42W
- E27 LED 9W




## • EL-448SUP

- E27 60W Max.
- E27 ESB 11W Max.
- E27 C Class 42W
- E27 LED 9W




## • EL-448LDN

- E27 60W Max.
- E27 ESB 23W Max.
- E27 C Class 42W
- E27 LED 9W




## • EL-448SDN

- E27 60W Max.
- E27 ESB 11W Max.
- E27 C Class 42W
- E27 LED 9W



## • EL-448LHG

- E27 60W Max.
- E27 ESB 23W Max.
- E27 C Class 42W
- E27 LED 9W



## • EL-448SHG

- E27 60W Max.
- E27 ESB 11W Max.
- E27 C Class 42W
- E27 LED 9W






## Exterior Lantern


- Material: Aluminum + Glass
- Bulb Adaptable: E27 60W Max.💡  
E27 ESB 11W Max.💡  
E27 C Class 42W💡  
E27 LED 9W💡
- Finish: Black
- IP44



● EL-447HG



● EL-447DN







● EL-447P2





## Exterior Lantern

- Material: Die Cast Aluminum
- Bulb Adaptable: E27 60W Max.   
E27 ESB 23W Max.   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IPX4




● EL-273ADN1



● EL-273AHG







● EL-273AP3



● EL-273ADN2

## Exterior Lantern


- Material: Die Cast Aluminium
- Bulb Adaptable: E27 60W Max.   
E27 ESB 23W Max.   
E27 C Class 42W   
E27 LED 9W 
- Finish: Black
- IP44




● EL-273DN1



● EL-273DN2



● EL-273P3




● EL-273HG




## Garden Wall Light


- Material: Stainless Steel+ Glass
- With Photocell and Sensor
- Lamp: 12 x 0.06W LEDs  
1 x E27 ESB Max 11W(excl.)
- Doorplate NOs. 0-9 incl.
- Finish: Stainless Steel
- 230V/50Hz
- IP44



● EL-231DPS



● EL-773B




● AL-02



## Garden Wall Light

- Material: Stainless Steel+ Glass
- Bulb Adaptable: E27 60W Max. E27 ESB 15W Max. Spiral E27 C Class 42W E27 LED 9W
- Finish: Stainless Steel
- 230V/50Hz
- IP44




● EL-777



## Garden Wall Light


- Material: Stainless Steel
- Bulb Adaptable: E27 60W Max. E27 ESB T3/15W Max. Spiral E27 C Class 42W E27 LED 9W
- 230V/50Hz
- IP44




● EL-778



## Garden Wall Light


- Material: Stainless Steel
- Bulb Adaptable: E27 ESB 11W Max. Spiral 
- Detection Range 8M Max. x 120°
- Finish: Stainless Steel
- IP44




● EL-768S



## Garden Wall Light


- Material: Stainless Steel
- Bulb Adaptable: E27 ESB 11W Max. Spiral 
- Finish: Stainless Steel
- IP44




● EL-769






## Garden Wall Light


- Material: Stainless Steel
- Bulb Adaptable: E27 ESB 11W Max. Spiral 
- Detection Range 8M Max. x 120°
- Finish: Stainless Steel
- IP44



● EL-769S

## Garden Wall Light







- Material: Iron/Zinc metal sheet
- Bulb Adaptable: E27 LED 9W   
E27 3U/20W Max.   
E27 C Class 42W 
- Finish: Painting (Black/White) /  
Zinc metal sheet natural color
- IP23




● EL-111




# Garden Wall Light


- Material: Die Cast Aluminum + PC + Glass; S. Steel + PC + Glass
- Bulb Adaptable: - Aluminum: GU10 50W Max. ; S. Steel: GU10 35W Max. 
  - Aluminum: GU10 C Class 40W ; S. Steel: GU10 C Class 28W 
  - GU10 CFL 9W Max. 
  - GU10 LED 4W Max. 
- Finish: Black/Silver & Stainless Steel
- IP44




● EL-81UP



● EL-81-2






● EL-82UP




● EL-82-2






## Exterior Spot Light


- Material: Aluminum Die Cast
- Bulb Adaptable: GU10 1 x 35W Max.   
GU10 C Class 1 x 28W   
GU10 LED 1 x 4W 
- Finish: Polished Alum/Black
- IP44



● EL-413





- Bulb Adaptable: GU10 2 x 35W Max.   
GU10 C Class 2 x 28W   
GU10 LED 2 x 4W 




● EL-413-2



- Material: Stainless Steel
- Bulb Adaptable: E27 ES-2U 11W 
- Finish: Stainless Steel
- IP44



● EL-416WA



● EL-416WA-2





# Exterior Spot Light

- Finish: Stainless steel
- IP44


Stainless Steel  
GU10 50W Max.   
GU10 C Class 28W   
GU10 LED 4W 






● **EL-421W**





● **EL-421W-2**




● **EL-422W-2**  
Stainless Steel + PC  
G9 40W Max. (up)   
G9 C Class 28W +  
GU10 50W Max. (Down)  
GU10 C Class 28W




● **EL-426DNS-2**  
Stainless Steel + Glass  
2 x GU10 50W Max. (Up/Down)   
2 x GU10 C Class 28W   
With Sensor  
Sensor Range: 8M x 120°



● **EL-426DNS**  
Stainless Steel + Glass  
GU10 50W Max.   
GU10 C Class 28W   
With Sensor  
Sensor Range: 8M x 120°






● **EL-044UPA**  
Stainless Steel + Glass  
E27 ESB 11W Max.   
LED Modules (16 LEDs Version)

## Exterior Spot Light




- Material: Aluminium Die-cast
- Finish: Polished
- IP44



### ● EL-420W-1

Bulb Adaptable: GU10 1 x 35W MAX.   
GU10 C Class 1 x 28W   
GU10 LED 1 x 4W 




### ● EL-420W-2

Bulb Adaptable: GU10 2 x 20W MAX.   
GU10 C Class 2 x 28W   
GU10 LED 2 x 4W 




## Exterior Spot Light




- Material: Stainless Steel Body + PC Shade
- Finish: Stainless Steel
- IP44




- **ELED-417DN-A**  
1 x 1W White LED  
6000K: 80Lm  
or  
LED Modules (9 White LEDs Version)  
6000K: 30Lm




- **ELED-417-2A**  
2 x 1W White LED  
6000K: 160Lm  
or  
LED Modules (18 White LEDs Version)  
6000K: 60Lm


- Material: Stainless Steel + PC
- Bulb Adaptable: GU10 35W Max.   
GU10 C Class 28W   
GU10 LED 4W 
- Finish: Stainless Steel
- IP44



- **EL-417WG-2**






- **EL-417WD**




- **EL-417WI**



## Exterior Spot Light




- Material: Die Cast Aluminium Body + Glass
- Bulb Adaptable: GU10 35W Max.   
GU10 C Class 28W   
GU10 LED 4W 
- Finish: Matt Black
- IP44





● WG-851



## Garden Spot Light

- Material: Aluminum Alloy + Clear Glass
- Bulb Adaptable: MR16 20W Max. Incl.   
MR16 C Class 14W   
MR16 LED 4W 
- IP44


### • Assembly



● GL-7438

## Exterior Spot Light

- Material: Brushed Aluminum Alloy + Glass Shade
- IP44



### • EL-860DN



Bulb Adaptable: GU10 50W Max. Excl.   
 GU10 C Class 28W   
 GU10 LED 4W



### • GL-860SP

Bulb Adaptable: MR16 20W MAX. Excl.   
 MR16 LED 4W


#### • Assembly




## Garden Spot Light

- Material: Die Cast Aluminum + Glass Lens
- Bulb Adaptable: MR16 12V/20W Max.   
 MR16 C Class 14W
- Finish: Aluminum
- IP44




#### • Assembly




### • GL-840SP



## Garden Spot Light

- Material: Die Cast Aluminum
- Bulb Adaptable: MR16 50W Max.   
MR16 C Class 35W   
MR16 LED 4W 
- IP68


### ◆ Assembly




### ◆ Accessories



Outdoor Transformer  
Input 230V or 110V, Output 12V

- Material: PP + Iron Reflector + Glass Lens
- Bulb Adaptable: G4 12V 10W Max Incl. 
- Finish: Matt Black
- IP44

- Each with adjustable swivel
- Black Connector
- 1m SPT2-W Cable from kit to kit
- 4M SPT2-W Cable from transformer
- 10W indoor plug-in transformer



● GL-810SP

● GL-820SP






● GL-830SP




● GL-510 SET2

# Garden Spot Light

- Material: Die Cast Aluminium + Glass
- Bulb Adaptable: MR16 20W Max.   
MR16 C Class 14W 
- Finish: Black/White
- IP44







● GL-653SP



● GL-949SP



- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: GU10 50W Max.   
GU10 C Class 28W   
GU10 LED 4W 
- Finish: Black/White
- IP54



● GL-850SP



# Exterior Rechargeable Work Light


HOME RESOURCE 2015~2016 COLLECTION






## Rechargeable Flood Light

- Material: Die-casting Aluminium
- Use Epistar LED
- Beam angle: 120°
- With Adaptor and Car Plug
- Charging time: 4hours
- Working time: 3hours
- Finish: Yellow
- IP65




### ● FLED-757P1-10

1 x 10W 7.4V 3600MAH  
650-750lm



### ● FLED-757P1-20

1 x 20W 11.2V 3600MAH  
1300-1500lm



### ● FLED-757P1-30

1 x 30W 14.8V 4000MAH  
1950-2250lm

### ● FLED-757P1-50

1 x 50W 22.2V 4400MAH  
3250-3750lm



### Accessories :



1) 12V DC Vehicle Charging




2) Pung-in Adaptor



# LED Work Light-JD Light

Patented

- Material: Plastic + Metal
- Lamp: 60 x 0.35W SMD5630 LED Modules(White)  
48 x 0.06W  $\Phi$  5 LED Modules(Red)
- Luminous flux: 1500Lm(6000K)
- Charger: I/P: 100-240V AC 50/60Hz, O/P: 14V DC 1500mA
- With Rechargeable Battery: 12V 12AH
- Operating Time: Single Side: 10H, Double Side: 5H
- Full Recharge Time: 12-13H
- IP44



• WKLED-001



Charger  
AC 100V/240V



Car Charger  
DC 12V/24V



Snow Proof Cover



Lightweight



Detachable



2 USB Ports



Low Battery Alert



Battery Indicator

- JD Light is designed for Professional use  
for Emergency use  
for Relax time



# Exterior Non-Rechargeable Work Light


HOME RESOURCE 2015~2016 COLLECTION



## Fluorescent Work Light


- Material: Base (ABS) + Ball (PE)
- Voltage: 230V
- 6M H07RN-F 3G 1.5MM2 Cable + Plug
- Socket: G24
- With 42W Electronic Ballast
- IP44

**Exclusive  
for North  
Europe**



● **OS-40PR**

Bulb Adaptable: PLC 3U 42W



● **OS-57PR**



Bulb Adaptable: PLC 3U 57W



# LED Flood Light

## ● FLED-L530S-20

- Material: Aluminum Body + Tempered Glass
- Lamp: 20W (40 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 1400LM
- Sensor Range: 180° ; 12M Max.
- Finish: Black
- IP44




## ● FLED-S530S-10

- Material: Aluminum Body + Tempered Glass
- Lamp: 10W (20 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 700LM
- Finish: Black
- IP44
- Sensor Range: 180° ; 12M Max




## ● FLED-L530-20

- Material: Aluminum Body + Tempered Glass
- Lamp: 20W (40 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 1400LM
- Finish: Black
- IP44





## ● FLED-S530-10

- Material: Aluminum Body + Tempered Glass
- Lamp: 10W (20 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 700LM
- Finish: Black
- IP44



## ● FLED-L530P-20

- Material: Aluminum Body + Tempered Glass
- Lamp: 20W (40 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 1400LM
- Finish: Black housing + Yellow Stand
- IP44




## ● FLED-S530P-10

- Material: Aluminum Body + Tempered Glass
- Lamp: 10W (20 x 0.5W SMD 5730 LED)
- Ra > 80
- Lumen: 700LM
- Finish: Black housing + Yellow Stand
- IP44




# COB LED Flood Light

- Material: Aluminum Die Cast Body + Tempered Glass
- Finish: Black / Silver
- Luminous Flux: 60LM/W
- Ra>70
- IP65




Power: COB 10W

● **FLED-S75-10**



Power: COB 20W


● **FLED-M75-20**



Power: COB 30W


● **FLED-L75-30**

- Material: Aluminum Die Cast Body + Tempered Glass
- Finish: Black / Silver
- Luminous Flux: 60LM/W
- Sensor: 120° x Max. 8M
- Ra>70
- IP65




Power: COB 10W

● **FLED-S75S-10**



Power: COB 20W

● **FLED-M75S-20**




Power: COB 30W


● **FLED-L75S-30**

## Energy Saving Floodlight


- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: R7S 4U 30W 
- Finish: Black
- IP44



● FL-7S



● FL-7



● FL-7P

# Floodlight Halogen

- Material: Die Cast Aluminum
- IP44



- **FL-7P**  
J118 500W Max.   
J118 C Class 400W 
- **FL-5P**  
J78 150W Max.   
J78 C Class 120W 







- **FL-7**  
J118 500W Max.   
J118 C Class 400W 
- **FL-5**  
J78 150W Max.   
J78 C Class 120W 



- **FL-7S**  
J118 500W Max.   
J118 C Class 400W 
- **FL-5S**  
J78 150W Max.   
J78 C Class 120W 



- **FL-10A**  
J254 1500W Max.   
J254 C Class 1200W 
- **FL-10B**  
J189 1000W Max.   
J189 C Class 750W 



- **FL-6**  
J118 500W Max.   
J118 C Class 400W 
- **FL-2**  
J78 150W Max.   
J78 C Class 120W 



- **FL-9**  
J118 300W Max.   
J118 C Class 230W 



- **FL-6S**  
J118 500W Max.   
J118 C Class 400W 
- **FL-2S**  
J78 150W Max.   
J78 C Class 120W 



- **FL-6P**  
J118 500W Max.   
J118 C Class 400W 
- **FL-2P**  
J78 150W Max.   
J78 C Class 120W 



# Floodlight Halogen

- Material: Die Cast Aluminum
- IP44






● **FL-7ST2**  
2 x 500W Max.  
J118 x 2 



● **FL-7ST1**  
500W Max.  
J118 

# Metal Halide & High Pressure Sodium Fixture


- Material: PC
- Bulb: 35/50/70W H.P.S   
35/50/70W M.H 
- Control Gear Not Incl.
- IP55



● **HPS-70**




- Material: Die Cast Aluminum
- Control Gear Not Incl.
- IP65




● **HQI-400**

E40 MH 250W/400W  or SON 250W/400W 




● **HQI-402**

E40 MH 250W/400W  or SON 250W/400W 




● **HQI-150**

Rx7S MH 70W/150W 



● **HQI-150N**

Rx7S MH 70W/150W 



# Exterior Ground Light & Deck Light


HOME RESOURCE 2015~2016 COLLECTION




## LED In-Ground Light

- Finish: Stainless Steel
- Built-in Driver
- With 20cm H05RN-F Cable
- IP67

- Material: Stainless Steel Cover + Aluminum Body + Glass Diffuser




● **GLED-126**  
Lamp: 1 x 3W LED



● **GLED-128**  
Lamp: 6 x 1W LEDs



- Material: Stainless Steel Cover + Stainless Steel Body + Glass Diffuser
- Lamp: 3 x 1W LEDs




● **GLED-127**



## LED In-Ground Light

- Material: Stainless Steel Cover + Aluminum Body + Glass Diffuser
- Finish: Stainless Steel
- Built-in Driver
- With 20cm H05RN-F Cable
- IP67



● **GLED-129**  
Lamp: 36 x 0.1W LEDs




● **GLED-130**  
Lamp: 33 x 0.1W LEDs







## Exterior In-Ground Light

- Material: Stainless Steel Cover + Aluminum Body
- IP65




### ● GDL-123

Bulb Adaptable: GU10 35W Max.   
GU10 C Class 28W   
GU10 LED 4W 



### ● GLED-122A

Lamp: 1.5W (15 x 0.1W LED)



### ● GLED-132

Lamp: 1.5W (15 x 0.1W LED)




# Exterior Bulkhead & Ceiling Light

HOME RESOURCE 2015~2016 COLLECTION




# LED Bulkhead


- Material: Aluminum+PC
- Finish: White/Black
- Voltage : AC 85-265V
- SMD LED 5730
- Beam Angle 160(degree)
- Color Temperature 2700K-6400K (Optional)
- CRI>70
- with 30cm H05RNF3x1.0mm<sup>2</sup> cable
- Built-in Driver
- IP54
- Built-in Driver




● **ALED-S562**  
12 x 0.5W LED  
Lumens: 400lms




● **ALED-M562**  
24 x 0.5W LED  
Lumens: 700lms




● **ALED-L562**  
40 x 0.5W LED  
Lumens: 1400lms



● **ALED-S563**  
12 x 0.5W LED  
Lumens: 400lms




● **ALED-M563**  
24 x 0.5W LED  
Lumens: 700lms



● **ALED-L563**  
40 x 0.5W LED  
Lumens: 1400lms



## Bulkheads

- Material: Stainless Steel + PC
- Bulb Adaptable: GX53 9W Max. 
- Finish: Stainless Steel
- IP44



● AL-111




● AL-112





● AL-114



● AL-115



# Aluminum Bulkheads

- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: E27 60W Max.   
E27 C Class 42W 
- Finish: White/Black
- IP44



● **AL-512**

205mm | 315mm — 130mm | 20W 3U 

● **AL-512S**

140mm | 210mm — 108mm | 11W 

● **AL-514**

205mm | 315mm — 130mm | 20W 3U 

● **AL-514S**

140mm | 210mm — 108mm | 11W 

● **AL-520**

260mm | 260mm — 100mm | 20W 3U 

● **AL-520S**

190mm | 190mm — 94mm | 11W 

● **AL-522**

260mm | 260mm — 110mm | 20W 3U 

● **AL-522S**

190mm | 190mm — 106mm | 11W 

● **AL-524**

260mm | 260mm — 110mm | 20W 3U 

● **AL-524S**

190mm | 190mm — 106mm | 11W 

● **AL-533**

185mm | 280mm — 110mm |  
E27 ESB T3 /13W Max. Spiral 

# Aluminum Bulkheads

- Material: Die Cast Aluminum + Glass
- Bulb Adaptable: E27 60W Max.  
E27 C Class 42W
- Finish: White/Black
- IP44



● <b>AL-301</b>	240mm   240mm — 125mm   20W 3U	
● <b>AL-301S</b>	180mm   180mm — 100mm   11W	

● <b>AL-303</b>	240mm   240mm — 115mm   20W 3U	
● <b>AL-303S</b>	180mm   180mm — 95mm   11W	

● <b>AL-306</b>	240mm   240mm — 125mm   20W 3U	
● <b>AL-306S</b>	180mm   180mm — 100mm   11W	

● <b>AL-232</b>	160mm   280mm — 135mm   20W 3U	
● <b>AL-232S</b>	180mm   213mm — 102mm   11W	





● <b>AL-236</b>	160mm   280mm — 135mm   20W 3U	
● <b>AL-236S</b>	108mm   213mm — 102mm   11W	


● <b>AL-238</b>	160mm   280mm — 128mm   20W 3U	
● <b>AL-238S</b>	108mm   213mm — 97mm   11W	

● <b>AL-239</b>	160mm   280mm — 135mm   20W 3U	
● <b>AL-239S</b>	108mm   213mm — 102mm   11W	

● <b>AL-510</b>	205mm   315mm — 120mm   20W 3U	
● <b>AL-510S</b>	140mm   210mm — 100mm   11W	





# Aluminum Bulkheads


- Material: Die Cast Aluminum
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3 /13W Max. Spiral   
E27 C Class 42W   
E27 LED 12W 
- Finish: White/Black
- IP44



● **AL-130**








- Material: Die Cast Aluminum
- Bulb Adaptable: E27 100W Max.   
E27 ESB T3 /20W Max. Spiral   
E27 C Class 70W   
E27 LED 9W 
- Finish: White/Black
- IP44



● **AL-160**







- Material: Die Cast Aluminum
- Bulb Adaptable: E27 40W Max.   
E27 ESB T3 /13W Max. Spiral   
E27 C Class 28W   
E27 LED 6W 
- Finish: White/Black
- IP44



● **AL-140**




● **AL-150**

- Material: Die Cast Aluminum
- Bulb Adaptable: E27 40W Max.   
E27 ESB T3 /13W Max. Spiral   
E27 C Class 28W   
E27 LED 6W 
- Finish: White/Black
- IP44




# Stainless Steel Bulkheads


- Material: Stainless Steel + W/Acid Glass Diffuser
- IP44




● **AL-772**  
E27 100W Max.   
E27 3U 20W   
E27 C Class 70W




● **AL-772S**  
E27 60W Max.   
E27 Mini Twist 11W   
E27 C Class 42W




● **AL-662S**  
E27 60W Max.   
E27 Mini Twist 11W   
E27 C Class 42W



● **AL-663S**  
E27 60W Max.   
E27 Mini Twist 11W   
E27 C Class 42W







● **AL-773S**  
E27 60W Max.   
E27 Mini Twist 11W   
E27 C Class 42W



● **AL-773**  
E27 100W Max.   
E27 3U 20W   
E27 C Class 70W


## Aluminum Bulkheads Step Light

- Material: Die Cast Aluminum
- Bulb Adaptable: E27 40W Max.   
E27 ESB T3/13W Max. Spiral   
E27 C Class 28W 
- Finish: Black/White
- IP44



● **RL-20A**

100mm | 233mm — 77mm |



● **RL-20B**

100mm | 233mm — 77mm |







● **RL-20C**

100mm | 233mm — 77mm |



## Aluminum Bulkheads

- Material: Die Cast Aluminum
- Bulb Adaptable: E27 60W Max.   
E27 ESB T3/15W Max. Spiral   
E27 C Class 42W 
- Finish: Black/White
- IP44



● **AL-036**



● **AL-037**



● **AL-038**

**Exterior**

**Fluorescent Light**

HOME RESOURCE 2015~2016 COLLECTION



## Exterior Fluorescent Fixtures

- Material: ABS or PC Base + PC or PS Diffuser
- Anti - Corrosive Fixtures Housing
- IP65




● EFT-136NP



● EFT-158NP



● EFT-218NP



● EFT-258NP

Item No	Watt	L	W	H (mm)
EFT-118NP	18W	670	100	110
EFT-218NP	2 x 18W	670	160	110
EFT-136NP	36W	1270	100	110
EFT-236NP	2 x 36W	1270	160	110
EFT-158NP	58W	1575	100	110
EFT-258NP	2 x 58W	1575	160	110



# Exterior Fluorescent Fixtures

- Material: ABS or PC or PS Base + Arcylic or PS Diffuser
- Anti - Corrosive Fixtures Housing
- IP65



● EFT-158



● EFT-236



● EFT-218



Item No	Watt	L	W	H (mm)
EFT-118	18W	670	95	95
EFT-136	36W	1270	95	95
EFT-218	2 x 18W	670	155	95
EFT-236	2 x 36W	1270	155	95
EFT-158	58W	1570	95	95
EFT-258	2 x 58W	1570	155	95

# Supply Partner

We are not only playing the role as a manufacturer but also can implement as a supply partner on your behalf which covers following functions:.

- Quality control ie quality assurance & conduct inspection.
- Shipping control ie consolidation of goods & shipment arrangement.
- Payment release
- Buying trip arrangement

We involve a comprehensive product range covering home lighting; commercial lighting, outdoor lightings, bulbs & tube lights.

if you are in consideration of having some one to act as your supply partner for above function , please don't hesitate to contact Home Resource for further discussion.



■ Service team



■ Inspection & Testing



■ Shipping & Financial

# Sales Representative Wanted


---



# R&D Personnel Wanted

---





## **China New Factory (Zhongshan City, Guangdong Province)**

Home Resource's products are designed and manufactured by its own factory (Green Resource) sited in Zhongshan, China.



# Home Resource Ind. Co., Ltd.

## The 19th Home Resource Prize Golf Invitation Tournament

To be held at Agile Golf & Country Club, ZhongShan, China

Expect your Participation



■ **Home Resource Golf Team**

Welcome Your Participation for a Friendly Golf Competition



Please call: 886-(0)2-2809-1212



## Home Resource Industrial Co., Ltd.

4F, No. 69-5, Sec. 2, Chung Cheng East Rd., Tanshui Town 251, Taipei County, Taiwan

Tel : 886-2-2809-1212 ( Rep. 12Lines ) Fax : 886-2-2808-1565 , 2808-0190

E-mail : [hr@homerresource.com.tw](mailto:hr@homerresource.com.tw) [www.homerresource.com.tw](http://www.homerresource.com.tw)

Factory : Home Resource Illumination Co., Ltd.

No. 8, Yanjiang W. 1st Rd., Keji Ave., Torch Development Zone, Zhongshan City,  
Guangdong, China

廣東省中山市火炬開發區科技大道沿江西一路8號