




**2016** New Edition Part 2  
*Let's Make Sweet Homes Together*



中山伟圣照明有限公司



## Our Vision 愿景

To illuminate every part of the world 照亮全球每个国家

## Our Mission 经营使命

- To be the leading lighting company in Taiwan and China
- To be the best at what customers value most
- To exceed customers expectation
- Treat staffs & customers & substructures as partnership
- Enjoy work as part of life
- 成为台湾，中国最好的照明企业
- 超越客户的期望
- 尊重员工、尊重顾客与尊重协力厂商成为共存共荣的合作伙伴
- 以敬业、专业、乐业、创福、知福、惜福作为自我期许
- 以追求永续经营及真善美为最高境界

## Our Core Competence 核心竞争力

- Innovation 创新
- Integrity 诚信
- Efficiency 效率
- Passion 热忱
- Responsibility 负责
- Teamwork 团队

## President's Message

Since its establishment in 1988, Home Resource Ind. CO.Ltd. has been Dedicated to production and Development Of lighting products for Two decades. We would like to take This opportunity to express our sincere Appreciation for your Fully supports and concerns over the past 27 years.

With years of efforts on upgrading production capability and capacity, Home Resource has grown into a consummate manufacturer of lightings on OEM (original equipment manufacturing) and ODM (original design manufacturing) basis. Globally reputed R&D talent has also helped Home Resource to enhance popularity and recognition of its own-brand products in recent years.

In addition to existing branches, Home Resource has opened a constructed plant of 26,000 square meters in China (Zhong Shan City, Guangdong Province), which employs advanced production equipment to assure even shorter delivery and more considerate services for clients than before.

We strive for success not only in having determination and courage, but also developing innovative products and marketing intelligence base on our core competence: innovation, efficiency, integrity and passion. Home Resource will definitely get hold of past success to carry on growing continuously in the lighting territory now and then. Let's witness the brand new, prosperous Home Resource to achieve an even higher peak of success in the coming future.



Sam Chen Ph.D (陈金锡 博士)

President of Home Resource (董事长)

■ Chairman of TLFEA (2004-2007)  
TLFEA: Taiwan Lighting Fixture Export Association  
台湾照明输出业同业公会理事长

■ Director of CEECA and LABC  
CEECA: The Central, Eastern Europe and CIS  
Association

中东欧暨独立国协经贸协会理事  
LABC: Latin American Business Council  
中南美经贸协会理事

■ Vice Chairman of Taiwan Investors  
Association in Zhongshan  
中山市台商投资企业协会副会长

## Company Profile

Home Resource was established in 1988. Since then, the company has developed into one of the most professional lighting manufactures in Taiwan and Mainland China.

Home Resource/Green Resource would like to Express our sincere thanks to all customers, parts sub-contractors and every one of our employees. It is their continuing support and hard work that has allowed Home Resource/Green Resource to grow as rapidly as they have been able to. HR&GR will continue to make even greater efforts in the future.

Other than a self-support manufacturer, through a presence in Ningbo and Zhongshan and 50 employees, Home Resource also operates a sourcing network of two offices in China.

We strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

We look forward to working with you all continuously to create a brilliant future.




David Chen (陈义钟)

General Manager (总经理)

### 公司简介

伟圣国际有限公司成立于公元1988年，并于2010年增资更名为伟圣国际股份有限公司。20余年来主要经营灯饰产业以100%外销欧美50多国；董事长陈金锡以他个人从事照明产业长达30年且走访世界50多国经验堪称照明界尖兵，并在其担任台湾照明公会第六届理事长3年期间，率台湾业界精英亲征世界各大国际展览，稳固台湾灯饰王国美名，直至今日荣任照明公会名誉理事长仍不遗余力于两岸照明产业的相互交流以期共创双赢。1988年至今董事长除了致力于照明产业发展外，并带领经营团队向世界各国不断拓展业务，从公元1992年在大陆设立浙江省宁波分公司、1995成立广东省顺德分公司提供客户更多元化产品；更在公元1999年于广东省东莞清溪镇成立格圣厂主力于OEM, ODM, 历经十年，因产线持续扩增以及添购新设备需要大型生产基地，于2006年在广东中山市火炬开发区电子基地斥资购地自建新厂房(占地26000平方米)，进而延揽国内外设计人才成立大型研发中心，致力研发绿色光源，LED灯泡及LED灯具朝OBM迈进。2010年决定将营销国外多年的自有品牌“Home Resource”引进台湾、大陆，以中文名“虹瑞斯”继续大力拓展业务版图，落实营销全球照亮世界每个角落的经营理念。



**China Factory - 26,000m<sup>2</sup>  
(Zhongshan City, Guangdong Province)**

Home Resource's products are designed and manufactured by its own factory (Green Resource) sited in Zhongshan, China.



## Novelty



• **ETLED-50A**  
Page06



• **ETLED-50AP**  
Page06



• **ETLED-50B**  
Page07



• **ETLED-50BP**  
Page07



• **ETLED-50BPT1**  
Page07



• **ETLED-18BTC**  
Page08



• **ETLED-18BPTA**  
Page08



• **ETLED-18BPT1**  
Page08



• **ETLED-29**  
Page09



• **KLED-43**  
Page09



• **ETLED-27AT**  
Page09



• **ETLED-20T1**  
Page10



• **KLED-45**  
Page10



• **BO-LED74**  
Page11

## LED Table Lamp



• **TLED-21BU**  
Page12



• **TLED-195C**  
Page12



• **TLED-386**  
Page13



• **TLED-388**  
Page13



• **TLED-21AU**  
Page14



• **TLED-195**  
Page15



• **TLED-325**  
Page16



• **TLED-327**  
Page16



• **TLED-110**  
Page16

## LED Plant Grow Light



• PNLED-136  
Page17



• PNLED-137  
Page17



• PNLED-140  
Page17



• PNLED-138  
Page18



• PNLED-139  
Page18

## Smart LED Ceiling Light



• CMLED-521Y  
Page19



• CMLED-522Y  
Page19



• CMLED-523Y  
Page19

## Smart LED Mood Light with Speaker



• KLED-41AY  
Page20



• KLED-41Y  
Page20



• KLED-42Y  
Page20

# Battery Operated LED Tulip Lamp



- Lamp: 1.38W(23 x 0.06W  $\Phi$ 5 LED)
- Luminous Flux (6000K): Low (20%) - 8LM / Medium (50%) - 46LM / High (100%) - 86LM
- 4-Way Touch Switch: Low (20%) - Medium (50%) - High (100%) - Off
- Operation Time: 18-86H(3 x AA Excl.)



## ● ETLED-50A

### Deluxe Tulip (Alkaline-Battery Version)

Material: Steel Top & Base + Alu. Body + PMMA Diffuser  
Finish: Satin Nickel/Chrome

#### 碱性电池LED灯--豪华金属版郁金香

材质: 铁顶&底座+铝身+亚克力罩  
光源: 1.38W(23 x 0.06W  $\Phi$ 5 LED)  
流明值: 低(20%) - 8LM / 中(50%) - 46LM / 高(100%) - 86LM  
四级触摸开关: 低(20%) - 中(50%) - 高(100%) - 关闭  
电池供电时间: 18-86小时(3 x AA不含)  
表面处理: 砂镍色/铬色



砂镍色



铬色



## ● ETLED-50AP

### Bloomy Tulip (Alkaline-Battery Version)

Material: ABS Top/Body/Base + PMMA Diffuser  
Finish: Painting Black/White/Blue/Green/Pink/Orange

#### 碱性电池LED灯--缤纷塑料版郁金香

材质: 塑料+亚克力罩  
光源: 1.38W(23 x 0.06W  $\Phi$ 5 LED)  
流明值: 低(20%) - 8LM / 中(50%) - 46LM / 高(100%) - 86LM  
四级触摸开关: 低(20%) - 中(50%) - 高(100%) - 关闭  
电池供电时间: 18-86小时(3 x AA不含)  
表面处理: 黑/白/蓝/绿/粉红/橙色



黑



白



蓝



绿



粉红




橙色

# Rechargeable LED Tulip Lamp

SINCE 1988  
27<sup>th</sup>  
ANNIVERSARY



Patented  
专利产品



砂镍色

铬色

## ● ETLED-50B

### Deluxe Tulip

Material: Steel Top & Base + Alu. Body + PMMA Diffuser

Lamp: 2.1W(15 x 0.14W SMD5050 LED)

Power Consumption: 2.8W

Luminous Flux (6000K): Low (20%) – 16LM / Medium (50%) – 56LM / High (100%) – 120LM

4-Way Touch Switch: Low (20%) – Medium (50%) – High (100%) – Off

Operation Time: 3H (100%) / 8H (50%) / 25H (20%)

With 1pc Built-in 3.7V 2000mAh 18650 Lithium Rechargeable battery

(Fully Charge 8H ; 500 circles)

Power On by USB directly after battery finishing up its life

Finish: Satin Nickel/Chrome

### 充电电池LED灯--豪华金属版郁金香

材质: 铁顶&底座+铝身+亚克力罩

光源: 2.1W(15 x 0.14W SMD5050 LED)

消耗功率: 2.8W

流明值: 低(20%) – 16LM / 中(50%) – 56LM / 高(100%) – 120LM

四段触摸开关: 低(20%) – 中(50%) – 高(100%) – 关闭

电池供电时间: 3小时(100%)/8小时(50%)/25小时(20%)

含充电电池 (满充8小时, 500回)

电池用完可直接用USB亮灯

表面处理: 砂镍色/铬色



## ● ETLED-50BP

### Bloomy Tulip

Material: ABS Top/Body/Base + PMMA Diffuser

Lamp: 2.1W(15 x 0.14W SMD5050 LED)

Power Consumption: 2.8W

Luminous Flux (6000K): Low (20%) – 16LM / Medium (50%) – 56LM / High (100%) – 120LM

4-Way Touch Switch: Low (20%) – Medium (50%) – High (100%) – Off

Operation Time: 3H (100%) / 8H (50%) / 25H (20%)

With 1pc Built-in 3.7V 2000mAh 18650 Lithium Rechargeable battery

(Fully Charge 8H ; 500 circles)

Power On by USB directly after battery finishing up its life

Color: Painting Black/White/Blue/Green/Pink/Orange

### 充电电池LED灯--缤纷塑料版郁金香

材质: ABS 顶身/底座+亚克力罩

光源: 2.1W(15 x 0.14W SMD5050 LED)

消耗功率: 2.8W

流明值: 低(20%) – 16LM / 中(50%) – 56LM / 高(100%) – 120LM

四段触摸开关: 低(20%) – 中(50%) – 高(100%) – 关闭

电池供电时间: 3小时(100%)/8小时(50%)/25小时(20%)

含充电电池 (满充8小时, 500回)

电池用完可直接用USB亮灯

颜色: 黑/白/蓝/绿/粉红/橙色

## ● ETLED-50BPT1

Material: ABS Top/Body/Base + PMMA Diffuser

Lamp: 1.44W(12 x 0.12W SMD3528 LED 3000K+6000K)

Power Consumption: 2.8W

Lumen: 3000K – 48LM / 6000K – 56LM / 3000K+6000K – 102LM

4-Way Touch Switch: 3000K – 6000K – 3000K+6000K – Off

(Stepless Dimming for Each Way by Pressing The Switch Long)

Operation Time: 30H (3000K) / 30H (6000K) / 3H (3000K+6000K)

With 1pc Built-in 3.7V 1200mAh 18650 Lithium Rechargeable battery

(Fully Charge 6H ; 500 circles)

Power On by USB directly after battery finishing up its life

Color: Painting Black/White/Blue/Green/Pink/Orange

### 充电电池LED灯--可调色温缤纷塑料版郁金香

材质: ABS 顶身/底座+亚克力罩

光源: 1.44W(12 x 0.12W SMD3528 LED 3000K+6000K)

消耗功率: 2.8W

流明值: 3000K – 48LM / 6000K – 56LM / 3000K+6000K – 102LM

四段触摸开关: 3000K – 6000K – 3000K+6000K – 关闭(长按每段皆可无级调光)

电池供电时间: 30小时(3000K)/30小时(6000K)/3小时(3000K+6000K)

含充电电池 (满充6小时, 500回)

电池用完可直接用USB亮灯

颜色: 黑/白/蓝/绿/粉红/橙色





# LED Mushroom Lamp

SINCE 1988  
27<sup>th</sup>  
ANNIVERSARY



reddot design award  
winner 2008



GOOD DESIGN PRODUCT



## ● ETLED-18BTC

Material: Iron Top & Body + PMMA Diffuser  
Lamp: 12 x 0.06W  $\Phi$ 5 LED Modules  
Luminous flux: 60Lm(6000K)  
With 1pc Built-in 3.7V 4800mAh 18650 Lithium Rechargeable battery  
Battery Operation Time: 120H (12pcs LED at Brightest Mode)  
(Fully Charge 8H ; 500 circles)  
Power On by Charger directly after battery finishing up its life  
With Stepless Dimming Touch Switch  
With VDE Charger  
With USB Slot  
Finish: Satin Nickel/Chrome



砂镍色

铬色



### 充电电池LED灯--蘑菇天使灯(金属版)

材质: 铁顶&身+亚克力罩  
光源: 12 x 0.06W  $\Phi$ 5 LED  
流明值: 60Lm(6000K)  
电池供电时间: 120小时(12pcs LED最亮模式)  
含充电电池(满充电8小时, 500回)  
电池用完可直接用充电器亮灯  
无极调光触摸开关  
带USB插槽  
表面处理: 砂镍色/铬色



黑



白



银



蓝



珍珠白



绿



绿蓝



粉红



橙色

## ● ETLED-18BPTA

Material: ABS Top & Body + PMMA Diffuser  
Lamp: 1.44W(12pcs x 0.12W SMD2835 LED) - 3000K+6000K  
With 1pc Built-in 3.7V 1200mAh 18650 Lithium Rechargeable battery  
Battery Operation Time: 30H(3000K) / 30H(6000K) / 3H(3000K+6000K)  
(Fully Charge 6H ; 500 circles)  
Power On by USB directly after battery finishing up its life  
With 4 Way Touch Switch: 3000K - 6000K - 3000K+6000K - Off  
(Stepless Dimming for Each Way by Pressing The Switch Long)  
With USB Cable  
Color: Black/White/Silver/Pink/Blue/Orange/Green/Green Blue/Pearl White

### 充电电池LED灯--蘑菇天使灯(塑料版)

材质: ABS顶&身+亚克力罩  
光源: 1.44W(12pcs x 0.12W SMD2835 LED) - 3000K+6000K  
流明值: 60Lm(6000K)  
4段式电池供电时间: 30小时(3000K)/30小时(6000K)/3小时(3000K+6000K)  
(常按每段皆可无极调光)  
电池用完可直接用USB亮灯  
含充电电池(满充6小时, 500回)  
触摸开关: 3000K - 6000K - 3000K+6000K - 关闭  
含USB线  
颜色: 黑/白/银/蓝/绿/绿蓝/粉红/橙色/珍珠白



## ● ETLED-18BPT1

Material: ABS Top & Body + PMMA Diffuser  
Lamp: 12 x 0.06W  $\Phi$ 5 LED Modules  
Luminous flux: 60Lm(6000K)  
Battery Operating Time: 36H (3 x AA Excl.)  
With Touch On/Off Switch  
With DC Hole  
Color: Black/White/Silver/Pink/Blue/Orange/Green/Green Blue

### 碱性电池LED灯--蘑菇天使灯(塑料版)

材质: ABS顶&身+亚克力罩  
光源: 12 x 0.06W  $\Phi$ 5 LED  
流明值: 60Lm(6000K)  
电池供电时间: 36小时(3 x AA不含)  
触摸开关  
带DC孔  
颜色: 黑/白/银/蓝/绿/绿蓝/粉红/橙色

# LED Lamp

SINCE 1988  
27<sup>th</sup>  
ANNIVERSARY



Patented  
专利产品




## LED Table Lamp-Magic Cone

### ●ETLED-27AT

Material: ABS  
Lamp: 6 x 0.3W SMD5630 LED  
Luminous flux: 110LM(6000K)  
Color: White  
With Touch On/Off Switch  
Battery Operating Time: 0-4H 1000-700 Lux --High  
4-8H 700-400 Lux --Medium  
8-18H 400-100 Lux --Low  
(3 x AA Excl.)

#### LED桌灯--神奇筒

材质: ABS  
光源: 6 x 0.3W SMD5630 LED  
流明值: 110LM(6000K)  
颜色: 白色  
触摸开关  
电池供电时间: 0-4小时 1000-700 Lux --高  
4-8小时 700-400 Lux --中  
8-18小时 400-100 Lux --低  
(3 x AA不含)



## LED Mood Light-Leaf

### ●KLED-43

Material: Aluminum Body + Acrylic Diffuser  
Lamp: 2.4W(24pcs x 0.1W SMD3014 LED)  
Lumen: 225LM (6000K)  
With USB Cable  
Touch Switch  
Finish: White

#### LED情境灯--叶子

材质: 铝+亚克力  
光源: 2.4W(24pcs x 0.1W SMD3014 LED)  
流明值: 225LM(6000K)  
含USB线  
触摸开关  
表面处理: 白色




## Rechargeable LED Lamp-Odora

### ●ETLED-29

Material: Zinc Alloy Head + Steel Tube and Base + PMMA Diffuser  
Lamp: 2W SMD3535 LED (4000K) for main light  
+ 2 x 6pcs x 0.06W SMD3528 LED (3000K) for night light  
Power consumption: 2.6W  
Luminous Flux: 60LM (for 4000K main light)  
Lux: 240Lux (for 4000K main light)  
4-Way Touch Switch on Base: Main Light-Night Light-Main Light+Night Light-Off  
(Stepless dimming for each way by pressing the switch long)  
Battery Operation Time: 6H  
With 1pc Built-in 3.7V 1600mAh 18650 Lithium Rechargeable Battery  
(Fully charge 6H ; 500 circles)  
Power On by USB directly after battery finishing up its life  
Finish: Gun Metal Head and Tube + Golden Base

#### 充电电池LED灯--海芋

材质: 锌合金+铁+亚克力  
光源: 2W SMD3535 LED (4000K)主灯  
+ 2 x 6pcs x 0.06W SMD3528 LED (3000K)夜灯  
消耗功率: 2.6W  
流明值: 60LM (4000K主灯)  
Lux: 240Lux (4000K主灯)  
底座4段触摸开关(长按可调光) - 主灯 - 夜灯 - 主灯+夜灯 - 关闭  
电池供电时间: 6小时  
含充电电池(满充6小时, 500回)  
电池用光可直接用USB亮灯  
表面处理: 枪黑色头&管子+土豪金底座



Patented  
专利产品




## LED Table Lamp-Mini

### ●ETLED-20T1

Material: PP Shade + ABS Base  
Lamp: 12x0.06W  $\Phi$ 5 LED Modules  
Luminous flux: 60Lm(6000K)  
Battery Operating Time: 36H (3 x AA Excl.)  
With Touch Switch on Base  
With DC Hole  
Color: White/Black

#### LED桌灯--小不点

材质: PP罩+ABS座  
光源: 12x0.06W  $\Phi$ 5 LED  
流明值: 60Lm(6000K)  
电池供电时间: 36小时(3 x AA不含)  
底座触摸开关  
带DC孔  
颜色: 白/黑



## 餐厅酒吧呼叫功能情境灯

### ●KLED-45

材质: ABS + PMMA  
光源: 主灯6pcs x 0.2W SMD2835 LED  
小夜灯12pcs x 0.06W SMD2835 LED  
消耗功率: 2.2W  
开关: 呼叫按压开关 + 取消呼叫按压开关  
内置电池: 1200mA  
附1.2米USB线+接收中控台  
选配电源规格: 5V 500mA

# Battery Operated Sensor Light-Robot




- Material: ABS Body + PC Diffuser
- Lamp: 2 x 0.4W SMD5630 LED
- Power consumption: 0.8W
- Luminous flux: 25 LM (4000K) ; 30 LM (6000K)
- Battery: 3 x AAA(Excl.)
- Battery Working Time at "ON" mode: 8H
- With 3 Section Slide Switch: Motion Sensor - OFF - ON
- Motion Sensor: 2M, 120°, Time Delay (18Sec+/-5Sec)
- Color: White



感应器-关亮



电池盒



## ●BO-LED74

### 电池感应灯--机器人

材质: ABS壳+PC罩  
 光源: 2 x 0.4W SMD5630 LED  
 消耗功率: 0.8W  
 流明值: 25 LM (4000K) ; 30 LM (6000K)  
 电池: 3 x AAA(不含)  
 "开" 模式下的电池供电时间: 8小时  
 三段式滑式开关: 感应器 - 关 - 常亮  
 移动感应器: 2M, 120°, 延迟时间(18秒+/-5秒)  
 颜色: 白色

# Mobile Phone Charging LED Table Lamp

-For iPhone 5 / 6 series By USB Slot or Qi Wireless Receiver




## ●TLED-21BU

Material: ABS Body  
Lamp: 6W (12 x 0.5W SMD5630 LED Modules)  
Luminous Flux: 440LM (4000K)  
Lux: 1200Lux(H.40cm)  
With USB Slot (Output: 5V 500mA)  
Power Consumption: 17.5W (Including wireless charging modules)  
On/Off Touch Switch on Tube  
With Driver and 1.5m Cable  
Being folded when not in working  
Finish: White/Black

### 手机充电LED桌灯

材质: ABS  
光源: 6W (12 x 0.5W SMD5630 LED)  
流明值: 440LM (4000K)  
照度: 1200Lux(高40cm)  
含USB充电插槽(输出5V 500mA)  
消耗功率: 17.5W(含无线充电模组)  
灯杆触摸开关  
带驱动及1.5米电源线  
可折叠收藏  
颜色: 白/黑





## ●TLED-195C

Material: ABS Head & Base + Iron Tube  
Lamp: 3W (6pcs x 0.5W SMD5630 LED Modules)  
Power Consumption: 4.5W  
Luminance: > 900 Lux (30cm) / Luminous flux: 200LM (4000K)  
With Stepless Dimming Switch on Base  
With USB Slot (Output: 5V 1A)  
With Driver and 1.5m Cable  
Finish: Black/White/Green

### 手机充电LED桌灯

材质: ABS头&座 + 铁杆  
光源: 3W (6pcs x 0.5W SMD5630 LED)  
消耗功率: 4.5W  
流明值: 200LM(4000K)  
照度: >900 Lux(高30cm)  
底座无段调光开关  
含USB充电插槽(输出5V 1A)  
带驱动及1.5米电源线  
颜色: 黑/白/绿



# Mobile Phone Charging LED Table Lamp


-For iPhone 5 / 6 series By USB Slot or Qi Wireless Receiver

SINCE 1988  
27<sup>th</sup>  
ANNIVERSARY

- Material: ABS + Iron
- With Stepless Dimming Switch on Base
- With Driver and 1.5m Cable
- With USB Slot(Output: 5V 1A)
- Color: White/Black



•Patented  
专利产品




## ● TLED-386

With 5W (30pcs x 0.16W SMD2835 LED)  
Lumen: 390LM (4000K)  
Lux: 1500Lux (H. 30cm)  
Power Consumption: 18W (Including Wireless Charging Modules)

### 手机充电LED桌灯

材质: ABS+铁  
底座无段式开关  
带驱动及1.5米电源线  
含USB充电插槽  
颜色: 白/黑



## ● TLED-388

With 5.4W (27pcs x 0.2W SMD2835 LED)  
Lumen: 320LM (4000K)  
Lux: 1600Lux (H. 30cm)  
Power Consumption: 18W (Including Wireless Charging Modules)

### 手机充电LED桌灯

材质: ABS+铁  
底座无段式开关  
带驱动及1.5米电源线  
含USB充电插槽  
颜色: 白/黑

# Quick Charge LED Table Lamp-Elite III



## -QC 2.0 Version


- Material: ABS Body
- Lamp: 6W (12 x 0.5W SMD5630 LED Modules)
- Luminance: > 1200 Lux (40cm) / Luminous flux: 440LM (4000K)
- Power consumption: 32W
- With 4 Section Touch Switch on Base: White-Blue-White+Blue-Off
- White (Main light) ; Blue (Night Light)
- With Night Light: 6 x 0.06W  $\Phi$ 5 Blue LEDs
- With USB Slot (Output: 5V 2A / 9V 1.7A / 12V 1.5A)
- With 1.5M Cable and Adapter
- Color: Painting White / Painting Black / Rubber White / Rubber Black



Being folded when not in working



Night Light



### ●TLED-21AU

#### 快充LED桌灯--精英III代


- 材质: ABS  
 光源: 主灯6W (12 x 0.5W SMD5630 LED)  
 夜灯6 x 0.06W  $\Phi$ 5 蓝光LED  
 亮度: > 1200 Lux (40cm) / 流明值: 440LM (4000K)  
 消耗功率: 32W  
 底座4段触摸开关 - 白 - 蓝 - 白+蓝 - 关闭  
 白光(主灯), 蓝光(夜灯)  
 USB插槽输出功率: 5V 2A / 9V 1.7A / 12V 1.5A)  
 带1.5M电源线及适配器  
 颜色: 白色烤漆/黑色烤漆/橡胶白色/橡胶黑色

# 4.5W LED桌灯




- 材质: ABS头&底+铁杆
- 光源: 9 x 0.3W SMD5630 LED
- 消耗功率: 4.5W
- 1000Lux (高30cm) 208Lm(4000K)
- 底座方形按压开关

Patented  
专利产品



● TLED-195





# LED Table Lamp

SINCE 1988  
27<sup>th</sup>  
ANNIVERSARY



Patented  
专利产品



## TLED-325

Material: ABS  
Lamp: 5.5W(11PCS x 0.5W SMD5730 LED)  
Voltage: AC 100V~240V  
Lumen: 230LM(6000K)  
Color Temperature: 2700K ~ 6500K  
4-Section Touch Switch (25% - 50% - 100% - Off)  
With 1.5M USB Cable  
Color: White

### LED桌灯

材质: ABS  
光源: 5.5W(11PCS x 0.5W SMD5730 LED)  
电压: 交流100V~240V  
流明值: 230LM(6000K)  
色温: 2700K ~ 6500K  
四段式触摸开关 (25% - 50% - 100% - 关)  
带1.5米USB电线  
颜色: 白色




## TLED-327

Material: ABS  
Lamp: 4W(16PCS x SMD2835 + 3pcs x SMD5050 RGB LED)  
Lux: 400Lux (5000K)  
Color Temperature: 5000K ~ 5500K  
Lumen: 120LM (5000K)  
Main Light: 4-Section Touch Switch (25% - 50% - 100% - Off)  
Night Light: Gradient Switch  
With 1pc 1000mA Rechargeable Battery (Charging 2H, Working 3H)  
With USB Cable  
Color: White

### LED桌灯

材质: ABS  
光源: 4W(16PCS x SMD2835 + 3pcs x SMD5050 RGB LED)  
照度: 400Lux (5000K)  
色温: 5000K ~ 5500K  
流明值: 120LM (5000K)  
主灯: 四段式触摸开关 (25% - 50% - 100% - 关)  
夜灯: 渐变开关  
含1pc充电电池(充电2小时, 放电3小时)  
带USB线  
颜色: 白色



## TLED-110

Materials: ABS + PP + Rubber  
Lamp: 6W(34pcs x 0.15W SMD2835 + 2pcs x 0.5W Φ5 RGB LED)  
Lumen: 230LM(5500K)  
Color Temperature: 5000K ~ 5500K  
Lamp illumination: > 500lux(H.30CM)  
Main Light: 4-Section Touch Switch (25% - 50% - 100% - Off)  
Night Light: Gradient Switch  
With LED Driver  
Color: White

### LED桌灯


材质: 塑料  
光源: 6W(34pcs x 0.15W SMD2835 + 2pcs x 0.5W Φ5 RGB LED)  
流明值: 230LM(5500K)  
色温: 5000K ~ 5500K  
照度: > 500lux(高30CM)  
主灯: 四段式触摸开关 (25% - 50% - 100% - 关)  
夜灯: 渐变开关  
带LED驱动  
颜色: 白色

# LED Grow Light for Plant



- Lamp: 8 x 0.125W SMD2835 Red LED and 4 x 0.125W SMD2835 Blue LED and 8 x 0.125W SMD2835 White LED 4000K
- Power Consumption: 2.5W
- 2 Switches on base
- Switch for PLANT: Red Light and Blue Light  
(if the switch is not closed, will automatically shut down after 4H)
- Switch for LAMP: White Light
- With 1.2m USB Cable
- IP20

Patented  
专利产品



## PNLED-136

Material: Iron Body + ABS Base + Glass Bucket  
Finish: Light Pink/White/Pink/Blue/Orange/Green/Green Blue

### LED植物生长灯

材质: 铁身+ABS底+玻璃缸  
光源: 8x0.125W SMD2835 Red LED and 4x0.125W SMD2835 Blue LED and 8x0.125W SMD2835 White LED 4000K

消耗功率: 2.5W

底座2个开关


植物生长灯开关: 红光及蓝光(开关若未关, 4小时会自动关闭)

主灯开关: 白光

含1.2M USB线

表面处理: 浅粉红/白/粉红/蓝/橙/绿/绿蓝

IP20



## PNLED-137

Material: ABS Body + Glass Bucket  
Color: White/Pink/Blue/Orange/Green/Green Blue

### LED植物生长灯

材质: ABS身+玻璃缸

光源: 8x0.125W SMD2835 Red LED and 4x0.125W SMD2835 Blue LED and 8x0.125W SMD2835 White LED 4000K

消耗功率: 2.5W

底座2个开关

植物生长灯开关: 红光及蓝光(开关若未关, 4小时会自动关闭)

主灯开关: 白光

含1.2M USB线

颜色: 白/粉红/蓝/橙/绿/绿蓝

IP20



## PNLED-140

Material: ABS Body + Glass Bucket  
Color: White/Pink/Blue/Orange/Green/Green Blue

### LED植物生长灯

材质: ABS身+玻璃缸

光源: 8x0.125W SMD2835 Red LED and 4x0.125W SMD2835 Blue LED and 8x0.125W SMD2835 White LED 4000K

消耗功率: 2.5W

底座2个开关

植物生长灯开关: 红光及蓝光(开关若未关, 4小时会自动关闭)

主灯开关: 白光

含1.2M USB线

颜色: 白/粉红/蓝/橙/绿/绿蓝

IP20



# LED Grow Light for Plant



- Material: Iron Body + ABS Base + Glass Bucket
- 2 Switches on base
- Switch for PLANT: Red Light and Blue Light  
(if the switch is not closed, will automatically shut down after 4H)
- Switch for LAMP: White Light
- With 1.2m USB Cable
- Color: White/Pink/Blue/Orange/Green/Green Blue
- IP20



## ●PNLED-138

Lamp: 12 x 0.125W SMD2835 Red LED and 3 x 0.125W SMD2835 Blue LED  
and 15 x 0.125W SMD2835 White LED 4000K  
Power Consumption: 2.5W

### LED植物生长灯

材质: 铁身+ABS底+玻璃缸

光源: 12 x 0.125W SMD2835 Red LED and 3 x 0.125W SMD2835 Blue LED  
and 15 x 0.125W SMD2835 White LED 4000K

消耗功率: 2.5W

底座2个开关


植物生长灯开关: 红光及蓝光(开关若未关, 4小时会自动关闭)

主灯开关: 白光

含1.2M USB线

颜色: 白/粉红/蓝/橙/绿/绿蓝

IP20



## ●PNLED-139

Lamp: 14 x 0.125W SMD2835 Red LED and 4 x 0.125W SMD2835 Blue LED  
and 20 x 0.125W SMD2835 White LED 4000K  
Power Consumption: 5W

### LED植物生长灯

材质: 铁身+ABS底+玻璃缸

光源: 14 x 0.125W SMD2835 Red LED and 4 x 0.125W SMD2835 Blue LED  
and 20 x 0.125W SMD2835 White LED 4000K

消耗功率: 5W

底座2个开关


植物生长灯开关: 红光及蓝光(开关若未关, 4小时会自动关闭)

主灯开关: 白光

含1.2M USB线

颜色: 白/粉红/蓝/橙/绿/绿蓝

IP20




# Smart LED Ceiling Light

-Operated by APP(Bluetooth 4.0/5.0)



Patented  
专利产品




## ● CMLED-521Y

Material: Steel Frame + PMMA Diffuser  
Power: 28W(140pcs) White LED + 8W(42pcs) RGB LED + 10W Speaker  
Voltage: AC 90V~265V  
Finish: Black

### 智能LED吸顶灯

材质: 铁框+亚克力罩  
功率: 28W(140pcs)白光LED + 8W(42pcs) RGB LED + 音响10W  
电压: 交流90V~265V  
表面处理: 黑色




## ● CMLED-522Y

Material: PMMA  
Power: 28W(140pcs) White LED + 8W(42pcs) RGB LED + 10W Speaker  
Voltage: AC 90V~265V  
Color: White/Brown

### 智能LED吸顶灯

材质: 亚克力  
功率: 28W(140pcs)白光LED + 8W(42pcs) RGB LED + 音响10W  
电压: 交流90V~265V  
颜色: 白色/棕色



## ● CMLED-523Y


Material: Steel Frame + PMMA Diffuser  
Power: 41W  
Voltage: AC 175V~240V  
Finish: White

### 智能LED吸顶灯

材质: 铁框+亚克力罩  
功率: 41W  
电压: 交流175V~240V  
表面处理: 白色

# Smart LED Mood Light with Speaker

## -Operated by Bluetooth 2.0



### ● KLED-41AY


Material: ABS Body + PMMA Cover  
 Lamp: 7pcs x SMD5050 RGB LED  
 Power: 5W  
 Amplifier: 2\*4Ω 3W  
 R.Frequency: 90Hz~20kHz  
 S/N. Ratio: ≥85dB  
 Impedance: 4Ω  
 With 1200mAh li Rechargeable Battery  
 Battery Working Time: 4H  
 Bluetooth/Aux/TFCARD/Light/Water-Dancing

Patented

专利产品

#### 智能LED音箱情境灯

材质: ABS壳 + PMMA罩  
 光源: 7pcs x SMD5050 RGB LED  
 最大功耗: 5W  
 扬声器: 2\*4Ω 3W  
 频响范围: 90Hz~20kHz  
 信噪比: ≥85dB  
 阻抗: 4Ω  
 含锂电池  
 电池供电时间: 4小时  
 蓝牙/音源/记忆卡灯光水舞



### ● KLED-41Y

Material: ABS Body + PMMA Cover  
 Lamp: 8pcs x SMD5050 RGB LED  
 Power: 5W  
 Amplifier: 2\*4Ω 3W  
 R.Frequency: 90Hz~20kHz  
 S/N. Ratio: ≥85dB  
 Impedance: 4Ω  
 With 1200mAh li Rechargeable Battery  
 Battery Working Time: 4H  
 Bluetooth/Aux/TFCARD/Light

#### 智能LED音箱情境灯

材质: ABS壳 + PMMA罩  
 光源: 8pcs x SMD5050 RGB LED  
 最大功耗: 5W  
 扬声器: 2\*4Ω 3W  
 频响范围: 90Hz~20kHz  
 信噪比: ≥85dB  
 阻抗: 4Ω  
 含锂电池  
 电池供电时间: 4小时  
 蓝牙/音源/记忆卡灯光



### ● KLED-42Y

Material: ABS/PP  
 Power: DC 5V - (1~2A)  
 Lamp: RGB SMD5050 LED  
 Amplifier: Φ45 (4Ω 3W)  
 R.Frequency: 70Hz~20KHz  
 S/N. Ratio: ≥65dB  
 With 2000mAh li Battery (Charging Time: 4~5H, 500 circles)  
 Battery Working Time: Bluetooth-10H  
 Brightest Light-5H  
 Touch Switch (25%-50%-100%-Off)  
 Press the Switch Long: 1<sup>st</sup> press-RGB / 2<sup>nd</sup> press-Off  
 Bluetooth/Aux/TFCARD/Light

#### 智能LED音箱情境灯

材质: ABS/PP  
 功率: DC 5V - (1~2A)  
 光源: RGB SMD5050 LED  
 扬声器: Φ45 (4Ω 3W)  
 频响范围: 70Hz~20KHz  
 信噪比: ≥65dB  
 含充电电池(满充4~5小时, 500回)  
 电池供电时间: 蓝牙10小时  
 最亮光源5小时  
 触摸开关 (25%-50%-100%-关)  
 常按: 第一下-RGB / 第二下-关  
 蓝牙/音源/记忆卡灯光



*Manufacturer • Buying Agent • Inspection Agent*



## Home Resource Ind. Co., Ltd.

4F, No. 69-5, Sec. 2, Chung Cheng East Rd., Tanshui District 25170, New Taipei City, Taiwan

Tel : 886-2-2809-1212 ( Rep. 12Lines ) Fax : 886-2-2808-1565

E-mail : [hr@homerresource.com.tw](mailto:hr@homerresource.com.tw) [www.homerresource.com.tw](http://www.homerresource.com.tw)

Factory : Green Resource Illumination Co., Ltd. (ZhongShan)

No. 8, Yanjiang W. 1st Rd., Keji Ave., Torch Development Zone, Zhongshan City, Guangdong, China

## 中山伟圣照明有限公司

广东省中山市火炬开发区科技大道沿江西一路8号 Tel: 86-760-2369-9888 Fax: 86-760-2369-9819



ISO 9001