

**30<sup>th</sup>** Anniversary  
Challenge to Next 30 Years

**2019-2020 COLLECTION**

**ALL  
LIGHTS  
YOU NEED**

LED PLANT GROW LIGHT · EXTERIOR LIGHT  
INTERIOR LIGHT · NOVELTY



**HOME RESOURCE IND. CO., LTD.**  
Home Resource LEDS The World



## Home Resource History Timelines

- 1988 Established Home Resource Ind. Co., Ltd in Taiwan
- 1992 Established Home Resource in Shanghai
- 1995
  - HR being the 1st Taiwanese company in receipt of SEMKO, NEMKO, and DEMKO Certificates
  - Established Home Resource in Shunde for Inspection, sourcing, consolidation to Customer service
- 1996 Received Excellent Quality Award, Spain in 1996
- 1997 Established Home Resource Golf Team
- 1998 Established Charitable Memorial Foundation of Caring for the elderly
- 1999
  - Established Home Resource in Qinxi, Dongguan (Guangdong) in 1999
  - Awarded the ISO 9001:2000 certification in 1999
- 2003
  - Awarded from TUVPS as one of the TOP 5 Golden Clients in Asia in 2003
  - Founded the scholarships in Longung Elementary School in Taichung city, Taiwan in 2003
- 2004 President Sam Chen was being the Chairman of Taiwan Lighting Association (2004-2007).
- 2005
  - Received National Quality Award in Taiwan in 2005
  - Moving from Shanghai to Ningbo - The first Taiwanese lighting company in Ningbo
- 2006 Acquired 26,000 square meters land in Zhong Shan City, Guangdong
- 2007 Awarded as one of the best "ISO 9001:2000" companies listed as members of KEMA organization
- 2008
  - Red Dot Design Award, 2008, Germany
  - Good Design Product, 2008, Taiwan
- 2010
  - Established New Factory in Zhong Shan (Guangdong)
  - Established the Research & Development center
- 2013 Awarded the BSCI certification in 2013
- 2015 Received National Excellent Lighting Quality Award in Japan in 2015
- 2017 Received The Best Innovation Award of Taiwan Lighting Association in 2017



## Our Vision

To illuminate every part of the world

---

## Our Mission

- To be the leading lighting company in Taiwan and China
  - To be the best at what customers value most
  - To exceed customers expectation
  - Treat staffs & customers & substructures as partnership
  - Enjoy work as part of life
- 

## Our Core Competence

- |             |              |                  |
|-------------|--------------|------------------|
| ● Integrity | ● Innovation | ● Profession     |
| ● Passion   | ● Efficiency | ● Responsibility |
|             | ● Teamwork   |                  |
-

## President's Message

---

Since its establishment in 1988, Home Resource Ind. Co., Ltd. has been dedicated to production and development of lighting products for three decades.



**Sam Chen** Ph.D

---

### President of Home Resource

- Chairman of TLFEA (2004-2007)  
TLFEA: Taiwan Lighting Fixture Export Association
- Director of CEECA and LABC  
CEECA: The Central, Eastern Europe and CIS Association  
LABC: Latin American Business Council
- Vice Chairman of Taiwan Investors Association in Zhongshan

We would like to take this opportunity to express our sincere appreciation for your fully supports and concerns over the past 30 years.

With years of efforts on upgrading production capability and capacity, Home Resource has grown into a consummate manufacturer of lightings on OEM (original equipment manufacturing) and ODM (original design manufacturing) basis. Globally reputed R&D talent has also helped Home Resource to enhance popularity and recognition of its own-brand products in recent years.

In addition to existing branches, Home Resource has opened a constructed plant of 26,000 square meters in China (Zhong Shan City, Guangdong Province), which employs advanced production equipment to assure even shorter delivery and more considerate services for clients than before.

We strive for success not only in having determination and courage, but also developing innovative products and marketing intelligence base on our core competence: innovation, efficiency, integrity and passion. Home Resource will definitely get hold of past success to carry on growing continuously in the lighting territory now and then. Let's witness the brand new, prosperous Home Resource to achieve an even higher peak of success in the coming future.



**David Chen**

---

General Manager

Home Resource was established in 1988. Since then, the company has developed into one of the most professional lighting manufactures in Taiwan and Mainland China.

Home Resource/Green Resource would like to express our sincere thanks to all customers, parts sub-contractors and every one of our employees. It is their continuing support and hard work that has allowed Home Resource/Green Resource to grow as rapidly as they have been able to. HR&GR will continue to make even greater efforts in the future.

Other than a self-support manufacturer, through a presence in Ningbo and Zhongshan and 50 employees, Home Resource also operates a sourcing network of two offices in China.

We strive to attain a position of long-term, sustainable pre-eminence in the lighting field "lighting up" both our customers and ourselves.

We look forward to working with you all continuously to create a brilliant future.



**China Factory - 26,000m<sup>2</sup>  
(Zhongshan City, Guangdong Province)**

Home Resource's products are designed and manufactured by its own factory(Green Resource) sited in Zhongshan, China.



# HOME RESOURCE

has received the following awards:

## Design Awards:



● Good Design Product of Taiwan



● Red Dot Award of Germany



L: Sam Chen  
(President of Home Resource Co.)

R: Alfred Albrecht, TUVPS  
(GS Testing & Certification)

● Awarded from TUVPS as one of the Top 5 golden clients in Asia (2003)



L: Sam Chen  
(President of Home Resource Co.)

R: P.K. Chiang  
(Minister of Economic Department Taiwan)

● Being as Chairman of Taiwan Lighting Association in 2004



L: Jack Chen, Former President of HR/GR  
R: Representative of Senior Group

● Award from Senior Group  
Towards Annual Charity Donation



● David Chen, the general manager of Home Resource, received 2008 innovation award for mushroom lamp in Frankfurt fair.

➤ **Safety Approval:**  
CE, GS, CUL, ETL



**GS Certificate**

**CUL, ETL Certificate**



**CE Certificate**

➤ **More than 60 patents...**



# Supply Partner

We are not only playing the role as a manufacturer but also can implement as a supply partner on your behalf which covers following functions:

- Quality control is quality assurance & conduct inspection.
- Shipping control is consolidation of goods & shipment arrangement.
- Payment release
- Buying trip arrangement

We involve a comprehensive product range covering home lighting, commercial lighting, outdoor lightings, bulbs and tube lights.

If you are in consideration of having some one to act as your supply partner for above function , please do not hesitate to contact Home Resource for further discussion.



■ Service team



■ Inspection & Testing



■ Shipping & Financial



# INDEX

## LED PLANT GROW LIGHT

- ◆Table Lamp, Wall Lamp, Pendant -----001~005

## EXTERIOR LIGHT

- ◆Wall Light, Path Light -----007~024
- ◆Plate Light, Recessed Wall Light -----025~027
- ◆Lantern -----028~042
- ◆Garden Spot Light -----043~049
- ◆Flood Light -----050~057
- ◆Deck Light, In-ground Light, Step Light -----058~062
- ◆Bulkhead -----063~067
- ◆Tri-proof Light -----068~070
- ◆Work Light, High Bay -----071~072
- ◆Garden Socket -----073
- ◆Security Light -----074~075

## INTERIOR LIGHT

- ◆Crystal Ceiling Lamp -----077~080
- ◆Down Light, Cabinet Light -----081~096
- ◆Stick Light -----097
- ◆Bathroom Mirror Light, Picture Light -----098~105
- ◆Hanging Lamp -----106~110
- ◆Table Lamp -----111~115
- ◆Wall Reading Light -----116~122

## NOVELTY LIGHT


- ◆Mood Light, Night Light -----124~134
- ◆Make-up Mirror Light -----135
- ◆Baby Comfort Light -----136

# LED PLANT GROW LIGHT

LED

# PLANT GROW LIGHT

ALFA &amp; HALO



Material: ABS Body + Plastic Plate

Lamp: 2.5W(Red LED + Blue LED + SMD2835 White 4000K LED)

2 Switches on Base

-Switch for PLANT: Red Light and Blue Light


(if the light is not turned off, it will automatically shut down after 12H)

-Switch for LAMP: White Light

With 1.2m USB Cable

Color: White / Black

IP20



● PNLED-140 (Halo)



● PNLED-137 (Swan)

**Tall:**

With the essential Red+Blue spectrums, stems will grow taller, and leaves will grow stronger by using it 8 hours a day.

**Healthy:**

Whatever the weather, plants always receive the lights consistently which makes them grow healthier.

**Beautiful:**

Switching to general lighting mode, it makes plants prettier and makes surrounding more harmonious.

# NEW

NEW

## LED PLANT GROW LIGHT-ALFA



Material: Iron Body + ABS Base + Plastic Plate  
Lamp: 5W(Red LED + Blue LED + White 4000K LED)  
2 Switches on Base

Switch for PLANT: Red Light and Blue Light  
(if the light is not turned off, it will automatically shut down after 12H)

Switch for LAMP: White Light  
With 1.2m USB Cable (Table Light)  
Finish: White / Black  
Glass Bucket / Tripod for Optional  
IP20



● PNLED-142



# NEW

# NEW

### Tall:

With the essential Red+Blue spectrums, stems will grow taller, and leaves will grow stronger by using it 8 hours a day.

### Healthy:


Whatever the weather, plants always receive the lights consistently which makes them grow healthier.

### Beautiful:


Switching to general lighting mode, it makes plants prettier and makes surrounding more harmonious.



With Built-in Driver



With 2m Cable and Built-in Driver



With 2.6m USB Cable

NEW

NEW

LED PLANT GROW LIGHT - CAGE



Material: Iron Body + ABS Base + Plastic Plate  
Lamp: 5W(Red LED + Blue LED + White 4000K LED)

2 Switches on Base

Switch for PLANT: Red Light and Blue Light

(if the light is not turned off, it will automatically shut down after 12H)


Switch for LAMP: White Light

With 1.2m USB Cable (Table Light)

Finish: White / Black

Glass Bucket / Tripod for Optional

IP20



# NEW

# NEW

### Tall:

With the essential Red+Blue spectrums, stems will grow taller, and leaves will grow stronger by using it 8 hours a day.

### Healthy:

Whatever the weather, plants always receive the lights consistently which makes them grow healthier.

### Beautiful:


Switching to general lighting mode, it makes plants prettier and makes surrounding more harmonious.



With Built-in Driver



With 2.6m USB Cable



With 2m Cable and Built-in Driver


# EXTERIOR LIGHT



**NEW**

**LED**

**WALL LAMP**



Material: Die Cast ABS Body + Clear Glass Diffuser

Input Voltage: AC220-240V/50-60HZ

Bulb Adaptable: GU10 LED 8W (Excl.)

Color: Black

IP44

# NEW



Material: Aluminum-Die Cast + Opal PC

Lamp: 2×COB 3W LED


Lumen: 280LM

Voltage: 220-240V

Finish: White

IP54


NEW



● ELED-281

# LED MODERN WALL LIGHT

NEW



NEW

# MODERN WALL LAMP



Material: Die-casting Aluminum + PC + Glass

Bulb Adaptable: GU10 20W Bulb (Excl.)

Input Voltage: 100-240V

Finish: Black

IP44



● EL-112


# NEW

## LED MODERN WALL LAMP




Material: Aluminum Die-casting + PC  
Voltage: 220-240V / 50Hz  
Color: Black  
With Built-in Driver  
IP54

NEW




● ELED-121

Lamp: 13W SMD LED



● ELED-122

Lamp: 7.5W SMD LED



● ELED-123

Lamp: 10W SMD LED

**NEW**

**NEW**



# LED **MODERN** LIGHT


Pendant, Wall Lamp



Material: Aluminum-Die Cast + PC  
Input Voltage: AC200-240V/50-60HZ  
Lamp: 11W AC SMD LED  
Lumen: 880LM  
Ra>80  
Finish: Black  
IP65



● **HGLED-470**



● **ELED-470**

**HOME RESOURCE 011**

[www.homeresource.com.tw](http://www.homeresource.com.tw)


**NEW**

# LED GARDEN PATH / WALL LIGHT




Material: Aluminum Die-Casting + Opal PC  
Voltage: 220-240V, 50Hz  
Lamp: 8W SMD 2835 LED  
Lumen: 600LM  
Finish: Black  
With Isolated Driver  
IP44


**NEW**




● GPLLED-125S



● GPLLED-125



● ELED-125S



● ELED-125

**NEW**

# LED MODERN **WALL** LAMP

**NEW**



● **ELED-124**



● **ELED-124S**



Material: Aluminum Die-Casting +Opal PC  
Voltage: 220-240V, 50Hz  
Lamp: 6W SMD 2835 LED  
Lumen: 380LM  
Finish: Black  
With Isolated Driver  
IP44

**HOME RESOURCE 013**

[www.homeresource.com.tw](http://www.homeresource.com.tw)

# NEW


## ENERGY SAVING

# WALL/PATH LIGHT



Material: Die-casting Aluminum + PC  
Bulb Adaptable: E27 18W Bulb (Excl)  
Input Voltage: 100-240V  
Finish: Black  
IP44

NEW





# LED GARDEN WALL / PATH

## LIGHT



Material: Aluminum Body + PC & Glass Diffuser

Voltage: 100V - 240V


Color Temperature: 2700K ~ 6400K

Finish: Granulated Matt Black

IP44



EXTERIOR



● ELED-325

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 760LM (4000K)



● GPLED-325(0.5m)

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 760LM (4000K)



● GPLED-325(0.8m)

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 760LM (4000K)




● GPLED-325A(0.8M)

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 650LM (4000K)



● GPLED-325A(0.5M)

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 775LM (4000K)



● ELED-325A

Lamp: 12W (2×30×0.2W SMD2835 LED)  
Lumen: 680LM (4000K)

# LED GARDEN

## WALL / PATH LIGHT

Glare-Free



Material: Alu. Body + PC Diffuser

Lumen: 350LM (4000K)

Color Temperature: 2700K - 6500K

Finish: Granulated Matt Black / Grey / White


CRI: Ra≥80

IP54


EXTERIOR



● **ELED-728**  
5W COB LED



● **GPLED-728**  
(0.6M)  
5W COB LED



● **GPLED-728**  
(0.8M)  
5W COB LED




● **GPLED-728**  
(1M)  
5W COB LED



● **GPLED-736**  
(1M)  
4.8W (4×1.2W SMD2835 LED)



● **GPLED-736**  
(0.8M)  
4.8W (4×1.2W SMD2835 LED)




● **GPLED-736**  
(0.6M)  
4.8W (4×1.2W SMD2835 LED)



● **ELED-736**  
4.8W (4×1.2W SMD2835 LED)

# LED GARDEN WALL / PATH LIGHT


Material: Aluminum Body + PC Diffuser  
 Voltage: 100V ~ 240V  
 Lamp: 12W (60 x 0.2W SMD2835 LED)  
 Finish: Granulated Matt Black  
 IP44



● **ELED-328UP**  
 Lumen: 680LM (4000K)



● **ELED-328DN**  
 Lumen: 680LM (4000K)




● **GPLED-328(0.5m)**  
 Lumen: 680LM (4000K)




● **GPLED-328(0.8m)**  
 Lumen: 600LM (4000K)



EXTERIOR



● **ELED-285S**  
 With Sensor (8M, 120°)




● **ELED-285**


Material: Aluminum Body  
 + Glass Diffuser  
 Voltage: 100V ~ 240V  
 Lamp: 9W  
 (45pcs x 0.2W SMD2835 LED)  
 Lumen: 695LM (4000K)  
 Finish: Black  
 IP54



● **GPLED-285S(0.8M)**  
 With Sensor (8M, 120°)



● **GPLED-285(0.8M)**




● **GPLED-285(0.5M)**

# ENERGY SAVING WALL / PATH LIGHT

Material: Stainless Steel + PC  
 Voltage: 220~240V  
 Lamp Adaptable: E27 Max 40W A60 Bulb (Excl.)  
 or 23W ESB Spiral (Excl.)  
 Finish: Stainless Steel  
 IP44

EXTERIOR



● EL-762



● GPL-762  
(0.45M)



● GPL-762  
(0.9M)



● GPL-857  
(0.8M)



● GPL-857  
(0.5M)



● GPL-857  
(0.3M)



● WG-857



Material: Aluminum + PC Diffuser  
 Bulb Adaptable: E27 6W LED Bulb (Excl.)  
 Input Voltage: 220~240V  
 Finish: Gray/Dark Gray/Black  
 IP54

# LED GARDEN WALL / PATH LIGHT


Material: Stainless Steel + Clear PC  
 Finish: Stainless Steel  
 Lamp: 6W(30 x 0.2W LED)  
 Input Voltage: 100-240V  
 IP44



● GPLED-757  
(1M)




● GPLED-757  
(0.5M)



● ELED-757A



EXTERIOR



● ELED-156



● GPLED-162



● GPLED-156

Material: Aluminum + PC  
 Lamp: 5.4W(90 x 0.06W LED)  
 Lumen: 2700K 585LM  
 Finish: Dark Gray/Black  
 IP54



● ELED-162



# STEEL GARDEN

## WALL / PATH LIGHT

Material: Iron + Clear PC Shade

Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)

Finish: Matt Black

IP44


EXTERIOR



● EL-SS05UP



● EL-SS05UPS



W/PIR Sensor  
Detection Range 12M Max. x 120°  
Adjustable Sensor Timing:  
from 5 Seconds to 8 Minutes



(Available in 1M & 0.5M)



● GPL-SS05

# STAINLESS STEEL GARDEN

## WALL / PATH LIGHT

Material: Brushed Stainless Steel + Clear PC Shade

Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)

Finish: Stainless Steel


IP44



● EL-SS05UP-SS



● EL-SS05UPS-SS



W/PIR Sensor  
Detection Range 12M Max. x 120°  
Adjustable Sensor Timing:  
from 5 Seconds to 8 Minutes



(Available in 1M & 0.5M)



● GPL-SS05-SS

# STAINLESS STEEL GARDEN WALL/PATH LIGHT

Material: Stainless Steel + PC Diffuser

Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)

Finish: Stainless Steel


IP44



● GPL-SS01/UP



● GPL-SS01/W



● GPL-SS01

EXTERIOR

# ALUMINUM GARDEN PATH LIGHT

Material: Die Cast Aluminum + PC

Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)

Finish: Black

IP44



● GPL-01  
(1M)



● GPL-01  
(0.75M)



● GPL-01  
(0.5M)

**HOME RESOURCE 021**

[www.homeresource.com.tw](http://www.homeresource.com.tw)


# GARDEN

## WALL / PATH LIGHT


Material: Stainless Steel + Glass  
 Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)  
 IP44

Material: Iron + Glass  
 Bulb Adaptable: E27 10W LED Bulb A Type (Excl.)  
 Finish: Galvanized Iron/White/Black  
 IP44


EXTERIOR



● EL-555UPS  
 Sensor Range: 10M x 110°



● EL-555UP



● EL-555UP




● EL-555PE2



● EL-555HG



● EL-555DN1



● EL-555DN



● EL-555UPS  
 Sensor Range: 10M x 110°




● EL-555PE2






# WATER-PROOF SPOT WALL LIGHT




● **EL-426DN**  
GU10 5W LED Bulb



● **EL-426DNS**  
GU10 5W LED Bulb  
With Sensor  
Sensor Range: 8M x 120°



● **EL-426DN-2**  
2 x GU10 5W LED Bulb



● **EL-426DNS-2**  
2 x GU10 5W LED Bulb  
With Sensor  
Sensor Range: 8M x 120°


Material: Stainless Steel + Glass  
Finish: Stainless steel  
Bulb Exclusive  
IP44

EXTERIOR



● **EL-413**  
Bulb Adaptable: 2 x GU10 5W LED Bulb

● **ELED-413**  
Lamp: 3W (1 x 3W LED)  
Lumen: 360LM(4000K)



● **EL-413-2**  
Bulb Adaptable: 2 x GU10 5W LED Bulb

● **ELED-413-2**  
Lamp: 6W (2 x 3W LED)  
Lumen: 2 x 360LM(4000K)

Material: Aluminum Die-Casting Body + PC Diffuser  
Voltage: 220V ~ 240V  
Color Temperature: 2700K ~ 6500K  
Finish: Black / Aluminum Die-Cast  
Bulb Exclusive  
Ra > 70  
IP54

# ALUMINUM WALL LAMP

EXTERIOR

Material: Aluminum Die-cast  
 Finish: Polished  
 Bulb Exclusive  
 IP44



● EL-420W-1  
 GU10 5W LED Bulb



● EL-420W-2  
 2 x GU10 5W LED Bulb

Material: Aluminum + PC  
 Lamp: 10W (20 x 0.5W LED)  
 Finish: Dark Gray / Gray  
 Input Voltage: 220~240V  
 IP44  
 Ra:>80



● ELED-173  
 Without Sensor



● ELED-173S  
 With Sensor

Detection Range: 90° , Max: 8M  
 Duration Time: 10+/-5 Secs ~ 4+/-1 Mins (adjustable)

# LED

## LIGHT-DOOR

### PLATE LIGHT

Glare-Free



Material: Alu. Body + PC Diffuser  
Lamp: 7.2W (6×1.2W SMD2835 LED)  
Lumen: 420LM (4000K)  
Color Temperature: 2700K ~ 6500K  
Finish: Granulated Matt Black / Grey / White  
CRI: Ra≥80  
IP54



● ELED-729DPA

EXTERIOR



● ELED-729DP  
Doorplate: Numbers 0~9 Incl.



# NEW


## LED Exterior

# Recessed Wall Light



Material: Die-Cast Aluminum + PC  
Lamp: 3W (6 × 0.5W LED)  
LED Brand: CREE XTE  
Color Temperature: 3000K-6000K  
Lumen: 110LM  
Color: Black  
With Waterproof Driver  
IP65

NEW



● ELED-149B




● ELED-149A



# NEW

Material: Aluminum  
Voltage: 220-240V  
Lamp: 3W (1pc × 3W CREE LED)  
Lumen: 160LM  
Finish: Stainless Steel  
IP54




● GLED-150




● GLED-151

Material: Die-Cast Aluminum + Plastic  
Voltage: AC100-240V  
Lamp: 2W (11pcs × 2W Everlight 2835 LED)  
Color Temperature: 3000K  
Color: Silver  
IP65



● GLED-153A



● GLED-153B

Material: Die-Cast Aluminum + Plastic  
Voltage: AC100-240V  
Lamp: 2W (11pcs × 2W Everlight 2835 LED)  
Color Temperature: 3000K  
With 15cm cable  
Color: Silver  
IP65



● GLED-154A



● GLED-154B

# NEW

# NEW

## MODERN

# LANTERN



Material: Aluminum Die Cast Body + PC Diffuser

Voltage: AC220V-240V

Finish: Black

IP44




● **EL-467DN**  
E27 / 10W LED Bulb

● **ELED-467DN**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **EL-467UP**  
E27 / 10W LED Bulb

● **ELED-467UP**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **GPL-467**  
E27 / 10W LED Bulb

● **GPLED-467**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)




● **EL-467HG**  
E27 / 10W LED Bulb

● **ELED-467HG**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **EL-467P2**  
E27 / 10W LED Bulb

● **ELED-467P2**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **GPL-467PE3**  
E27 / 10W LED Bulb

● **GPLED-467PE3**  
10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



NEW


**NEW**



Material: Aluminum Die Cast Body  
+ PC Diffuser  
Voltage: AC220V-240V  
Finish: Black  
IP44



**NEW**



● **EL-468DN**

E27 / 10W LED Bulb

● **ELED-468DN**

10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **EL-468UP**

E27 / 10W LED Bulb

● **ELED-468UP**

10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **EL-468P2**

E27 / 10W LED Bulb

● **ELED-468P2**

10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **EL-468HG**

E27 / 10W LED Bulb

● **ELED-468HG**

10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)



● **GPL-468**

E27 / 10W LED Bulb

● **GPL-468**

10W(14pcs x 1W SMD2835 LED)  
550LM(4000K)

**NEW**

**NEW**

# LED MODERN LANTERN



Material: Aluminum-Die Cast + PC





Lamp: 8W SMD LED

Lumen: 640LM

Ra>80

Color: Black

IP54





**NEW**



## LED MODERN LANTERN

Material: Aluminum Die-Casting Body + PC Diffuser

Voltage: 220V ~ 240V

Color Temperature: 2700K ~ 6500K

Lamp: 7W (14pcs x 0.5W SMD2835 LED)

Lumen: 360LM (4000K)

Ra > 70

Finish: Black / White

IP54

**NEW**



● GPLD-459



● ELED-459HG



● ELED-459UP



● ELED-459P2




● ELED-459DN

**HOME RESOURCE 031**


[www.homeresource.com.tw](http://www.homeresource.com.tw)

**NEW**

**NEW**



● EL-126



● GPL-126



# ENERGY SAVING WALL/PATH LIGHT



Material: Aluminum + Iron + PC  
Voltage: 110-240V, 50Hz  
Color: Black  
Without E27 60W Bulb (Excl.)  
IP54

# ALUMINUM LANTERN

Material: Die Cast Aluminum + Glass

Bulb Adaptable: E27 10W LED Bulb

Finish: Black / White / Black Gold / Verdi Green

IP44



● EL-640DN



● EL-640P1



● EL-640P2



● EL-640UP



● EL-640PE2



EXTERIOR



● EL-560PE3

Material: Die Cast Aluminum + Glass

Bulb Adaptable: E27 10W LED Bulb A Type

Finish: White/Black/Matt Rust/Black Gold/Verdi Green

IP44



● EL-560UP



● EL-560UPS



● EL-560HG



● EL-560P2



● EL-560P1



● EL-560DN

HOME RESOURCE 033

www.homerresource.com.tw


# ALUMINUM LANTERN

Material: Die Cast Aluminum + Frosted Glass

Bulb Adaptable: E27 10W LED Bulb

Finish: Black

EXTERIOR



● EL-252UP  
IP44

● EL-252UP

Product size: 24 x 20 x 44cm

● EL-252DN


Product size: 24 x 20 x 44cm

● EL-252HG

Product size: 20 x 18 x 32cm

● EL-252P2

Product size: 20 x 18 x 41cm



● EL-253DN  
IP23

● EL-253UP

Product size: 23 x 16 x 29cm

● EL-253DN

Product size: 23 x 16 x 29cm

● EL-253HG

Product size: 16 x 16 x 26cm

● EL-253P1

Product size: 16 x 16 x 33cm



● EL-254DN  
IP23

● EL-254UP

Product size: 24 x 18 x 37cm

● EL-254DN

Product size: 24 x 18 x 31cm

● EL-254HG

Product size: 18 x 18 x 27cm

● EL-254P2

Product size: 18 x 18 x 38cm

# LANTERN

## IN PC

Material: PC Frame + PC Clear/Milky White Shade

Bulb Adaptable: E27 LED 6W

Finish: Black/White



● EL-P180AUP



● EL-P180AHG



● EL-P180APE2



● EL-P180ADN



● EL-P180AP2



EXTERIOR



● EL-P260APE2



● EL-P260AHG



● EL-P260AUP




● EL-P260AP2



● EL-P260ADN

HOME RESOURCE 035

# ALUMINUM LANTERN

Material: Die Cast Aluminum + Glass  
 Bulb Adaptable: E27 10W LED Bulb A Type   
 Finish: Black/White/Verdi Green/  
 Black Gold/Matt Rust  
 IP44



● ● EL-260HG



● ● EL-260DN



● ● EL-260UP



● ● EL-260UPS  
 Sensor Range: 10M x 110°



● ● EL-260P2



● ● EL-260P1



● ● EL-260PE2  
 Overall Ht: 1M

EXTERIOR

# ALUMINUM LANTERN

Material: Aluminum Die-Cast Body + Glass Shade

Bulb Adaptable: G45 6W LED Bulb

Finish: Black / White



● EL-655DN



● EL-655HG



● EL-655UP



● EL-655P1



● EL-655UPS



● EL-655PE2



EXTERIOR

# LANTERN

## IN PC

Material: PC(PP)

Bulb Adaptable: E27 10W LED Bulb A Type

Finish: White/Black

IP44



● ● EL-P270(A)HG



● ● EL-P280HF



● ● EL-P280HFS



● ● EL-P270(A)UP



● ● EL-P270(A)P2




● ● EL-P270(A)DN



# LANTERN

## IN PP

Material: PP Body + Glass Clear Shade

Bulb Adaptable: E27 LED 6W 

Finish: White / Black Body

IP44



● EL-P250UP



● EL-P250DN



● EL-P250P2



● EL-P380P2



● EL-P380UP



● EL-P380DN

EXTERIOR

# LANTERN

## IN PLASTIC

Material: PC(PP)

Bulb Adaptable: E27 10W LED Bulb A Type

Finish: White/Black

IP44

EXTERIOR



● ● EL-P490DN



● ● EL-P490HG




● ● EL-P490P2



● ● EL-P490UP

# ALUMINUM LANTERN


Material: Die Cast Aluminum + Frosted PC  
 Bulb Adaptable: E27 10W LED Bulb A Type   
 Finish: White/Black/Matt Rust




● EL-341PE2  
IP44



● EL-341HG  
IP23



● EL-341DN  
IP23




● EL-341P2  
IP44

EXTERIOR


# METAL

## LANTERN

Material: Iron + Clear Glass

Bulb Adaptable: E27 10W LED Bulb A Type 


Finish: Black/White/Galvanized  
IP44



● EL-991DN



Material: Iron + Bubble Glass

Bulb Adaptable: E27 10W LED Bulb A Type 

Finish: Red Antique Brass / Black  
IP23



● EL-199DN




EXTERIOR

# GARDEN

# SPOT LIGHT


ENERGY SAVING




Material: PP  
Bulb Adaptable: E27 230v 100W Max. Par38 Bulb (Excl.)  
With 1.5m 2G1.0mm<sup>2</sup> Rubber Cable + VDE Plug  
Color: Black  
IP44



EXTERIOR



● PG-11A



● PG-22A

LED

# GARDEN SPOT

LIGHT




Set of 2  
Lumen: 2 x 125LM (4000K)  
Each Fitting with 1M SPT-2W (18awg) / H05RN-F 2 x 0.75mm<sup>2</sup> Cable  
Each set with 4M SPT-2W (18awg) / H05RN-F 2 x 0.75mm<sup>2</sup> Extension Cable  
With Outdoor Driver  
IP44

EXTERIOR




● **GLED-320SP-S2(Juno)**

Material: Die Cast Aluminum + Glass  
Per Head with 3W High Power LED  
Finish: Black/White/Silver



● **GLED-862SP-S2(Vesta)**

Material: Zinc Alloy + Aluminum + Glass  
Per Head with 1 x 3W High Power LED  
Finish: Black/White



● **GLED-863SP-S2(Nox)**

Material: Zinc Alloy + Aluminum + Glass  
Per Head with 1 x 3W High Power LED  
Finish: Black/White



# 2 in 1 LED

# UNDER WATER

# SPOT LIGHT


Premium

Material: Solid Alu. Body

Lamp: 1W&3W LED (6000K/Cool White)

Finish: Aluminum Anodize

IP68



Option 2  
● **GLED-36SP**  
2.5M H05RN-F Cable  
IP68 VDE Plug



● **GLED-36BA/SP**  
1W 6000K 80Lm Build-in Driver  
3W 6000K 220Lm Build-in Driver



Option 1  
● **GLED-36BA**  
2.5M H05RN-F Cable  
IP68 VDE Plug




● **GLED-311BA/SP**  
3 x 1W = 3W  
6000K: 210Lm  
Build-in Driver



Option 1  
● **GLED-311BA**  
2.5M H05RN-F Cable



Option 2  
● **GLED-311SP**  
2.5M H05RN-F Cable



EXTERIOR

# ENERGY SAVING


# ALUMINUM

# SPOT LIGHT


Material: Brushed Aluminum Alloy + Glass Shade

IP44

EXTERIOR




● **GL-860SP**  
MR16 5W LED Bulb



● **EL-860DN**  
GU10 5W LED Bulb

• Assembly




Material: Die Cast Aluminum + Glass Lens

Bulb Adaptable: MR16 5W LED Bulb


Finish: Aluminum

IP44



● **GL-840SP**

• Assembly







# GARDEN SPOT LIGHT



## • Assembly



GLED-7438-S3



• GLED-7438

Set of 3

Material: Aluminum + Glass

Per Head with 1x3w High Power Led

Lumen: 3 x 270LM (4000K)

Each Fitting with 1M SPT-2W (18awg)

H05RN-F 2x0.75mm<sup>2</sup> Cable + 01 PLUG

Each Set with 4M SPT-2W (18awg)

H05RN-F 2x0.75mm<sup>2</sup> Cable

+ Water-proof Female Plug + 01 Plug


With Outdoor Driver

Finish: Aluminum / Black

IP44


EXTERIOR

Material: Die Cast Aluminium Body + Glass

Bulb Adaptable: GU10 5W LED Bulb 

Finish: Matt Black / Alu.


IP44



• WG-851

Material: Die Cast Aluminum Body + Glass Diffuser

+ Plastic Spike

Bulb Adaptable: GU10 5W LED Bulb 

With 1M H05RN-F 3x1.0mm<sup>2</sup> Cable + Connection Box

IP44



• GL-7438


HOME RESOURCE 047

www.homerresource.com.tw


EXTERIOR

# LED SPOT LIGHT

Material: Die-cast Aluminum  
Bulb Adaptable: GU10 50W LED Bulb (Excl.)  
IP54




● GL-810SP



● GL-830SP



● GL-820SP



● GL-850SP

# LED

# GARDEN

# LIGHT

Set of 3

Material: Aluminum Die-Cast + Glass

Lamp: Per head with 1 x 3W COB LED

Color Temperature: 2700~6500K

Lumen: 3 x 100LM (4000K)

Each Fitting with 1M SPT-2W (18awg)

1M H05RN-F 2 x 0.75mm<sup>2</sup> Cable + DC Plug

Each Set with 4M SPT-2W (18awg)


4M H05RN-F 2 x 0.75mm<sup>2</sup> Extension Cable

+ Waterproof Female Plug + DC Plug

With Outdoor Driver

Finish: Black

IP44



• Assembly

EXTERIOR



● GLED-850SP-S3

HOME RESOURCE 049

www.homeresource.com.tw

# NEW


# LED FLOOD LIGHT

## with IC Driver




Material: Aluminium + Glass  
 Voltage: AC100-240V  
 Color Temperature: 3000K-6500K  
 With 15cm 3 x 1.0MM<sup>2</sup> Rubber Wire  
 With IC Driver  
 Color: Black/White  
 IP65/IP44

NEW



FLED-701-10W

	Lamp	Lumen	Product Size(mm)
FLED-701-10	10W(18pcs SMD2835 LED)	800LM	L124 x W95 x H30
FLED-701-20	20W(36pcs SMD2835 LED)	1600LM	L153 x W117 x H33
FLED-701-30	30W(60pcs SMD2835 LED)	2400LM	L185 x W139 x H39
FLED-701-50	50W(100pcs SMD2835 LED)	4000LM	L232 x W175 x H43
FLED-701-100	100W(200pcs SMD2835 LED)	8000LM	L310 x W240 x H44



FLED-701S-10W

	Lamp	Lumen	Product Size(mm)
FLED-701S-10	10W(18pcs SMD2835 LED)	800LM	L124 x W165 x H51
FLED-701S-20	20W(36pcs SMD2835 LED)	1600LM	L153 x W187 x H55
FLED-701S-30	30W(60pcs SMD2835 LED)	2400LM	L185 x W209 x H55
FLED-701S-50	50W(100pcs SMD2835 LED)	4000LM	L232 x W245 x H58
FLED-701S-100	100W(200pcs SMD2835 LED)	8000LM	L241 x W314 x H45

# PROMOTION

## LED FLOOD LIGHT

with DOB Solution




Material: Aluminum + Glass  
 Voltage: AC220-240V  
 Color Temperature: 3000K-6500K  
 With 15cm 3 x 1.0MM<sup>2</sup> Rubber Wire  
 Color: Black/White  
 IP65/IP44

NEW




	Lamp	Lumen	Product Size(mm)
● FLED-702-10W	10W(15pcs SMD2835 LED)	750LM	L105 × W28 × H77
● FLED-702-20W	20W(30pcs SMD2835 LED)	1400LM	L134 × W34 × H98
● FLED-702-30W	30W(45pcs SMD2835 LED)	2100LM	L173 × W37 × H126
● FLED-702-50W	50W(75pcs SMD2835 LED)	3500LM	L173 × W45 × H126
● FLED-702-100W	100W(140pcs SMD2835 LED)	7000LM	L260 × W50 × H189



● FLED-702-10W

	Lamp	Lumen	Product Size(mm)
● FLED-702S-10W	10W(15pcs SMD2835 LED)	750LM	L105 × W77 × H136
● FLED-702S-20W	20W(30pcs SMD2835 LED)	1400LM	L134 × W56 × H156
● FLED-702S-30W	30W(45pcs SMD2835 LED)	2100LM	L173 × W60 × H182
● FLED-702S-50W	50W(75pcs SMD2835 LED)	3500LM	L173 × W60 × H182
● FLED-702S-100W	100W(140pcs SMD2835 LED)	7000LM	L240 × W71 × H262



● FLED-702S-10W

HOME RESOURCE 051

www.homeresource.com.tw

# NEW

# LED FLOOD LIGHT

## with Junction Box


### AC Type



Material: Aluminium + Glass  
 Voltage: AC220-240V  
 Color Temperature: 3000K-6500K  
 Color: Black / White  
 With 15cm 3 × 1.0MM<sup>2</sup> Rubber Wire  
 With Junction Box  
 IP65 / IP44




Junction Box



● FLED-735-20W

●	Lamp	Lumen	Product Size(mm)
●	<b>FLED-735-10W</b>	10W(14pcs SMD2835 LED)	800LM
●	<b>FLED-735-20W</b>	20W(28pcs SMD2835 LED)	1600LM
●	<b>FLED-735-30W</b>	30W(70pcs SMD2835 LED)	2400LM
●	<b>FLED-735-50W</b>	50W(70pcs SMD2835 LED)	4000LM

●	Lamp	Lumen	Product Size(mm)
●	<b>FLED-735S-10W</b>	10W(14pcs SMD2835 LED)	800LM
●	<b>FLED-735S-20W</b>	20W(28pcs SMD2835 LED)	1600LM
●	<b>FLED-735S-30W</b>	30W(70pcs SMD2835 LED)	2400LM
●	<b>FLED-735S-50W</b>	50W(70pcs SMD2835 LED)	4000LM



● FLED-735S-30W

Sensor: 8M; 120° ; 8-10Mins

# SMD LED FLOOD LIGHT

Material: Aluminum + PC + Glass  
 Voltage: 180V ~ 260V  
 Color Temperature: 2700K ~ 6300K  
 80LM/W  
 Finish: Black  
 IP65



EXTERIOR

● ●	Lamp	Lumen	Product size
● ●	FLED-586-10 10W (20pcs x SMD2835 LED)	800LM(4000K)	L: 12 x W: 4 x H: 13cm
● ●	FLED-586-20 20W (42pcs x SMD2835 LED)	1600LM(4000K)	L: 18 x W: 4.5 x H: 14cm
● ●	FLED-586-30 30W (64pcs x SMD2835 LED)	2400LM(4000K)	L: 18.5 x W: 5 x H: 22.5cm
● ●	FLED-586-50 50W (104pcs x SMD2835 LED)	4000LM(4000K)	L: 23 x W: 6 x H: 28.5cm



● ● FLED-586-10



# DRIVER BUILT-IN SUPER SLIM LED FLOOD LIGHT

Glare Free




Material: ABS Frame + PC Diffuser + Aluminum Housing  
 Voltage: AC 180V ~ 265V  
 Color Temperature: 4000K ~ 6500K  
 CRI: Ra>70  
 Finish: White Frame + Black Housing  
 IP65

EXTERIOR



● FLED-592-20


●	Lamp	Lumen	Product size
FLED-592-10	10W (10pcs x 1W SMD2835 LED)	700LM(4000K)	L: 15 x W: 28.5 x H: 13.2cm
FLED-592-20	20W (20pcs x 1W SMD2835 LED)	1400LM(4000K)	L: 191 x W: 3.5 x H: 16cm
FLED-592-30	30W (30pcs x 1W SMD2835 LED)	2100LM(4000K)	L: 21.8 x W: 4.1 x H: 17cm
FLED-592-50	50W (48pcs x 1W SMD2835 LED)	3500LM(4000K)	L: 28.7 x W: 5 x H: 20.5cm



● FLED-592S-10

●	Lamp	Lumen	Product size
FLED-592S-10	10W (10pcs x 1W SMD2835 LED)	700LM(4000K)	L: 15 x W: 29.5 x H: 13.2cm
FLED-592S-20	20W (20pcs x 1W SMD2835 LED)	1400LM(4000K)	L: 191 x W: 3.6 x H: 18cm
FLED-592S-30	30W (30pcs x 1W SMD2835 LED)	2100LM(4000K)	L: 21.8 x W: 5.1 x H: 16.8cm
FLED-592S-50	50W (48pcs x 1W SMD2835 LED)	3500LM(4000K)	L: 25.7 x W: 6 x H: 20.5cm


Sensor: 5M, 160°, 12 Seconds (Customization available, Max. Up to 30 minutes)





# DRIVER BUILT-IN SUPER SLIM LED FLOOD LIGHT

Glare Free



● FLED-592SP-10

Material: ABS Frame + PC Diffuser  
+ Aluminum Housing & Spike / Stand)  
Voltage: AC 180V ~ 265V  
Color Temperature: 4000K ~ 6500K  
CRI: Ra>70  
Finish: White Frame + Black Housing  
(+ Yellow Stand / Black Spike)  
IP65/IP44(for Sensor Type)

EXTERIOR

●	Lamp	Lumen	Product size
FLED-592SP-10	10W (10pcs x 1W SMD2835 LED)	700LM(4000K)	L: 15 x W: 2.85 x H: 37.7cm
FLED-592SP-20	20W (20pcs x 1W SMD2835 LED)	1400LM(4000K)	L: 191 x W: 3.3 x H: 40.5cm
FLED-592SP-30	30W (30pcs x 1W SMD2835 LED)	2100LM(4000K)	L: 22 x W: 4.2 x H: 41.5cm

●	Lamp	Lumen	Product size
FLED-592P1-10	10W (10pcs x 1W SMD2835 LED)	700LM(4000K)	L: 17.3 x W: 18.4 x H: 23cm
FLED-592P1-20	20W (20pcs x 1W SMD2835 LED)	1400LM(4000K)	L: 22 x W: 18.4 x H: 27.5cm
FLED-592P1-30	30W (30pcs x 1W SMD2835 LED)	2100LM(4000K)	L: 25.5 x W: 17.3 x H: 29.55cm



● FLED-592P1-10



HOME RESOURCE 055

# DRIVER BUILT-IN SUPER SLIM LED FLOOD LIGHT

Glare Free



Material: ABS Frame + PC Diffuser + Aluminum Housing & Stand

Voltage: AC 180V ~ 265V

Color Temperature: 4000K ~ 6500K

CRI: Ra>70

Finish: White Frame + Yellow Stand


IP65

EXTERIOR



● **FLED-592ST1-30**

30W (30pcs x 1W SMD2835 LED)  
Lumen: 2100LM(4000K)



● **FLED-592ST2-30**

60W (2 x 30pcs x 1W SMD2835 LED)  
Lumen: 2 x 2100LM (4000K)

# ALUMINUM FLOOD LIGHT HALOGEN

Material: Die Cast Aluminum  
IP44



● FL-7P

J118 8W LED Bulb



● FL-7

J118 8W LED Bulb



● FL-7S

J118 8W LED Bulb

● FL-5P

J78 5W LED Bulb

● FL-5

J78 5W LED Bulb

● FL-5S

J78 5W LED Bulb

EXTERIOR




● FL-7ST2

2 x J118 8W LED Bulb




● FL-7ST1

J118 8W LED Bulb




**HOME RESOURCE 057**

# LED DECK LIGHT SET




Set of 6  
 Material: Stainless Steel + Tempered Glass  
 With 5W VDE Driver  
 RGB type is optional  
 Finish: Stainless Steel  
 IP67

EXTERIOR



## ● DKLED-60-S6

Lamp: 6 x 0.5W SMD3350 LED (6000K)  
 Lumen: 7LM (6000K) per Light




## ● DKLED-61-S6


Lamp: 6 x 0.8W SMD3350 LED (6000K)  
 Lumen: 9LM (6000K) per Light



Super Thin 9mm Thickness




# LED DECK LIGHT SET



## ● DKLED-63-S6


Lamp: 6 x 0.3W SMD3528 LED (6000K)  
Lumen: 9 LM (6000K) per Light



## ● DKLED-65-S6


Lamp: 6 x 0.6W SMD2835 LED (6000K)  
Lumen: 40 LM (6000K) per Light  
RGB type is optional

Set of 6  
Material: Stainless Steel + PC  
With 5W VDE Driver  
Finish: Stainless Steel  
IP67




## ● DKLED-64-S6

Lamp: 6 x 0.4W SMD3528 LED (3000K)  
Lumen: 7 LM (3000K) per Light



## ● DKLED-62-S6

Lamp: 6 x 0.4W SMD5050 RGB LED  
Lumen: 4LM (RGB) per Light  
With IR RGB Controller(3M, 360°)



EXTERIOR

HOME RESOURCE 059

# LED **IN-GROUND** LIGHT

Intertek




Material: 304 Stainless Steel Cover  
 + Die-Casting Aluminum Body + PP Housing  
 + Clear Glass Diffuser

Voltage: 220V ~ 240V

Finish: Stainless Steel Natural Color for Cover + Black Color for Housing  
 IP67

EXTERIOR



● GLED-147



● GLED-SS139



● GLED-139A

●	Lamp	Lumen	Product size
GLED-147	3W (1 x 3W LED)	215LM (3000K)	Dia. 6.2 x H. 9.5cm
GLED-SS139	3W (3 x 1W LED)	215LM (3000K)	Dia. 10 x H. 11.5cm
GLED-139A	3W (3 x 1W LED)	215LM (3000K)	Dia. 16 x H. 10.5cm
GLED-S139	9W (9 x 1W LED)	720LM (3000K)	Dia. 16 x H. 11.5cm
GLED-M139	12W (12 x 1W LED)	960LM (3000K)	Dia. 21 x H. 11.5cm
GLED-L139	18W (18 x 1W LED)	1300LM (3000K)	Dia. 26 x H. 11.5cm
GLED-139-5	5W (5 x 1W LED)	445LM (3000K)	Dia. 16.2 x H. 10.5cm
GLED-139-6	6W (6 x 1W LED)	520LM (3000K)	Dia. 16.2 x H. 10.5cm
GLED-139-9	9W (9 x 1W LED)	720LM (3000K)	Dia. 16.2 x H. 10.5cm



● GLED-139-5






**EXTERIOR**



# AC Type **2-in-1** LED In-Ground Light & Deck Light

4-in-1 version is optional

Material: Aluminum  
 Lamp: 2.4W (8 x 0.3W SMD2835 LED)  
 Lumen: 135LM (4000K)  
 With 1M 2x0.75mm<sup>2</sup> H05RN-F Cable  
 Finish: Silver / Black  
 IP67



● GLED-148

(1) In-Ground Light



(2) Decking Light



With Red, Green, Blue Color Filters

**HOME RESOURCE 061**

[www.homeresource.com.tw](http://www.homeresource.com.tw)

EXTERIOR



# ALUMINUM BULKHEADS STEP LIGHT

Material: Die Cast Aluminum  
Bulb Adaptable: E27 5W LED Bulb G45 Type  
Finish: Black/White  
IP44



● RL-20A

100mm | 233mm ← 77mm |



● RL-20C

100mm | 233mm ← 77mm |



● RL-20B

100mm | 233mm ← 77mm |




# ENERGY SAVING **BULKHEAD**




Material: Stainless Steel Cover + PC Body

Lamp: E27 / 10W LED Bulb or 14W Energy Saving Bulb (Excl.)


Finish: Stainless Steel / Silver Grey / Dark Grey / Black  
IP44



● AL-168A



● AL-168B



● AL-168C

EXTERIOR

# LED BULKHEAD

## AC Type

Material: ABS Body + PC Diffuser

Voltage: AC 180V ~ 260V

Color Temperature: 2700K ~ 6500K

Finish: White / Black

Without Driver


IP65

EXTERIOR



● ALED-M573

### Spectroradiometric Parameters



● ALED-M574

●	Watt	Lamp	Lumen	Product size
ALED-573	5W	18pcs x 0.3W SMD2835 LED	400LM (4000K)	L:171 x W:113 x H:70mm
ALED-M573	10W	24pcs x 0.5W SMD2835 LED	800LM (4000K)	L:211 x W:134 x H:77mm
ALED-574	5W	18pcs x 0.3W SMD2835 LED	400LM (4000K)	L:166 x W:139 x H:70mm
ALED-M574	10W	24pcs x 0.5W SMD2835 LED	800LM (4000K)	L:184 x W:168 x H:77mm



● ALED-M573S



● ALED-M574S

●	Watt	Lamp	Lumen	Product size
ALED-573S	5W	18pcs x 0.3W SMD2835 LED	400LM (4000K)	L:171 x W:144 x H:70mm
ALED-M573S	10W	24pcs x 0.5W SMD2835 LED	800LM (4000K)	L:211 x W:165 x H:77mm
ALED-574S	5W	18pcs x 0.3W SMD2835 LED	400LM (4000K)	L:178 x W:156 x H:70mm
ALED-M574S	10W	24pcs x 0.5W SMD2835 LED	800LM (4000K)	L:208 x W:184 x H:77mm

Sensor: 120°, 8-10M, 5 Secs-12 Mins



**064 HOMERESOURCE**

[www.homeresource.com.tw](http://www.homeresource.com.tw)

# LED

## BULKHEAD


Material: Aluminum Die-Casting Body + Opal PC Diffuser

Voltage: 220V ~ 240V

Finish: Black / White / Grey


IP44

EXTERIOR



### ● ALED-S583

Lamp: 7W (40 x SMD2835 LED)  
Lumen: 550LM (4000K)




### ● ALED-583

Lamp: 10W (60 x SMD2835 LED)  
Lumen: 850LM (4000K)



### ● ALED-S584

Lamp: 7W (40 x SMD2835 LED)  
Lumen: 550LM (4000K)



### ● ALED-584

Lamp: 10W (60 x SMD2835 LED)  
Lumen: 850LM (4000K)

# ALUMINUM BULKHEADS

Material: Die Cast Aluminum + Glass  
Finish: White / Black  
IP44

EXTERIOR



- **AL-512** E27 10W LED Bulb A type   
205mm | 315mm — 130mm ↓
- **AL-512S** E27 5W LED Bulb G45 type   
140mm | 210mm — 108mm ↓

- **AL-514** E27 10W LED Bulb A type   
205mm | 315mm — 130mm ↓
- **AL-514S** E27 5W LED Bulb G45 type   
140mm | 210mm — 108mm ↓

- **AL-520** E27 10W LED Bulb A type   
260mm | 260mm — 100mm ↓
- **AL-520S** E27 5W LED Bulb G45 type   
190mm | 190mm — 94mm ↓

- **AL-522** E27 10W LED Bulb A type   
260mm | 260mm — 110mm ↓
- **AL-522S** E27 5W LED Bulb G45 type   
190mm | 190mm — 106mm ↓

- **AL-524** E27 10W LED Bulb A type   
260mm | 260mm — 110mm ↓
- **AL-524S** E27 5W LED Bulb G45 type   
190mm | 190mm — 106mm ↓

- **AL-533** E27 10W LED Bulb A type   
185mm | 280mm — 110mm ↓

# ALUMINUM

## BULKHEADS

Material: Die Cast Aluminum + Glass

Finish: White / Black

IP44

● <b>AL-301</b>	E27 10W LED Bulb A type	
240mm	240mm	125mm
● <b>AL-301S</b>	E27 5W LED Bulb G45 type	
180mm	180mm	100mm

● <b>AL-303</b>	E27 10W LED Bulb A type	
240mm	240mm	115mm
● <b>AL-303S</b>	E27 5W LED Bulb G45 type	
180mm	180mm	95mm

● <b>AL-306</b>	E27 10W LED Bulb A type	
240mm	240mm	125mm
● <b>AL-306S</b>	E27 5W LED Bulb G45 type	
180mm	180mm	100mm

● <b>AL-232</b>	E27 10W LED Bulb A type	
160mm	280mm	135mm
● <b>AL-232S</b>	E27 5W LED Bulb G45 type	
180mm	213mm	102mm

● <b>AL-236</b>	E27 10W LED Bulb A type	
160mm	280mm	135mm
● <b>AL-236S</b>	E27 5W LED Bulb G45 type	
108mm	213mm	102mm

● <b>AL-238</b>	E27 10W LED Bulb A type	
160mm	280mm	128mm
● <b>AL-238S</b>	E27 5W LED Bulb G45 type	
108mm	213mm	97mm

● <b>AL-239</b>	E27 10W LED Bulb A type	
160mm	280mm	135mm
● <b>AL-239S</b>	E27 5W LED Bulb G45 type	
108mm	213mm	102mm

● <b>AL-510</b>	E27 10W LED Bulb A type	
205mm	315mm	120mm
● <b>AL-510S</b>	E27 5W LED Bulb G45 type	
140mm	210mm	100mm



EXTERIOR

HOME RESOURCE 067

# NEW

# LED

# TRI-PROOF LIGHT



NEW



Material: Plastic  
 Voltage: AC170-265V 50-60Hz  
 Power Factor : PF>0.5  
 Beam Angle: 120°  
 Working Temperature: -20~40°C  
 CRI: Ra>80  
 Color: White  
 IP65



●	Lamp	Lumens	Product Size(mm)	
●	EFLED-606-16W	16W (84pcs x 0.2W SMD2835 LED)	750LM	L622 x W28 x H24.5
●	EFLED-606-18W	18W (96pcs x 0.2W SMD2835 LED)	1500LM	L622 x W28 x H24.5
●	EFLED-606-32W	32W (168pcs x 0.2W SMD2835 LED)	1500LM	L1232 x W28 x H24.5
●	EFLED-606-36W	36W (192pcs x 0.2W SMD2835 LED)	3060LM	L1232 x W28 x H24.5
●	EFLED-606-40W	40W (240pcs x 0.2W SMD2835 LED)	1800LM	L1532 x W28 x H24.5
●	EFLED-606-45W	45W (240pcs x 0.2W SMD2835 LED)	3960LM	L1532 x W28 x H24.5

# NEW LED LIGHT

# TRI-PROOF

NEW



Material: Plastic  
 Voltage: AC170-265V  
 Color Temperature: 2700K~7000K  
 Beam Angle: 120 Degrees  
 Power Factor: >0.9  
 CRI 70  
 With M20 Joint  
 With Openable Cap  
 Without Aluminum Heat Dissipation Plate  
 Color: White  
 IP65

	Lamp	Lumen	Product Size(mm)
● <b>EFLED-S607-20W</b>	20W(96pcs SMD2835 LED)	1650LM	L649 x W83 x H63
● <b>EFLED-S607-40W</b>	40W(192pcs SMD2835 LED)	3350LM	L649 x W83 x H63



● **EFLED-S607-20W**

# LED

# TRI PROOF

# LIGHT

Material: PC Housing  
 Voltage: 85V ~ 265V  
 Color Temperature: 3000K ~ 6000K  
 Finish: White  
 IP65



EXTERIOR



● EFLED-400

●	Lamp	Lumen	Product size
EFLED-400(18W)	18W (96pcs x SMD2835 LED)	1710LM(4000K)	L: 65 x W: 5.8 x H: 3.5cm
EFLED-400(36W)	36W (192pcs x SMD2835 LED)	3420LM(4000K)	L: 125 x W: 5.8 x H: 3.5cm
EFLED-400(45W)	45W (240pcs x SMD2835 LED)	4275LM(4000K)	L: 155 x W: 5.8 x H: 3.5cm

Material: PC Housing + Aluminum  
 Voltage: 85V ~ 265V  
 Color Temperature: 3000K ~ 6000K  
 Color: White  
 IP65



● EFLED-600-18W

●	Lamp	Lumen	Product size
EFLED-600(18W)	18W (96pcs x SMD2835 LED)	1530LM(4000K)	L: 61 x W: 8.2 x H: 4.7cm
EFLED-600(36W)	36W (192pcs x SMD2835 LED)	3060LM(4000K)	L: 121 x W: 8.2 x H: 4.7cm
EFLED-600(45W)	45W (240pcs x SMD2835 LED)	3825LM(4000K)	L: 151 x W: 8.2 x H: 4.7cm
EFLED-600(30W)	30W (160pcs x SMD2835 LED)	2550LM(4000K)	L: 61 x W: 8.2 x H: 4.7cm
EFLED-600(60W)	60W (288pcs x SMD2835 LED)	5100LM(4000K)	L: 121 x W: 8.2 x H: 4.7cm
EFLED-600(70W)	70W (384pcs x SMD2835 LED)	6950LM(4000K)	L: 151 x W: 8.2 x H: 4.7cm






**Exclusive  
for North  
Europe**

**EXTERIOR**

# FLUORESCENT **WORK** LIGHT

Material: Base (ABS) + Ball (PE)  
Bulb Adaptable: E27 20W LED Corn Bulb  
Voltage: 230V  
6M H07RN-F 3G 1.5MM<sup>2</sup> Cable + Plug  
IP44



● OS-40PR



● OS-57PR



EXTERIOR



HBLED-28-200 with Bean Angle 120° Reflector



● HBLED-28DIM-150



● HBLED-28-200



● HBLED-28-150



● HBLED-28-100



● HBLED-28-60

# LED HIGH BAY LIGHT-UFO

Material: Aluminum Body & Reflector + PC Diffuser  
 Voltage: 90V ~ 305V  
 Finish: Black Body + Natural Alu. Reflector  
 Meanwell Driver  
 Bean Angle: 125°  
 IP65

## Optional Reflector



Bean Angle 60°



Bean Angle 90°




Bean Angle 120°

●	Lamp	Lumen
HBLED-28-60	60W(0.3 x Philip SMD3030 LED)	7500LM(2700K ~ 3500K)
HBLED-28-100	150W(1.7 x Philip SMD3030 LED)	11000LM(2700K ~ 3500K)
HBLED-28-150	150W(1.82 x Philip SMD3030 LED)	16800LM(2700K ~ 3500K)
HBLED-28-200	200W(2.33 x Philip SMD3030 LED)	21800LM(2700K ~ 3500K)
HBLED-28DIM-150	150W(1.82 x Philip SMD3030 LED)	16800LM(2700K ~ 3500K)


# GARDEN OUTLET SOCKET



Material: Resin  
 Voltage: 230V  
 Rated Current: 16A  
 With 1.5M H07RN-F3G1.5mm<sup>2</sup> Cable + VDE Plug  
 Finish: Stone / Wood / White  
 IP44



● **YG-311-2**  
With 2 Sockets




● **YG-311TM-2**  
With 2 Sockets + 1 Mechanical Timer



● **YG-S243-4**  
With 4 Sockets



● **YG-S243TM-2**  
With 2 Sockets + 1 Mechanical Timer



● **YG-247-2**  
With 4 Sockets



French Socket



German Socket


EXTERIOR

# NEW

## LED SENSOR SECURITY LIGHT




Material: ABS Body + PC Diffuser  
Battery: 3pcs x AA Battery(Excl.)  
Sensor: MAX 12M; 140°; 5mins  
Color: Black  
With PIR Sensor  
IP44



### ● ELED-310

Lamp: 5W(54pcs x SMD3014 LED)  
Lumen: Approx. 170LM



### ● ELED-309A-2

Lamp: 6W(12pcs x SMD2835 LED)  
Lumen: Approx. 200LM

# BATTERY OPERATED LED SECURITY LIGHT



Material: ABS Body + PC Diffuser + Aluminum Reflector

Battery: 4 x C Excl.

Sensor: 8M, 100° , 5Secs~7Mins, 20~10000Lux

Color: Black/White

IP44



TIME



LUX


## ● ELED-304S-2

Lamp: 10W (2 x 5W LED)

Lumen: 450LM (6000K)

Battery Working Time: 5H

EXTERIOR



## ● ELED-303S-2

Lamp: 2W (2 x 1W LED)

Lumen: 100LM (6000K)


Battery Working Time: 12H

HOME RESOURCE 075

www.homeresource.com.tw

# INTERIOR LIGHT

**NEW**




● **HG-388**  
Bulb Adaptable:  
E14 x 21 60W Bulb

# CRYSTAL CEILING LAMP


Material: Iron + Crystal  
Finish: Gold  
Bulb Exclusive



Bulb Adaptable: E27 x 6 40W Bulb



● **CM-388**



● **HG-388A**



Bulb Adaptable: E27 x 16 40W Bulb

**NEW**

**HOME RESOURCE 077**


[www.homeresource.com.tw](http://www.homeresource.com.tw)

**NEW**



# CRYSTAL CEILING LAMP

Material: Iron + Crystal  
Finish: Gold




● **HG-386**

Bulb Adaptable:  
19 x E14 60W Bulb (Excl.)

**MEIN**




Bulb Adaptable:  
19 x E14 60W Bulb (Excl.)



● **CM-386**



Bulb Adaptable:  
25 x E14 60W Bulb (Excl.)



● **HG-387**



# NEW




Material: Metal + Crystal  
Finish: Transparent Crystal + Black Chrome  
Bulb Adaptable: L10 x E14 40W Bulb (Excl.)



● CM-382



Material: Metal + Crystal  
Finish: Transparent Crystal + French Gold  
Bulb Adaptable: L11 x E14 40W Bulb (Excl.)



● HG-382A



Material: Metal + Crystal  
Finish: Transparent Crystal + Black Chrome  
Bulb Adaptable: L12 x E14 40W Bulb (Excl.)



● HG-382B

NEW

**NEW**




● HG-095

Material: Metal + Glass  
Bulb Adaptable:  
6 x E14 Max. 40W Bulb (Excl.)  
Finish: French Gold

# CRYSTAL


## CEILING LAMP

**NEW**



● HG-L095

Material: Metal + Glass  
Bulb Adaptable:  
8 x E14 Max. 40W Bulb (Excl.)  
Finish: French Gold



● HG-384

Material: Stainless Steel + Crystal  
Bulb Adaptable: 86W LED  
Finish: Brass

# NEW

# GLASS PANEL


## LED DOWN LIGHT




Material: Aluminum + Glass + PC  
 Voltage: AC85-265V, 50/60HZ  
 Color: White  
 CRI 75



# NEW



● DLED-71-6W



● DLED-70-6W

●	Lamp	Lumen	Product Size(mm)
DLED-70-6W	6W(12pcs SMD5730 LED)	280LM	Dia100 x H35
DLED-70-12W	12W(24pcs SMD5730 LED)	750LM	Dia160 x H35
DLED-70-18W	18W(36pcs SMD5730 LED)	1200LM	Dia200 x H35

●	Lamp	Lumen	Product Size(mm)
DLED-71-6W	6W(12pcs SMD5730 LED)	280LM	L100 x W100 x H35
DLED-71-12W	12W(24pcs SMD5730 LED)	750LM	L160 x W160 x H35
DLED-71-18W	18W(36pcs SMD5730 LED)	280LM	L200 x W200 x H35

### HOME RESOURCE 081

www.homerresource.com.tw

# NEW



## DUAL-COLORED LED UNDER CABINET DOWN LIGHT



Material: Aluminum + PC  
Input Voltage: AC85V-265V  
Finish: White  
CRI 70+


NEW

	Lamp (Main+Frame)	Lumen	Product Size(mm)
DLED-67-3W	3W+2W(25pcs SMD2835 LED)	95LM	Dia105 x H15
DLED-67-6W	6W+3W(45pcs SMD2835 LED)	180LM	Dia145 x H15
DLED-67-12W	12W+4W(60pcs SMD2835 LED)	270LM	Dia195 x H15
DLED-67-18W	18W+6W(90pcs SMD2835 LED)	350LM	Dia245 x H15
DLED-67A-3W	3W+2W(25pcs SMD2835 LED)	95LM	Dia105 x H15
DLED-67A-6W	6W+3W(45pcs SMD2835 LED)	180LM	Dia145 x H15
DLED-67A-12W	12W+4W(60pcs SMD2835 LED)	270LM	Dia195 x H15
DLED-67A-18W	18W+6W(90pcs SMD2835 LED)	350LM	Dia245 x H15



● DLED-67-3W

	Lamp (Main+Frame)	Lumen	Product Size(mm)
DLED-68-3W	3W+2W(25pcs SMD2835 LED)	95LM	L105 x W105 x H15
DLED-68-6W	6W+3W(45pcs SMD2835 LED)	180LM	L145 x W145 x H15
DLED-68-12W	12W+4W(60pcs SMD2835 LED)	270LM	L195 x W195 x H15
DLED-68-18W	18W+6W(90pcs SMD2835 LED)	350LM	L245 x W245 x H15
DLED-68A-3W	3W+2W(25pcs SMD2835 LED)	95LM	L105 x W105 x H15
DLED-68A-6W	6W+3W(45pcs SMD2835 LED)	180LM	L145 x W145 x H15
DLED-68A-12W	12W+4W(60pcs SMD2835 LED)	270LM	L195 x W195 x H15
DLED-68A-18W	18W+6W(90pcs SMD2835 LED)	350LM	L245 x W245 x H15



● DLED-68-3W

# NEW


# LED UNDER CABINET DOWN LIGHT



Material: Aluminum + PC + PS + PE  
Input Voltage: AC85V-265V  
Finish: White



● DLED-43-6W



● DLED-44-6W



●	Lamp	Lumen	Product Size(mm)
DLED-43-6W	6W(30pcs SMD2835 LED)	320LM	Dia120 x H35
DLED-43-9W	9W(45pcs SMD2835 LED)	600LM	Dia150 x H35
DLED-43-12W	12W(60pcs SMD2835 LED)	800LM	Dia170 x H35
DLED-43-15W	15W(75pcs SMD2835 LED)	1050LM	Dia205 x H35
DLED-43-18W	18W(90pcs SMD2835 LED)	1260LM	Dia225 x H35
DLED-43-24W	24W(120pcs SMD2835 LED)	1680LM	Dia300 x H35

●	Lamp	Lumen	Product Size(mm)
DLED-44-6W	6W(30pcs SMD2835 LED)	320LM	L120 x W120 x H35
DLED-44-9W	9W(45pcs SMD2835 LED)	600LM	L150 x W150 x H35
DLED-44-12W	12W(60pcs SMD2835 LED)	800LM	L170 x W170 x H35
DLED-44-15W	15W(75pcs SMD2835 LED)	1050LM	L205 x W205 x H35
DLED-44-18W	18W(90pcs SMD2835 LED)	1260LM	L225 x W225 x H35
DLED-44-24W	24W(120pcs SMD2835 LED)	1680LM	L300 x W300 x H35

# NEW



●	Lamp	Lumen	Product Size(mm)
DLED-430-3W	3W(15pcs SMD2835 LED)	120LM	Dia90 x H25
DLED-430-6W	6W(30pcs SMD2835 LED)	320LM	Dia120 x H25
DLED-430-9W	9W(45pcs SMD2835 LED)	600LM	Dia150 x H25
DLED-430-12W	12W(60pcs SMD2835 LED)	800LM	Dia170 x H25
DLED-430-15W	15W(75pcs SMD2835 LED)	1050LM	Dia200 x H25
DLED-430-18W	18W(90pcs SMD2835 LED)	1260LM	Dia225 x H25
DLED-430-24W	24W(120pcs SMD2835 LED)	1680LM	Dia295 x H25

●	Lamp	Lumen	Product Size(mm)
DLED-440-3W	3W(15pcs SMD2835 LED)	120LM	L90 x W90 x H25
DLED-440-6W	6W(30pcs SMD2835 LED)	320LM	L120 x W120 x H25
DLED-440-9W	9W(45pcs SMD2835 LED)	600LM	L150 x W150 x H25
DLED-440-12W	12W(60pcs SMD2835 LED)	800LM	L170 x W170 x H25
DLED-440-15W	15W(75pcs SMD2835 LED)	1050LM	L200 x W200 x H25
DLED-440-18W	18W(90pcs SMD2835 LED)	1260LM	L225 x W225 x H25
DLED-440-24W	24W(120pcs SMD2835 LED)	1680LM	L300 x W300 x H25

## HOME RESOURCE 083

www.homerresource.com.tw

# DRIVERLESS LED CABINET LIGHT

AC TYPE

Set of 3


Lamp: Each head with AC type built-in 1.5W (27pcs 0.05W SMD3528) LED

Lumen: 100LM/Head (3000K)

Input Voltage: AC 170~240V


Finish: Satin Nickel

Each head with 1.5M Cable



● DLED-20C-S3

Zinc Alloy + Iron + PC





● DLED-31C-S3

Stainless Steel + Iron + PC



INTERIOR

# ENERGY SAVING BATHROOM DOWN LIGHT

Material: Iron + Tempered Glass  
Bulb Adaptable: MR16 5W LED Bulb   
or Gu10 5W LED Bulb   
IP44




● DL-90  
MR16 5W LED Bulb 



● DL-90G  
GU10 5W LED Bulb 

**Zone 1 - IP65 / Zone 2 - IP44 / Zone 3 - IP20/IP23**



INTERIOR




**HOME RESOURCE 085**

[www.homerresource.com.tw](http://www.homerresource.com.tw)

# LED UNDER **CABINET** DOWN LIGHT KIT

Material: ABS  
Voltage: DC12V  
Beam Angle: 90°  
Color: Gray



● DLED-851




● DLED-850

INTERIOR


Model No.	No. of LEDs	Watt	Luminous Flux
DLED-850	SMD 0.3 x 4	1.2W	100LM
DLED-851	SMD 0.3 x 3	1W	85LM



DLED-851




DLED-851-S2



DLED-851-S3



# ENERGY SAVING RECESSED DOWN LIGHT




● DL-31  
Pressed Iron  
JC4 12V 3.5W LED Bulb



● DL-32  
Pressed Iron  
JC4 12V 3.5W LED Bulb



● DL-33  
Zinc Alloy  
MR16 LED 5W



● DL-34  
Zinc Alloy  
MR16 LED 5W



● DL-35  
Zinc Alloy  
MR16 LED 5W

● DL-35G  
Zinc Alloy  
GU10 LED 6W



● DL-35R1  
Zinc Alloy  
MR16 LED 5W

● DL-35GR1  
Zinc Alloy  
GU10 LED 6W



● DL-36  
Aluminum  
MR16 LED 5W



● DL-37  
Pressed Iron  
JC4 12V 3.5W LED Bulb



● DL-38  
Pressed Iron  
JC4 12V 3.5W LED Bulb



● DL-39  
Aluminum  
MR16 LED 5W




● DL-40  
Zinc Alloy  
MR16 LED 5W

● DL-40G  
Zinc Alloy  
GU10 LED 6W



● DL-41  
Aluminum  
MR16 LED 5W



● DL-42  
Aluminum  
MR16 LED 5W



● DL-43  
Pressed Iron  
JC4 12V 3.5W LED Bulb



● DL-44  
Aluminum  
MR16 LED 5W

INTERIOR

# RECESSED DOWN LIGHT

PRESSED IRON



● DL-9S CH  
MR11 5W LED Bulb



● DL-9S PB  
MR11 5W LED Bulb



● DL-9S BK  
MR11 5W LED Bulb



● DL-9S WH  
MR11 5W LED Bulb



● DL-9 CH  
MR16 LED 5W GU10 LED 6W



● DL-9 PB  
MR16 LED 5W GU10 LED 6W



● DL-9 BK  
MR16 LED 5W GU10 LED 6W



● DL-9 WH  
MR16 LED 5W GU10 LED 6W



● DL-7 CH  
MR16 LED 5W GU10 LED 6W



● DL-7 PB  
MR16 LED 5W GU10 LED 6W



● DL-7 BK  
MR16 LED 5W GU10 LED 6W



● DL-7 WH  
MR16 LED 5W GU10 LED 6W



● DL-11S CH  
MR11 5W LED Bulb



● DL-11S PB  
MR11 5W LED Bulb



● DL-11S BK  
MR11 5W LED Bulb



● DL-11S WH  
MR11 5W LED Bulb



● DL-11 CH  
MR16 LED 5W GU10 LED 6W



● DL-11 PB  
MR16 LED 5W GU10 LED 6W



● DL-11 BK  
MR16 LED 5W GU10 LED 6W



● DL-11 WH  
MR16 LED 5W GU10 LED 6W

INTERIOR

# RECESSED DOWN LIGHT

ZINC ALLOY



● DL-2

MR16 LED 5W

● DL-2G

GU10 LED 6W



● DL-3

MR16 LED 5W

● DL-3G

GU10 LED 6W



● DL-4

MR16 LED 5W

● DL-4G

GU10 LED 6W



● DL-5

MR16 LED 5W

● DL-5G

GU10 LED 6W



● DL-5T

MR16 LED 5W

● DL-5TG

GU10 LED 6W



● DL-6

MR16 LED 5W

● DL-6G

GU10 LED 6W



● DL-8

MR16 LED 5W

● DL-8G

GU10 LED 6W



● DL-10

MR16 LED 5W

● DL-10G

GU10 LED 6W



● DL-12

MR16 LED 5W

● DL-12G

GU10 LED 6W



● DL-14

MR16 LED 5W

● DL-14G

GU10 LED 6W



● DL-15

MR16 LED 5W

● DL-15G

GU10 LED 6W



● DL-2S

MR11 5W LED Bulb



● DL-3S

MR11 5W LED Bulb



● DL-5S

MR11 5W LED Bulb



● DL-12S

MR11 5W LED Bulb

INTERIOR

HOME RESOURCE 089

www.homerresource.com.tw

# LED CABINET LIGHT

with Sensor


Material: ABS

Color: White



## ● BO-LED91

Lamp: 0.21W (3 x 0.07W LED)  
 Battery: 3 x AAA (Excl.)  
 Battery Working Time:  
 25H (at "ON" Mode)



## ● BO-LED93

Lamp: 0.3W (1 x 0.3W LED)  
 Battery: 3 x AAA (Excluded)  
 Battery Working Time: 23H at "ON" mode  
 With CDS (Photo sensor) & PIR Motion Sensor  
 Switch: Auto / On / Off  
 With Magnet



## ● BO-LED92

Lamp: 0.5W (1 x 0.5W LED)  
 Battery: 3 x AA (Excl.)  
 Battery Working Time:  
 20H (at "ON" Mode)




## ● BO-LED94

Lamp: 0.21W (3 x 0.07W LED)  
 Battery: 3 x AAA (Excl.)  
 Battery Working Time: 30H (at "ON" Mode)  
 Switch: Auto / On / Off  
 With CDS (Photo Sensor) & PIR Motion Sensor  
 With Magnet



## ● BO-LED91A

Lamp: 0.21W (3 x 0.07W LED)  
 Battery: 3 x AAA (Excl.)  
 Battery Working Time:  
 25H (at "ON" Mode)  
 Time Delay (Adjustable): 20S/60S/90S  
 Sensor Adjustable  
 With Low Power Indicator  
 Dimmable



## ● BO-LED96

Lamp: 0.5W (1 x 0.5W LED)  
 Battery: 3 x AA (Excl.)  
 Battery Working Time: 30H  
 Switch: Push On / Off



INTERIOR

# LED **SENSOR** CABINET LIGHT


Material: ABS

Color: White

Battery: 3 x AAA (Excl.)

With CDS (Photo Sensor) & PIR Motion Sensor


Switch: Auto / On / Off



## ● **BO-LED90**

Lamp: 0.35W (5 x 0.07W LED)

Battery Working Time: 25H (at "ON" Mode)



## ● **BO-LED95**

Lamp: 0.35W(5 x 0.07W LED)

Battery Working Time: 25H (at "ON" Mode)

With Magnet



**INTERIOR**

# LINKABLE LED STRIP CABINET LIGHT

Material: PC Base + PC Diffuser

Color: White

Input Voltage: AC220-265V

With 1.5m White Link Mains Cable + Plug

With 15cm Connecting Cable



●	Lamp	Watt	Prod. Dimension	Luminous Flux
LLED-T504	20pcs 2835 LED	4	L313 x W22 x H38mm	360LM(4000K)
LLED-T508	40pcs 2835 LED	8	L575 x W22 x H38mm	680LM(4000K)
LLED-T510	50pcs 2835 LED	10	L875 x W22 x H38mm	865LM(4000K)


Material: PC Fixture  
 With T4 Tube Lite & Switch  
 With Built-in Electronic Ballast

Item No	Watt	Lumen	Dimension(mm)		
			L	W	H
• LFT-406	6W	240	270	17	42
• LFT-410	10W	500	390	17	42
• LFT-416	16W	820	520	17	42
• LFT-420	20W	1120	620	17	42




Material: PVC Fixture  
 With T5 Tube Lite & Switch  
 With Built-in Electronic Ballast

Item No	Watt	Lumen	Dimension(mm)		
			L	W	H
• LFT-506	6W	240	267	22	42
• LFT-510	10W	500	458	22	42
• LFT-513	13W	820	571	22	42
• LFT-521	21W	1120	904	22	42
• LFT-528	28W	1846	1204	22	42



Accessories



Acrylic Diffuser



1.8M Cable + Plug



Link Lead (For Models LFT-406/410/416/420)  
 With 1 Male & 1 Female Connectors  
 (Available in 150mm, 250mm, 500mm, 1000mm)

INTERIOR

# LINKABLE LED STRIP CABINET LIGHT SET

## ECONOMIC

Material: PU Resin

Including LED Driver, Line On/Off Switch, Cable and Connectors

Color Temperature: 2700K ~ 6400K

Ra>70

Color: White



### ● RPLED-123-S2

Lamp: 1W (12 x 0.08W SMD3528 LED) per strip x 2 strips

Lumen Flux: >70LM per strip x 2 strips (3000K)

Product size: L.300 x W.10 x H.3mm per strip


### Connector Accessories



(1) Linkable Lead



(2) L-Connector



(3) Connector

INTERIOR



Set of 4



### ● RPLED-123-S4

Lamp: 1W (12 x 0.08W SMD3528 LED) per strip x 4 strips

Lumen Flux: >70LM per strip x 4 strips (3000K)

Product size: L.300 x W.10 x H.3mm per strip


### Connector Accessories



(1) Linkable Lead



(2) L-Connector



(3) Connector



# LINKABLE LED STRIP CABINET LIGHT SET DELUXE

Material: PU Resin

Including LED Driver, Line On/Off Switch, Cable and Connectors

Color Temperature: 2700K ~ 6400K

Ra>80

Color: White

## Connector Accessories



(1) Linkable Lead



(2) L-Connector



(3) Connector



### RPLED-123-S2

Lamp: 1W (12 x 0.08W SMD3528 LED) per strip x 2 strips

Lumen Flux: >70LM per strip x 2 strips (3000K)

Product size: L.300 x W.10 x W.3mm per strip



Set of 2

## Connector Accessories



(1) Linkable Lead




(2) L-Connector



(3) Connector



Set of 4



### RPLED-123-S4

Lamp: 1W (12 x 0.08W SMD3528 LED) per strip x 4 strips

Lumen Flux: >70LM per strip x 4 strips (3000K)


Product size: L.300 x W.10 x W.3mm per strip

INTERIOR

HOME RESOURCE 095

www.homerresource.com.tw

# LINKABLE LED STRIP SENSOR LIGHT



SGS

Powered by USB Cable or Battery

Set of 2

Material: Plastic

Voltage: DC 3.5V ~ 6V

Lamp: 4W (12pcs x SMD2835 LED) per Set

Lumen Flux: 300LM (6700K)

With PIR+CDF Sensor

(1~3M, 60°, 30 Seconds or 1 Minute, Sensor only Working in Dark at Illuminance 10~20 Lux)

Sensor Switch with 2 Options: (1) 30-Second Time-Delay and (2) 1-Minute Time-Delay


Accessories: (1) USB Cable (2) Battery Case (4pcs AAA batteries are excluded) (3) L-Connector

Color : White

INTERIOR




● RPLED-126-S2



2-in-1

**BATTERY OPERATED**

LED STICK LIGHT




Material: Aluminum Body + ABS Base

With 4pcs  $\Phi 5$  LED

11000~13000MCD

Battery: 3xAAA (Excl.)

Finish: Black/White



● BO-LED015



INTERIOR

# NEW



## LED

# MIRROR


## LIGHT



Material: Aluminum + PC  
220-240VAC  
Lamp: 8W(40pcs x SMD2835 LED)  
Lumen: 640LM  
Finish: Gray  
With Built-in Driver  
With 30cm AC Cable  
CRI >80  
IP44



● MRLED-130A



● MRLED-130



NEW

# NEW

## LED MIRROR LIGHT



### ● MRLED-S411


Material: Aluminum + Iron + Stainless Steel + Acrylic  
Voltage: 85-264V  
Power: 8W LED 2835  
Finish: White  
IP20



NEW


### ● MRLED-S412

Material: Aluminum + Iron + Stainless Steel + Acrylic  
Voltage: 85-264V  
Power: 12W LED 2835  
Finish: Chrome  
IP20



### ● MRLED-S410

Material: Aluminum + Iron + Acrylic Plastic  
AC 100~260V 50/60HZ  
Power: 8W LED 2835  
Finish: Satin Nickel  
IP20



HOME RESOURCE 099

# DRIVER BUILT-IN

## LED MIRROR LIGHT


### Acrylic Series

Material: Stainless Steel Housing + Acrylic Diffuser

Voltage: 100V ~ 240V

Color Temperature: 3000K ~ 6000K

IP20



		Lamp	Lumen	Product size
● MRLED-402(9W)	● MRLED-402A(9W)	9W (45pcs x SMD2835 LED)	696LM(6000K)	L: 42 x W: 4.5 x H: 8.5cm
MRLED-402(12W)	MRLED-402A(12W)	12W (60pcs x SMD2835 LED)	780LM(6000K)	L: 52 x W: 4.5 x H: 8.5cm
MRLED-402(14W)	MRLED-402A(14W)	14W (70pcs x SMD2835 LED)	910LM(6000K)	L: 62 x W: 4.5 x H: 8.5cm
MRLED-402(16W)	MRLED-402A(16W)	16W (80pcs x SMD2835 LED)	1040LM(6000K)	L: 72 x W: 4.5 x H: 8.5cm
MRLED-402(20W)	MRLED-402A(20W)	20W (100pcs x SMD2835 LED)	1300LM(6000K)	L: 92 x W: 4.5 x H: 8.5cm
MRLED-402(24W)	MRLED-402A(24W)	24W (120pcs x SMD2835 LED)	1560LM(6000K)	L: 110 x W: 4.5 x H: 8.5cm





● MRLED-400

●	Lamp	Lumen	IP	Product size
MRLED-400(8W)	8W (40pcs x SMD2835 LED)	520LM(6000K)	IP44	L: 40 x W: 7 x H: 10cm
MRLED-400(10W)	10W (50pcs x SMD2835 LED)	650LM(6000K)	IP44	L: 46 x W: 7 x H: 10cm
MRLED-400(12W)	12W (60pcs x SMD2835 LED)	780LM(6000K)	IP44	L: 50 x W: 7 x H: 10cm
MRLED-400(16W)	16W (80pcs x SMD2835 LED)	1040LM(6000K)	IP44	L: 60 x W: 7 x H: 10cm
MRLED-400(24W)	24W (120pcs x SMD2835 LED)	1560LM(6000K)	IP44	L: 100 x W: 7 x H: 10cm



● MRLED-401

●	Lamp	Lumen	IP	Product size
MRLED-401(9W)	9W (45pcs x SMD2835 LED)	585LM(6000K)	IP20	L: 39.5 x W: 4 x H: 7cm
MRLED-401(12W)	12W (60pcs x SMD2835 LED)	780LM(6000K)	IP20	L: 49.5 x W: 4 x H: 7cm
MRLED-401(14W)	14W (70pcs x SMD2835 LED)	910LM(6000K)	IP20	L: 59.5 x W: 4 x H: 7cm
MRLED-401(16W)	16W (80pcs x SMD2835 LED)	1040LM(6000K)	IP20	L: 69.5 x W: 4 x H: 7cm
MRLED-401(20W)	20W (100pcs x SMD2835 LED)	1300LM(6000K)	IP20	L: 89.5 x W: 4 x H: 7cm



● MRLED-403

●	Lamp	Lumen	IP	Product size
MRLED-403(5W)	5W (25pcs x SMD2835 LED)	325LM(6000K)	IP20	L: 47 x W: 5.2 x H: 5.5cm
MRLED-403(7W)	7W (35pcs x SMD2835 LED)	455LM(6000K)	IP20	L: 60 x W: 5.2 x H: 5.5cm

INTERIOR

# DRIVER BUILT-IN

## LED MIRROR LIGHT

Material: Aluminum Base + PMMA Diffuser + Stainless Steel Spring Clips

Voltage: 85V ~ 265V


Lamp: 10W (20 x 0.5W SMD5630 LED)

Lumen: 800LM (3000K)

With Pulling Switch

Finish: Silver Body + White Diffuser

IP44



INTERIOR





# BATTERY OPERATED


## LED PICTURE LIGHT

Piano Series



Material: Iron Body  
Lamp: 0.54W (9 x 0.06W  $\Phi$ 5 LED)  
Lumen: 48LM(4000K)  
Finish: Satin Nickel/Chrome  
Battery: 3 x AA (Excl.)  
Battery Working Time: 36H  
(Alkaline Batteries)

INTERIOR



- **Mobile**  
(No electrical wire connecting demand)
- **User friendly**  
(Magnet cover for replacing battery)
- **UV & Heat free for pictures**

● PLED13-9A

# LED **PICTURE** LIGHT

Piano Series




Material: Iron Body


Finish: Satin Nickel/Chrome

*Low Voltage 12V*


*Number & Watts For LEDs Vary And Are Upon Request.*



● PLED-13/12  
Lamp: 0.72W (12 x 0.06W  $\Phi$ 5 LED)  
Luminous flux: 60Lm(4000K)



● PLED-13/18  
Lamp: 1W (18 x 0.06W  $\Phi$ 5 LED)  
Luminous flux: 90Lm(4000K)



● PLED-13/9  
Lamp: 0.54W (9 x 0.06W  $\Phi$ 5 LED)  
Luminous flux: 48Lm(4000K)



INTERIOR

# LED **DISPLAY** LIGHT


Material: Aluminum Alloy + Acrylic

Finish: Black/White/Silver




## ● DPLED-15S

Lamp: 1.2W (18 x SMD3020 LED)  
Illumination: 300LUX(0.3m Distance)  
Lumen: 68LM



## ● DPLED-15L

Lamp: 2.4W (36 x SMD3020 LED)  
Illumination: 400LUX (0.3m Distance)  
Lumen: 135LM




INTERIOR

# LED **PICTURE** LIGHT


Material: Aluminum Alloy + Acrylic

Finish: Black/White/Silver




## ● PLED-15S

Lamp: 1.2W (18 x SMD3020 LED)  
Illumination: 300LUX (0.3m Distance)  
Lumen: 68LM



## ● PLED-15L

Lamp: 2.4W (36 x SMD3020 LED)  
Illumination: 400LUX (0.3m Distance)  
Lumen: 135LM



**HOME RESOURCE 105**

# HANGING LAMP

## Optional Bulbs



E27T64FLED-6W (Clear / Amber)



E27G125FLED-6W (Clear / Amber)



● **HG-946**  
Material: Steel + Aluminum + Braided Wire  
Bulb Adaptable: E27 6W LED Bulb  
Finish: Pearl Black / Antique Brass / Copper



● **HG-948**  
Material: Aluminum + PVC Wire  
Bulb Adaptable: E27 6W LED Bulb  
Finish: Copper / Antique Brass



● **HG-947**  
Material: Aluminum + PVC Wire  
Bulb Adaptable: E27 6W LED Bulb  
Finish: Antique Brass / Copper



● **HG-940**  
Material: Steel + Aluminum + Braided Wire  
Bulb Adaptable: E27 6W LED Bulb  
Finish: Copper / Antique Brass / Pearl Black



INTERIOR

# HANGING

## LAMP



Material: Steel + Braided Wire

Bulb Adaptable: E27 6W LED Bulb (Excl.)

Finish: Blue / Yellow / White / Red / Black



### Optional Bulbs



E27UFOLED-16WG1  
DIA125mm



E27UFOLED-24WG1  
DIA155mm



E27UFOLED-36WG1  
DIA185mm

INTERIOR

# HANGING

## LAMP

Bulb Adaptable: E27 10W LED Bulb (Excl.)

Finish: White/Glossy Black/Matt Silver

Transparent red/Brown/Grey

Adaptable to Shade for HG-930 & HG-931


Canopy A  
(Dia. 125mm)



Canopy B  
(Dia. 70mm)



Canopy C  
(Top dia. 90mm)



● HG-931A

Material: PP + Braided Wire



● HG-930C

Material: PP + Braided Wire



● HG-932A

Material: Ceramic L/H housing + braided wire + PP



INTERIOR

Bulb Adaptable: E27 10W LED Bulb (Excl.)  
 Finish: Black/White/Green/Orange/Red/Blue/  
 Yellow/Purple/Brown

Canopy A  
 (Dia. 125mm)



Canopy B  
 (Dia. 70mm)



Canopy C  
 (Top dia. 90mm)



● HG-024A



● HG-024B



● HG-024C

Material: **Silicon** Rubber L/H housing + braided wire + PP



● HG-933C

Material: **ABS** L/H housing + braided wire + PP



INTERIOR



# ENERGY SAVING **GLASS** PENDANT

Material: Pressed Iron + Glass

Bulb Adaptable: E27 10W LED Bulb + A Type (Excl.)



● ● HG-020




INTERIOR





# NEW



Material: ABS + Silicone  
Lamp: 3W (18pcs × SMD2835 LED)  
Lumen: 200LM  
Color Temperature: 3800-4200K  
Battery Charging Time: 4H  
Battery Working Time: >5H  
Color: White  
With Touch On / Off Switch on Base  
With 1.2m USB Cable



360° Bendable Lamp Pole




## LED **BENDABLE** TABLE LAMP

INTERIOR

# PROMOTION

## 4-way LED **PORTABLE** Table Lamp



● TLED-113



Material: ABS + Iron + PC  
Lamp: 3.6W (2×18pcs 0.2W SMD2835 3000K+6000K LED)  
Lumen: 230LM  
Battery: 3.7V 1600mAh 18650  
Battery Working Time: 4-12H  
Battery Charging Time: 8H  
4-Way Touch Switch: 6000K-3000K-4500K-Off  
Color: White / Black  
With 1.2m USB Cable

# NEW




Material: ABS + Iron + PC  
Lamp: 3.6W (2×18pcs 0.2W SMD2835 3000K+6000K LED)  
Lumen: 230LM  
Battery: 3.7V 1600mAh 18650  
Battery Working Time: 4-12H  
Battery Charging Time: 8H  
4-Way Touch Switch: 3000K-6000K-4500K-Off  
Color: White / Black  
With 1.2m USB Cable



● TLED-114

# NEW

# LED TABLE LAMP



## ● TLED-110

Materials: ABS + PP + Rubber  
 Lamp: 6W(34pcs x 0.15W SMD2835 + 2pcs x 0.5W  $\Phi$ 5 RGB LED)  
 Lumen: 230LM(5500K)  
 Color Temperature: 5000K ~ 5500K  
 Lamp illumination: J500lux(H.30CM)  
 Main Light: 4-Section Touch Switch (25%-50%-100%-Off)  
 Night Light: Gradient Switch  
 With LED Driver  
 Color: White



INTERIOR



## ● TLED-325

Material: ABS  
 Lamp: 5.5W(11PCS x 0.5W SMD5730 LED)  
 Voltage: AC 100V-240V  
 Lumen: 230LM(6000K)  
 4-way Touch Switch: 25%-50%-100%-Off  
 With 1.5M USB Cable  
 Color: White



## ● TLED-327

Material: ABS  
 Lamp: 4W(16PCS x SMD2835 + 3pcs x SMD5050 RGB LED)  
 Lux: 400Lux (5000K)  
 Color Temperature: 5000K ~ 5500K  
 Lumen: 120LM (5000K)  
 Main Light: 4-Section Touch Switch (25%-50%-100%-Off)  
 Night Light: Gradient Switch  
 With 1pc 1000mA Rechargeable Battery (Charging 2H, Working 3H)  
 With USB Cable  
 Color: White

# DESK&CLIP-ON

## LAMPS

Material: Pressed Iron


Color: Titan; White & Metallic Blue/Red

On/off Switch on Cable

Without Bulb



● DC-2  
E14 G45 5W LED Bulb




● DF-2  
E14 G45 5W LED Bulb



● DA-8C  
E27 10W LED Bulb



● DC-9  
E27 G45 5W LED Bulb



● DF-6  
E27 G45 5W LED Bulb


INTERIOR

**NEW**


# 2-IN-1 LED INTERIOR WALL/READING LIGHT



**NEW**



● **WLED-228A**



● **WLED-228**

Material: Metal Tube + PP Diffuser  
+ Medium Density Fiber Board  
Lamp: 4.5W (10pcs SMD5630 LED)  
+ Spot 4W (1pc COB LED)  
Color: White + Wood Grain  
With Toggle Switch on the Base

**NEW**



● WLED-229A

● WLED-229



● WLED-230A




● WLED-230



**NEW**

# SUPER BRIGHT LED READING LIGHT



● WLED-152R



## Piano Series

Material: Iron Body  
Lamp: 2W (4 x 0.5W SMD5630 LED)  
Lumen: 80LM(4000K)  
Illuminance: 580LUX  
With Toggle Switch On Base  
Finish: Bronze/Satin Nickel

INTERIOR



● WLED-14

Material: Iron Body  
Lamp: 1W LED  
Lumen: 85LM(6000K)  
Illuminance: 1200LUX  
With Push Switch on The Base  
Finish: Satin Nickel/Chrome



# 2-in-1 **SUPER BRIGHT** LED WALL/READING LIGHT



Material: Stainless Steel Mounting Plate + Zinc Alloy Spot Head  
 + Steel Parts + Fabric Lamphsade  
 Lamp: Built-in 1W LED + E27 10W LED Bulb (Excl.)  
 Lumen: 80LM (6000K Spot Light)  
 Illuminance: 1100LUX  
 Finish: Chrome/Metallic Dark Copper/Satin Nickel/White/Black  
 Shade Color: White/Black/Cream Cloud/Burgundy



● WLED-214



● WLED-214A

INTERIOR

# 2-in-1 **SUPER BRIGHT** LED WALL/READING LIGHT



Material: Stainless Steel Mounting Plate + Zinc Alloy Spot Head  
+ Steel Parts + Fabric Lamphsade

Lamp: Built-in 1W LED + E27 10W LED Bulb (Excl.)


Lumen: 80LM (6000K Spot Light)

Illuminance: 1100LUX

Finish: Chrome/Metallic Dark Copper/Satin Nickel/White/Black  
Shade Color: White/Black/Cream Cloud/Burgundy



**INTERIOR**



● WLED-218



● WLED-215



# 2-in-1 **SUPER BRIGHT** LED WALL/READING LIGHT



Material: Iron Base + Aluminium/Zinc Alloy Spot Head  
+ Fabric Lampshade

Lamp: 1W Built-in LED + E27 10W LED Bulb A Type (Excl.)

Lumen: 80Lm(6000K)

Illuminance: 1100LUX

Finish: Chrome/Metallic Dark Copper/Satin Nickel

## Lampshades of WLED-203B/204B Series



B: White




B2: Black



B3: Cream Cloud



B4: Burgundy



● WLED-204B2 Black



● WLED-203B White

INTERIOR

# 2-in-1 LED


## WALL/READING

### LIGHT


Material: Steel Body + Fabric Shade

Lamp: Built-in 3W (1x3W) LED + E27 6W LED Bulb (Excl.)


Finish: White




● WLK350



● WLK351



● WLK352



● WLK352A

INTERIOR


# NOVELTY LIGHT

# PROMOTION



Material: ABS Body + PC Diffuser  
Lamp: 1W (10pcs × 0.1W SMD2835 3000K LED)  
Power: 3.2V, 6mA  
Battery: 3 x AAA (Excl.)  
Battery Working Time: > 24H  
Color: White + Black  
Touch On/Off Switch

## DRAWING ROLY-POLY MOOD LIGHT



● KLED-61A

NEW


**NEW**

# LED MOOD LIGHT-NEON

Roly-poly



Material: ABS Body + Diffuser  
Lamp: 1W(10pcs x 0.1W SMD5050 RGB LED  
+ 10pcs x 0.1W SMD2835 White 3000K LED)  
Power: 4.5V, 6mA  
Battery: 3 x AAA(Excl.)  
Battery Working Time: > 24H  
3-Way Touch Switch for Light: White-RGB-Off  
Color: White + Black



● KLED-61




Baseball

**NEW**

**HOME RESOURCE 125**

# NEW

## LED MOOD LIGHT-LAUGHTER



Material: ABS Body + PC Diffuser

Lamp: 2.5W (12pcs × 0.2W SMD5050 RGB LED  
+ 12pcs × 0.2W SMD2835 White 4000K LED)

Power: 3.2V, 6mA

Battery: 3 × AA (Excl.)

Battery Working Time: >36H

Color: White + Black



● SPK-B016



Baseball



Helmet



American  
Football

NEW



# NEW WIRELESS CHARGING

## LED MOOD LIGHT



Material: ABS Body + PC Diffuser

Lamp: 2.5W (12pcs × 0.2W SMD5050 RGB LED  
+ 12pcs × 0.2W SMD2835 White 3000K LED)

3-Way Touch Switch: White Light - RGB Circle - Off

Color: White + Black

With 1.2m Mirco USB Cable



● SPK-B016U

NEW

# NEW

## WAKE UP LIGHT-DAWN

### Sunrise Simulation



Material: ABS Body + PC Diffuser + Silicone Button

Lamp: 1.2W(8pcs×0.2W SMD5050 RGB LED  
+ 8pcs×0.2W SMD2835 White 3000K LED)

Power: DC 5V, 500mA


Battery: 3 × AAA (Excl.) for Time/Alarm

Battery Working Time: About 3 Months (Standby Mode)

Color: White + Black

Gradually Brightens over 30mins

With 1.2m USB Cable for Light



● BO-LED121



Baseball



#### Functions

- ① MENU
  - Set Time
  - Set Alarm Sound
  - Set Alarm Time
  - Set Alarm Volume (15 Levels)
  - Set Alarm On/Off
- ② UP
- ③ DOWN
- ④ SELECT
  - Fix Time
  - Fix Alarm Sound
  - Fix Alarm Time
  - Fix Alarm Volume
  - Alarm On/Off
- ⑤ Touch On/Off for Time Display (15 Seconds Time Delay)



NEW

# PROMOTION

## LED MOOD LIGHT-TORCH

Realistic Flames






Material: ABS Body + PMMA Diffuser  
Touch On/Off Switch on Base  
Battery: 3 x AAA (Excl.)  
Color: Black / White



You Tube



### Realistic Flames



#### ● ETLED-32 (1-Side)

Lamp: 0.25W  
(37pcs x 0.06W SMD0603 LED)  
Operation Time:  
36H(Alkaline Batteries)

#### ● ETLED-32A (2-Side)

Lamp: 2 x 0.25W  
(2 x 37pcs x 0.06W SMD0603 LED)  
Operation Time:  
24H(Alkaline Batteries)

PROMOTION

HOME RESOURCE 129

www.homerresource.com.tw



# PROMOTION LED MUSHROOM LAMP

in Plastic



## ● ETLED-18BPT

Material: ABS Top & Body + PS Diffuser  
Lamp: 0.72W (12 × 0.06W F5 LED)  
Lumen: 60LM (6000K)  
Battery: 3×AA Battery(Excl.)  
Color: Injected Black / White / Blue  
Green / Orange / Pink



## ● ETLED-18BPTA

### Bi-Color LED, Rechargeable Battery

Material: ABS Top & Body + PMMA Diffuser  
Lamp: 1.44W(12pcs x 0.12W SMD2835 3000+6000K LED)  
With 1pc Built-in 3.7V 1200mAh 18650 Lithium Rechargeable Battery  
Battery Working Time: 30H(3000K/6000K) / 3H(3000K+6000K)  
Battery Charging Time: 6H ; 500 Circles)  
Power On by USB Directly after Battery Finishing up its Life  
With 4 Way Touch Switch: 3000K - 6000K - 3000K+6000K - Off  
(Stepless Dimming for Each Way by Pressing The Switch Long)  
With 1.2m USB Cable  
Color: Black/White/Silver/Pink/Blue  
Orange/Green/Green Blue/Pearl White

## ● ETLED-18BPT1

### Battery, Rechargeable Battery

Material: ABS Top & Body + PMMA Diffuser  
Lamp: 12 x 0.06W  $\phi$ 5 LED Modules  
Lumen: 60LM(6000K)  
Battery Working Time: 36H (3 x AA Excl.)  
With Touch On/Off Switch  
With DC Hole  
Color: Black/White/Silver/Pink/Blue  
Orange/Green/Green Blue

PROMOTION

# LED MUSHROOM LAMP

in Metal



## ● ETLED-18BTC Rechargeable Battery

Material: Iron Top & Body + PMMA Diffuser  
 Lamp: 12 x 0.06W  $\Phi$ 5 LED Modules  
 Luminous flux: 60Lm(8000K)  
 With 1pc Built-in 3.7V 4800mAh 18650 Lithium Rechargeable battery  
 Battery Operation Time: 120H (12pcs LED at Brightest Mode)  
 (Fully Charge 8H; 500 circles)  
 Power On by Charger directly after battery finishing up its life  
 With Stepless Dimming Touch Switch  
 With VDE Charger  
 With USB Slot  
 Finish: Satin Nickel/Chrome



# LED MUSHROOM LAMP

## LEDY

## ● ETLED-18F Super Bright LED

Material: Iron Top & Body + PMMA Diffuser  
 Lamp: 1.38W (23 x 0.06W  $\Phi$ 5 LED)  
 Lumen: 115LM(8000K)  
 Illuminance: 600LUX  
 4-way Touch Switch: Low-Medium-High-Off  
 Battery Working Time: 18-86H (Alkaline Batteries)  
 Finish: Satin Nickel/Chrome/Gun Metal



PROMOTION

# PROMOTION

## BATTERY OPERATED


# SENSOR LIGHT




Material: ABS Body + PC Diffuser  
3-way Slide Switch: Motion Sensor-Off-On  
Motion Sensor: 2M; 120°; 18±5 Secs.  
Lamp: 2 × 0.5W SMD5630 Modules  
Lumen: 25LM (4000K)  
Battery: 3 × AAA (Excl.)  
Battery Working Time: 8H  
Color: White



### Easy to Fixed on Wall



● BO-LED74




PROMOTION



# BATTERY OPERATED LED MOOD LAMP-TULIP

Deluxe Tulip (Alkaline-Battery Version)



Material: Steel Top & Base + Alu. Body + PMMA Diffuser

Lamp: 1.38W(23x0.06W  $\Phi$ 5 LED)

Lumen (6000K): Low (20%) - 8LM

Medium (50%) - 46LM

High (100%) - 86LM

4-Way Touch Switch: Low (20%)

Medium (50%)

High (100%) - Off

Off Delay: 4H (automatically shut down after 4 hours)

Battery Working Time: 18-86H(Alkaline Batteries)

Finish: Satin Nickel/Chrome



Satin Nickel



Chrome

Option 1



USB Cable

Option 2



AC-USB Adaptor  
I/P 100-240V AC 50/60Hz  
O/P 5V DC 500mA



● ETLED-50A



NOVELTY

# LED MOOD LAMP

## MINI



### Remote-controlled Mood Lamp

Material: PP + ABS

Lamp: 0.8W (4 x 0.2W SMD5050 RGB LED)


Color: P.White/P.Pink/P.Orange/P.Blue/Black/Silver

Battery: 3 x AA (Excl.)

Battery Working Time: >30H (Alkaline Batteries)

With Remote Control

USB Cable & AC-USB Adaptor are Optional



Silver




P.Pink



P.White



Black



● ETLED-20R/R1



● ETLED-20T/T1

ETLED-20TC/TC1: With Blue Indicator  
ETLED-20T/T1: W/O Blue Indicator



Black



White

Material: PP Shade + ABS Base

Lamp: 0.72W (12x0.06W  $\Phi$ 5 LED)

Lumen: 60LM(6000K)

Color: White/Black

Battery: 3 x AA (Excl.)


Operating Time: 36H (Alkaline Batteries)

With Touch Switch on Base

NOVELTY



# NEW MIRROR LIGHT VENUS




Material: ABS + PC + Iron + Glass  
Lamp: 1.8W (30pcs×0.06W SMD2835 6000K LED)  
Battery: 1pc Built-in 1200mAh 18650 Battery  
4-Way Touch Switch: 20%-50%-100%-Off  
Color: Light Pink  
With 1.2M USB Cable



# NEW

# BABY COMFORT LIGHT



● BO-LED026

HOW TO MAKE BABY SLEEP TIGHT?  
**SOUNDS YOU LIKE!**  
 The best way to help your baby back to sleep with your own choice of music or song you sing. Auto-activate When Crying!



Color: White  
 Material: ABS + PC + Silicone  
 Lamp: 8pcs × 0.2W SMD5050 RGB LED  
 Power Consumption: 1.5W  
 With Built-in 3.7V 2000mAh 18650 Battery  
 Battery Charging Time: 8H, 500 Circles  
 Battery Working Time: 3H  
 With 1 pc 1G TF Card  
 With 3W Bluetooth Speaker  
 With 1.2m USB Cable  
 Transformer as Option



Select 1 Mode for Baby Comfort	Mode ①	Play Voice or Music Recorded by Button 5 (Max. 30mins + RGB Light)
	Mode ②	Music Off, RGB Light Only, 30mins
	Mode ③	Play TF Card Saved Music
Set Up	④	Volume Up
	⑤	Record Music or Voice, Record by the Built-in Microphone
	⑥	Volume Down



Built-in Microphone  
 1. 3-Way Slide Switch: Bluetooth-Off-Comfort function (Light/Sound Mode)  
 2. USB Port  
 3. TF Card Slot  
 Charging Indicator

NEW



**HOME RESOURCE IND. CO., LTD.**  
Home Resource LEDS The World

**The 30th Home Resource Prize Golf Invitation Tournament**  
to be held at Agile Golf & Country Club, Zhongshan, China

**EXPECT YOUR PATICIPATION**



- **Home Resource Golf Team**  
Welcome Your Participation for a Friendly Golf Competition



Please contact us: [hr@homeresource.com.tw](mailto:hr@homeresource.com.tw)



*Manufacturer • Buying Agent • Inspection Agent*



**Home Resource Ind. Co., Ltd.**

Taipei Headquarter:

4F, No. 69-5, Sec. 2, Chung Cheng East Rd., Tanshui Dist., New Taipei City, Taiwan

China Factory:

No. 8, Yanjiang W. 1st Rd., Keji Ave., Torch Development Zone, Zhongshan City, Guangdong, China

Tel: 886-2-2809-1212 (Rep. 12 Lines)

E-mail: [hr@homerresource.com.tw](mailto:hr@homerresource.com.tw)

Fax: 886-2-2808-1565

<http://www.homerresource.com.tw>



ISO 9001