

SINCE 1988
37th
ANNIVERSARY



red dot design award

Cordless Lighting Garden Lighting



Home Resource Ind. Co., Ltd.

Taipei Headquarter:

14F, No. 7, Dexing W. Rd., Shilin Dist., Taipei City, Taiwan

Zhongshan Factory: Area I, 3rd floor, no. 28 Yuquan road, Torch development Zone, Zhongshan City, Guangdong, China

Ningbo Factory: Qiaotouhu Industrial Park, Ninghai, Ningbo, China

Tel: 886-2-2809-1212 (Rep. 16 Lines)

E-mail: hr@homeresource.com.tw

Fax: 886-2-2808-1565

<http://www.homeresource.com.tw>



ISO 9001

37th Anniversary
Challenge to Next 38 Years →



reddot design award

2026 Cordless + Garden Lighting Collection



Home Resource Ind. Co., Ltd.
Home Resource LEDS The World



OUR VISION

◆ To Illuminate Every Part of the World ◆

OUR MISSION

To be the leading lighting company in Taiwan and China
To be the best at what customers value most
To exceed customers expectation
Treat staffs & customers & substructures as partnership
Enjoy work as part of life
To be a respected company

OUR CORE COMPETENCE

- | | | |
|-------------|--------------|------------------|
| • Integrity | • Innovation | • Profession |
| • Passion | • Efficiency | • Responsibility |
| | • Teamwork | |

WHO WE ARE


Home Resource has 37 years in exterior & interior lights market. We are uniquely positioned to offer the right solutions and value for your LED lighting requirements with our holistic approach and vertically integrated infrastructure.



Home Resource
Ningbo

Taipei
(Headquarters)

Hong Kong
Home Resource / Zhongshan



Taipei



Zhongshan



Ningbo

OUR

HISTORY TIMELINE

2021

Winner of the iF Design Award, Germany



2017

Received The Best Innovation Award of Taiwan Lighting Association

2015

Received National Excellent Lighting Quality Award in Japan

2013

Awarded the BSCI certification

2010

- Established New Factory in Zhongshan (Guangdong)
- Established the Research & Development Center

2008

- **Red Dot Design Award, Germany**
- Good Design Product, Taiwan



2007

Awarded as one of the best "ISO 9001:2000" companies listed as members of KEMA organization

2006

Acquired 26,000 square meters land in Zhongshan City, Guangdong

2005

Received National Quality Award in Taiwan

2004

President Sam Chen was being the Chairman of Taiwan Lighting Association (2004-2007)

2003

- Awarded from TUVPS as one of the TOP 5 Golden Clients in Asia
- Founded the scholarships in Longung Elementary School in Taichung City, Taiwan

1999

- Established Home Resource in Qixi, Dongguan (Guangdong)
- Awarded the ISO 9001:2000 certification

1998

Established Charitable Memorial Foundation of caring for the elderly

1997

Established Home Resource Golf Team

1996

Received Excellent Quality Award, Spain

1995

HR being the 1st Taiwanese company in receipt of SEMKO, NEMKO, and DEMKO Certificates

1992

Established Home Resource in Shanghai/Ningbo

1988


Established Home Resource Ind. Co., Ltd. in Taiwan



- Awarded from TUVPS as one of the Top 5 golden clients in Asia (2003)



- Being as Chairman of Taiwan Lighting Association in 2004



Safety Approval: CE, GS, CUL, ETL




GS Certificate

CUL, ETL Certificate



CE Certificate

More than 60 patents...



Organizational Structure



Sales Team



Shipping & Financial



Production Line

Show Room



Exterior Garden Light



Exterior Wall Light



Novelty Light & Mood Light

In-House Lab



Integrator Machine Set



Salt Spary Test Machine (To test Anti-corrosion status of metal material)



IP Tester

INDEX

PROMOTION

-----01~04

- ◆ Floodlight
- ◆ Panel
- ◆ Cordless

CORDLESS

-----05~29

- ◆ Cordless Portable Lighting
- ◆ Fabric Table Lamp
- ◆ Pendant Lamp

MAGNETIC BULB SERIES

-----30~42

- ◆ Glass Table Lamp
- ◆ Metal Table Lamp
- ◆ Fabric Wall Lamp
- ◆ Pendant Lamp

GARDEN

-----43~65


- ◆ Gu10 Version Wall / Path Light
- ◆ E27 Version Wall / Path Light
- ◆ LED Version Wall / Path Light

SOLER

-----66~77



- ◆ Solar Wall Light
- ◆ Solar Wall / Path Light

Promotion



Cordless





Magnetic Bulb Series



Garden-GU10 / E27 Version



[PROMOTION]



EL-472

[PROMOTION]



EL-472-2

[PROMOTION]



EL-473

[PROMOTION]



EL-473-2

[PROMOTION]



EL-498

[PROMOTION]



EL-498-2



EL-486



EL-486S

Garden-LED Version

NEW



ELED-763

NEW



ELED-763-2

NEW



GPLD-763

NEW



ELED-782

NEW



ELED-782

NEW



ELED-781

NEW



ELED-781S

NEW



GPLD-781

NEW



GPLD-781S



ELED-224



ELED-228



ELED-228S



ELED-228-2



ELED-228S-2



ELED-267



GPLD-267



ELED-225



GPLD-225



ELED-223



ELED-223S



GPLD-223



GPLD-223S

Solar Wall Light



SOL-896S



SOL-655S



SOL-623S



SOL-623S-B



SOL-626S



SOL-626S-B



SOL-627A



SOL-627B

Solar Wall / Path Light



SOL-897S



SOL-897GPS



SOL-622S-A



SOL-622GPS-A



SOL-622S-B



SOL-622GPS-B



SOL-633S



SOL-633GPS



SOL-658S



SOL-658GPS



SOL-634S



SOL-634S-2



SOL-634GPS



SOL-700



SOL-700GP



SOL-699-A



SOL-699GP-A



SOL-699-B



SOL-699GP-B


SPECIAL PROMOTION

Promotion LED Floodlight Series



Material: Aluminium
Input: 220-240V
Luminous Efficacy (lm/W): 80lm/W
CRI: >80
IP65
IK03
Linear Driver

Option 1 PC Opal Cover



Option 2 Tempered Glass







ITEM	Watts	Size(MM)
● FLED-742-10W	10W	L96xW90xH25
● FLED-742-20W	20W	L116xW106xH25
● FLED-742-30W	30W	L143xW122xH25
● FLED-742-50W	50W	L176xW152xH25
● FLED-742-70W	70W	L218xW197xH25
● FLED-742-100W	100W	L257xW225xH29
● FLED-742-150W	150W	L320xW282xH30
● FLED-742-200W	200W	L375xW310xH30



OEM FACTORY

600 x 600 Panel Light



Material: Iron Frame+ Iron Body with PP Film
Input Voltage: 220-240V
Luminous Efficacy: 120lm/W
Power: 36W
Color Temp: 2700/4000/5000/6500K
IP20
Isolate driver
Warranty: 3 years

Model No.	Wattage(W)	Lumen(lm)	CCT	Size(mm)
● PALED-6060PM-36W	36W	4320lm	2700/4000/5000/6500K	L595xW595xH28mm

2 in 1 Indoor/Outdoor Rechargeable Table Lamp IP44




”

FEATURE:

1. Nordic Design, easy control
2. Competitive price
3. small package:
27000pcs in 20' container
57000pcs in 40' container



Material: Metal+PC
LED module: 150LM/Touch Switch
Battery: 1x1200/1500/2000mAh 18650
Charging time: 3 hrs
Working time: 3-5 hrs
IP44



● ETLED-658



White



Black



Green



Pink



Gray




Blue

Rechargeable LED Mood Light



Material: matel+PC cover+PP Plate
Surfacetreatment: electroplating
LED: 24pcs SMD 2835
Battery: Li-ion 18650 3.7V 1200mAh
Power: 2.5W
Lumens: 100-110LM
Charger Port: Type C, USB wire
CRI: 70
The brightness LightingTime: 1.5H
The medium Lighting Time: 3.2H



● ETLED-53C (Cade)




CORDLESS PORTABLE LIGHTING

NEW


Mushroom Glass Rechargeable Table Lamps Collection



Material: Iron + Glass
Battery: Polymer 1200mAh
Color Temperature: 3000K, dimmable
Charging: 1m Type-C charging cable
Light Source: LED 1.7W



● ETLED-838




● ETLED-838M

Hot
Selling

Rechargeable Portable Glass Table Lamp



Material: Glass
Light source: DC5V E27 LED Filament Bulb 2700K (Replaceable)
Brightness adjustable
Touch switch
Battery: 18650 2000mAh Li-ion
Color: Multi-color




Rechargeable Portable Table Lamp

Hot
Selling



Material: Steel + Glass
Light source: LED 2W
Battery: 3.7V 2000mAh
Lumens: 150lm
Touch Switch CCT
Charging time: 5hrs
Working time: 5-6hrs
IP20



● ETLED-617



NEW


Modern Marble Table Lamp with Fabric Shade



Material: Marble + Fabric
Lamp: E12 2W 2700K
Battery: 18650 3.7V 4000mAh



More shades available



● ETLED-839




NEW

Modern Marble Table Lamp with Metal Shade



Material: Marble + Metal
9pcs 2W 2835 3000K LED
Battery: 18650 3.7V 4000mAh




● ETLED-840




● ETLED-840M

Indoor Rechargeable Table Lamp

NEW



- **ETLED-791**
Material: Melamine+PMMA
Wattage: 3W
Lumen: 300lm
Battery: 2400mAh
Charging time: 4-5H
Lighting Duration: 4-7H



- **ETLED-804**
Material: Melamine+Metal
Wattage: 4W
Battery: 3600mAh
Charging time: 4-5H
Lighting Duration: 4-8H
Luminous flux: 420lm

2 in 1 Indoor/Outdoor Rechargeable Table Lamp IP44




”

FEATURE:

1. Nordic Design, easy control
2. Competitive price
3. small package:
27000pcs in 20' container
57000pcs in 40' container



Material: Metal+PC
LED module: 150LM/Touch Switch
Battery: 1x1200/1500/2000mAh 18650
Charging time: 3 hrs
Working time: 3-5 hrs
IP44



● ETLED-658



White



Black



Green



Pink



Gray



Blue


HOME RESOURCE 11

www.homesresource.com.tw

Rechargeable LED Mood Light



Material: metal+PC cover+PP Plate
Surface treatment: electroplating
LED: 24pcs SMD 2835
Battery: Li-ion 18650 3.7V 1200mAh
Power: 2.5W
Lumens: 100-110LM
Charger Port: Type C, USB wire
CRI: 70
The brightness Lighting Time: 1.5H
The medium Lighting Time: 3.2H



● ETLED-53C (Cade)



Rechargeable Table Lamps

-Premium Metal Finish



Material : Metal
Power: 1.2W
Input: DC 3V
Lumen: 100LM
Work time: 10H
Charging time: 4H
Battery Capacity: 3000mA
Touch Dimming

3 Colors Available



Gold



Copper



Satin Nickel



● ETLED-823




● ETLED-824



● ETLED-825

NEW Design Collection

Modern Rechargeable Table Lamps



Power: 1W
Input: DC5V 1A
Lumen: 98LM
Work Time: 6-12 Hours
Charge Time: 2 Hours
Battery Capacity: 1200mAh

4 Colors Available



● ETLED-820A



● ETLED-821A



● ETLED-820B



● ETLED-821B




● ETLED-822

Cordless Portable Table Lamp

IP44 Warm & RGB color



Material: Plastic housing
Power: 6*0.5W 2835 3000K + 6*0.2W RGB LED
Battery: 18650 3.7V 1300mAh
7-Step touch Switch: Warm & RGB Color
IP44



● ETLED-642



Color



RGB Light



HOME RESOURCE 15


www.homeresource.com.tw

NEW

Metal Rechargeable Table Lamp with Fabric Shade



Material: Metal lamp fabric shade
Battery: 2000mA rechargeable li-ion battery
LED bulb: E27 3V 2W LED bulb
Charging time: 4 hours
Working time: 5 hours
Touch dimming



● ETLED-834




NEW

Metal Rechargeable Table Lamp with Fabric Shade



Material: Metal lamp fabric shade
Battery: 1200mA rechargeable li-ion battery
LED bulb: E14 G45 3V 1.2W 100LM 2700K
Charging time: 4 hours
Working time: 4 hours
Touch dimming



● ETLED-833



Hot
Selling

Cordless Dimmable Table Lamp with Fabric Shade




Material: Steel+PP
Light bulb: E14 LED filament bulb 5V 2W 3000K
Power: 3.7V 1500mAh 18650
Function: dimming function 20%-50%-100%
Charging time: 4 hours
Working hours: 7-32 hours
Color: Gold/Black
With 1.5M USB cable



More shades available



● ETLED-615




● ETLED-613



Cordless LED Rechargeable Table Lamp With Fabric shade IP20




Touch switch, dimmer, 12pcs 2835LED
5000-4000-3000K CCT, LED 2.5W
With 1M 5V 1A type-C cord
LED module: 250lm
Charging time: 2.5hrs
Working time: 3 -4hrs
IP20



● **ETLED-661**
Material: ABS base+ iron pole
+fabric shade
103450 Battery: 1x1800mAh



More shades available



● **ETLED-662**
Material: ABS base+fabric shade
18650 Battery: 1x1800mAh



Touch Dimming Cordless LED Table Lamp

Hot
Selling



Light source: DC5V E27 LED Filament Bulb 2700K (Replaceable)

Battery capacity: 2x 2000mA

Kelvin: 3000K

With 1M USB cable

Touch dimmer



● ETLED-621



● ETLED-622




● ETLED-623

LED Table Lamp Mushroom

Hot
Selling



EU Market
Exclusive



● ETLED-556

Material: ABS
Power: 3W Voltage: DC5V
Battery: lithium battery 2200ma
Lumen: 250lm (max)
Working time: 4 hr - 12 hrs
Product size: 160 * 280mm
Color temp.: 3000K
Switch type: touch switch, dimming
(100% - 50% - 10%)
IP54



● ETLED-556B

Shade 3 Steps Dimming
Input Voltage: DC5V
Color: 3000K
Power: 1.5W
IP20
Battery Capacity: 1200mA
50cm USB Cable, Type C Charging Port



Plastic Modern Dome Table Lamp Series

Economy
Version

Material: ABS+PP


power: 5W

Color temperature: 3000K/4000K/6000K


Touch Dimming

Lithium battery: 1800mAh lithium battery

Product size: 16x8x29.5cm



● ETLED-826A




● ETLED-826B

Rechargeable Portable Camping Light

IP44 Carried and Hung



Input voltage: DC 5V 1A
Rated power: 3W
Color temperature: 2800-6500k
Light beads: 18 PCS SMD2835 LED
lights Battery/capacity: 1200mAh
Max Luminous Flux: 120LM
Charging time: about 4H
Working time: about 5-10H



● ETLED-564



Stepless Dimming




Hanging Lamp




USB-C Charging

Indoor/Outdoor LED Rechargeable Table Lamp




Material: ABS
Product power: 3W
Input voltage: DC5V
Switch type: touch switch,
3-gear dimming (100% - 50% - 10%)
Battery type: lithium battery 2000mA
With USB charging cable
Type-C charging port
Without adaptor
Color: White



● ETLED-635

Lumen: 270lm
CCT: 3000K
IP44



● ETLED-571

Lumen: 250lm
CCT: 2700K/3000K
IP54



Hot
Selling


Lifestyle & Fashion Outdoor Portable Table Lamp



Indoor/Outdoor Rechargeable Portable Lamp IP44



Material: ABS
Input voltage: DC 5V 1A
Rated power: 3W
Color temperature: 3000-6000K
Light beads: 36 PCS SMD2835 LED lights
Battery/capacity: 1200mAh lithium-ion battery
Max Luminous Flux: 180LM
Charging time: about 4H
Working time: about 3-8H
Type-C USB charging
Color: Yellow/Red/Green
IP44



Touch Dimming LED Table Light




Material: Iron + Alum
 Lamp: 6PCS SMD2835 3000K
 TYPE C charging port 2PCS 3.7V 2000MAH Battery
 USB charging cable length 102CM
 (including both ends plug)
 charging red light, green light after full touch
 ON/OFF switch, long press endless dimming
 Color: Black Marble base with Rose gold line
 +Rose Gold Pole & lampshade



Rechargeable Portable Camping Light



Material: Iron+PMMA
Power: 5W
Color temperature: 3000K/6000K
Power supply: Battery
Battery capacity: 1800mAh
Charging time: 3 hours
Usage time: 8 hours
Charging indicator and changes: Charging red light
Color: White
IP54



● ETLED-650



Wireless Rattan Pendant Lamp

- Rechargeable & Remote Controlled

NEW

Battery: 4 x 14500 3.7V 300mAh
Power: 1W
Cable length: 1.5M
Charging cable: type C 0.3M
With paper rattan lampshade
IP44
Charging time: 2h (5V1A adaptor used, not included)
Working time: 100% 4h, 50% 7h



Remote control function:

- Timer
- Dimming(10 levels)
- Candle mode/Steady-on mode

Remote distance: 8m

RECHARGEABLE MAGNETIC E27 BULB SERIES

Detachable Rechargeable LED Bulb IP44

NEW



Detachable charging design
IR remote control function
Pressing the button to choose dimming mode
10-100% brightness dimming
Color temperature can be 3000K/6000K/RGB
Magnetic type/Type-C charging
Waterproofing grade IP44



● PT-BULB-RL / PT-BULB-RM / PT-BULB-RS



More different Style

Hot
Selling

Cordless Magnetic Detachable RGB+3CCT E27 Bulb



Material: ABS+PC
Charging current: 1A
Standby power: 70uA
Battery: 1800MAH
Charging time: 2.5H
Working time: 15H
Remote distance: 4-6M
With magnet and remote control




Type-C Rechargeable
1800mA Large Battery

RGB+Warm Light



Can be unscrewed from the bottom. Comes with round iron piece with adhesive backing which can be attached to any areas



● PT-BULB-E27-RGBCW
RGB ball




NEW

Fabric Table Light with LED rechargeable bulb with Remote Control



Material: Iron + cloth
Light Source: Charging current: 1A
Battery: 1800MAH
Charging time: 2.5H
Working time: 15H
Color: Black + Copper



● ETLED-837




NEW

Fabric Table Light with LED rechargeable bulb with Remote Control



Material: Iron
Light Source: Charging current: 1A
Battery: 1800MAH
Charging time: 2.5H
Working time: 15H



● ETLED-841




NEW

Indoor Rechargeable Table Lamp with Remote Control



Material: Marble + Iron +Lampshade
Lamp: Magnetic rechargeable LED
Battery: 1800mAH
IP20



● ETLED-711



● ETLED-712

Hot
Selling

Fabric Table Light with LED rechargeable bulb with Remote Control



Material: Iron + Fabric Lampshade
Product size: D140*H255 mm



● ETLED-640




Hot
Selling

Fabric Table Light with LED rechargeable bulb with Remote Control



Material: Steel+PP
Light Source: rechargeable LED
light bulb to be offered separately
Color: Brass
IP20




● ETLED-613A




Hot
Selling

Fabric Wall Light with LED rechargeable light bulb with Remote Control



● WLED-307

Material: Iron + Fabric Lampshade
Product size: 205*160*570mm



● WLED-652

Material: Fabric Lampshade
Product size: 250*170*150mm




Hot
Selling

Iron Table Light with LED rechargeable bulb with Remote Control



Material: Iron

Product size: D110*H200mm




● ETLED-641




Hot
Selling

Glass Table Light with LED rechargeable bulb with Remote Control




● ETLED-636

Material: wood + glass
Product size: D95*H125mm




● ETLED-638

Material: Alum + glass
Product size: D120*H180mm



● ETLED-639

Material: Alum + glass
Product size: D120*H105mm



Hot
Selling

Morden Pendant Lamp with LED Rechargeable Bulb With Remote Control



Material: Iron
Outer black and inner white iron
lampshade (180*120mm)+1M of PVC
solid adhesive wire (not powered)
with external leakage+100 * 25mm
ceiling plate




● HG-700




4 in 1 Rattan Lamp with LED rechargeable light bulb with Remote Control




Material: Rattan




● HG-697



● ETLED-697-B



● ETLED-697




● FLKLED-697

4 in 1 Rattan Lamp with LED rechargeable light bulb with Remote Control



Material: Rattan



E27/GU10 Bulb Version
Exterior Garden
Garden Wall/Path Light


NEW

Outdoor E27 Stainless Wall / Path Light


Material: Stainless steel + Clear PC
 Lamp: E27 Max. 60W
 Input: AC100-240V, 50/60Hz
 IP44

Wall Light


Path Light




● EL-703HG



● EL-703S



● EL-703




● GPL-703

Outdoor E27 Wall Light IP54


NEW



Material: Aluminium+PMMA Diffuser
Input: 220-230V
E27 Max.60W Bulb exc.
IP44



● EL-707




● EL-707S

Outdoor E27 Wall & Path Light IP44


NEW




Material: Aluminium body + Glass
Input: 220~240V/50-60Hz
Watt: E27 Max. 40W
IP44



● EL-708




● EL-708S




● GPL-708

Outdoor E27 Wall Light IP44


NEW



Material: Die Cast Aluminium Body, Reeded Glass
LED Power: E27 LED 20W
IP44



● EL-709




● EL-709S

Outdoor E27 Wall Light IP44

NEW




Material: Die-cast Aluminium
220-240V 50-60Hz
Power: DOB
With E27 Max. 20W bulb
Product Size: 180*140*360mm
IP44




Outdoor **GU10** Wall Light & Path Light IP65

NEW


Material: Alu+PC diffuser
110-240V
Without GU10 2xMAX 7W bulb
Color: black
IP65



● EL-484



● EL-484-2



● GPL-484



Outdoor GU10 Wall & Bollard Light IP44

Hot
Selling


Material: Die Cast Aluminium Opal PC
Input: 220~240V/50-60Hz
Watt: GU10 LED 7W
IP44




● EL-476-2





● EL-476-B




● EL-476S-2



● EL-476S



● GPL-476




Outdoor E27 Wall Light

Hot
Selling




Single Design



● EL-1140A
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 1 x 60W Bulb(Excl.)
Finish: Black

Triple Design




● EL-1140A-3
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 3 x 60W Bulb(Excl.)
Finish: Black

Outdoor E27 Wall Light & Path Light IP44



Material: Aluminum body + Opal Glass Diffuser
Without E27 20W bulb
Color: black
IP44



● EL-488



● EL-488-B



● GPL-488

Outdoor E27 Wall & Path Light IP54



Material: Stainless steel+Alu+PC diffuser

110-240V

Without E27 MAX: 15W bulb

Color: black


IP54



● EL-485



● EL-485S
With sensor



● GPL-485

Outdoor E27 Wall&Path Light IP44



Material: Aluminum body+clear PC Diffuser
220-240V
Without E27 LED 15W bulb
Color: black
IP44



● EL-487




● GPL-487


Outdoor E27 Wall & Path Light IP44



Material: Aluminium body + PC
Input: 220~240V/50-60Hz
Watt: E27
IP44



● EL-482



● EL-482S



● GPL-482



Outdoor E27 Wall&Path Light IP44



Material: Aluminum body + Clear Glass Diffuser

220-240V 50-60Hz


Without E27 Max.28W bulb

Color: black



IP44



● EL-489



● EL-489S
With sensor



● GPL-489



Plastic Wall Sconces

GU10 Bulb Family




Material: ABS+PC Body
Voltage: 220-240V 50-60Hz
light source: GU10 bulb (w/o)
IP44

EL-472 Series

● EL-472


Lamp: GU10 Max.8W



EL-473 Series

● EL-473

Lamp: GU10 Max.8W



EL-498 Series


● EL-498

Lamp: GU10 Max.8W





● EL-472-2

Lamp: 2xGU10 Max.8W




● EL-473-2

Lamp: 2xGU10 Max.8W



● EL-498-2


Lamp: 2xGU10 Max.8W



Outdoor **GU10** Wall Light IP44



Material: Aluminum body+clear Glass Diffuser
Without GU10 2x10W bulb
Color: black
IP44



● EL-486



● EL-486S
With sensor


LED Version
Exterior Garden
Garden Wall/Path Light

Outdoor LED Wall Light & Path Light IP44


NEW



Material: Aluminum + acrylic
5W (ELED-763) 10W(ELED-763-2)
250Lm
4000K
IP44



● ELED-763



● ELED-763-2



● GPL-763

Outdoor LED Wall Light IP65


NEW



Material: Die case Aluminium body
Special color finished+opal PC diffuser
LED 6.5W
IP65



● ELED-782



● ELED-782-2




Outdoor LED Wall & Path Light IP54


NEW



Material: Aluminium body + PC
Input: 220~240V/50-60Hz
Watt: LED 8W
IP Protect: IP54




● ELED-781



● ELED-781S



● GPLED-781




● GPLED-781S

Outdoor LED Rotatable Wall Light IP54



Material: Aluminum body+ PC Diffuser
Linear high voltage: 15pcs 2835 10W LED
Recommended CCT: 5000K
Output Lumen: 700lm
Color: black
IP54





● ELED-224




Outdoor LED Rotatable Wall Light IP65



Material: Aluminum body + Opal PC Diffuser
220-240V
Color: black
IP65



● ELED-228-2
LED 11.8W



● ELED-228S-2
LED 11.8W

Outdoor LED Wall&Path Light IP44



Material: Die cast aluminium body+ Clear PC diffuser
220-240V
LED 10W
Color: Black
IP44



● ELED-267




● GPLED-267

Outdoor LED Wall & Path Light IP54



Material: Aluminum body + Clear PC Diffuser
220-240V 50-60Hz
LED Max.8W
Color: Black
IP54



● ELED-225




● GPLED-225




Outdoor LED Wall & Path Light IP54



Material: Aluminum body+ PC Diffuser
220-240V 50-60Hz
Light source: 44pcs 2835 LED, 10W
Recommended CCT: 3000K
Light Output(Lumens): 650LM
LED brand: Everlight 2835 SMD
Power: DOB
Color: black
IP54




● GPLED-223




● GPLED-223S

With PIR motion sensor
Sensor angle: 100°
Sensor Time: 1s ~ 5min
Detect Distance: 5-10m
LUX: <30 LUX / >1500 LUX



● ELED-223



● ELED-223S

With PIR motion sensor
Sensor angle: 100°
Sensor Time: 1s ~ 5min
Detect Distance: 5-10m
LUX: <30 LUX / >1500 LUX

EXTERIOR SOLAR

Solar Wall & Path Light

Hybrid Solar & AC Motion Sensor Wall Light IP44

NEW



Material: plastic housing+opal plastic diffuser

Solar panel: 5V 250mA

18x0.5W 2835 LED 4000K

1x3.7V 18650 2000mAh Li-ion battery

Hybrid system Battery and AC supply


Built-in with motion sensor:

-Detection distance: Max.5-8m

-Detection angle: 90 degree

3-Modes Function

IP44



● SOL-896S



Hot
Selling

Adjustable Solar Panel Wall Light With Motion Sensor IP44



Material: PA6+glass
LED: 3W 14pcs SMD2835 white light
Solar panel: monocrystalline silicon 5V 1W
Battery: 3.7V1800mAh 18650
Lithium battery control mode:
light control + power switch PIR function
Sensing distance: 5M
Beam Angle: 120°
Charging time: 8 hours
Light on time: light on for 2 hours (each trigger work for 30 seconds can transmit more than 200 times),
dark light for 12 hours
Brightness: Bright 300lm, dark 50lm
Color: black
IP44




Hot
Selling


Outdoor Solar Plastic Wall Light With Motion Sensor IP44



Material: Plastic
Solar Panel: 5V, 200mA
18*0.5W 2835SMD LED 3000K
1*3.7V 2000mAh Li-ion battery
With Motion Sensor:
Detection range: 5-8m
Detection scope: 100°
Lighting duration: 45s for each detection
Color: black
IP44



● SOL-623S



● SOL-623S-B

Hot
Selling

Outdoor Solar Plastic Wall Light With Motion Sensor IP44



Material: Aluminium cover, clear plastic body and diffuser

8x0.5W 2835 SMD LED 3000K

1x3.7V 18650 1300mAh Li-ion battery

With Motion Sensor:

-Detective distance: 5-8m


-Detective angle: 90°

-Detective time: 30s for one time,
max lumen output is 60lm in high setting,
steable in low setting is 15lm


Working time: 8h after battery
fully charged while in low setting

Color: black/Stainless steel

IP44



● SOL-626S



● SOL-626S-B



Outdoor Solar Plastic Wall Light IP44

Hot
Selling



Plastic housing, clear plastic diffuser

SOL-627A: 6*SMD2835 0.5W LED (2700-6500K)

SOL-627B: 8*SMD2835 0.5W LED (2700-6500K)

1*3.7V 1300mAh Li-ion battery

Solar Panel:


SOL-627A: 5V, 150mA

SOL-627B: 5V, 250mA

IP44



● SOL-627B





● SOL-627A

NEW

Adjustable Beam Solar Wall Light and Post Light

Material: Aluminum Shell; ABS+PC Body
Solar Panel: Monocrystalline Solar Panel
CCT: 3CCT
LED: SMD3030
CRI: Ra>70
Battery: 18650 3.7V 1800mAh
Microwave Sensor: 3 Modes
Power: 3W
IP65



● SOL-897S



● SOL-897GPS

Hot
Selling

Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44


Material: plastic
Solar Panel: 4.5V,300mA
18*0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1*3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44



● SOL-622S-B



● SOL-622S-A



● SOL-622GPS-B



● SOL-622GPS-A

Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44

Material: plastic
Solar Panel: 4.5V,300mA
18*0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1*3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44



● SOL-633GPS



● SOL-633S

Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44



Plastic housing, stainless steel tube, opal plastic diffuser
40*SMD2835 0.2W LED (2700-6500K)
1*3.7V 2200mAh Li-ion battery
Solar Panel: 5V, 300mA
IP44

With Motion Sensor:
Detection range: 5-8m
Detection scope: 100 degree
Lighting duration: 40s for each detection



● SOL-658S



● SOL-658GPS

Outdoor Wall & Path Light With Motion Sensor



Aluminium housing, glass diffuser

SOL-634S/634GPS / C: 1*3V E27 (2700-6500K)

SOL-634S-2: 2*3V E27 (2700-6500K)

SOL-634S/634GPS / C: 1*3.7V 2200mAh Li-ion battery

SOL-634S-2: 1*3.7V 2600mAh Li-ion battery

Solar Panel:

SOL-634S: 5V, 280mA

SOL-634S-2: 5V, 480mA

SOL-634GPS: 5V, 300mA

IP44

With Motion Sensor:

Detection range: 5-8m

Detection scope: 100 degree


Lighting duration: 40s for each detection



● SOL-634S



● SOL-634S-2




● SOL-634GPS


Solar E27 Wall & Path Light IP54



Material: aluminum+stainless steel+PC
Solar Panel: monocrystalline 0.7W
Battery: Li-ion 18650 3.7V 1200mAh
E27 lamp bulb A60 3V
Switch: On/off
Charge time: 7-8 hours
Life time: AUTO 8-9 hours after full charge
AUTO 23 LM
Color: black
IP54



● SOL-700




● SOL-700GP


Solar LED Wall&Path Light IP44



Material: aluminum
 Solar Panel: monocrystalline 0.55W
 Battery: Li-ion 18650 3.7V
 1200mAh
 LED: 6x2835 SMD LED
 Switch: On/off
 Charge time: 8 hours
 Life time: AUTO 7-9 hours after full charge
 AUTO 22 LM
 Color: black
 IP44




● SOL-699-A



● SOL-699-B



● SOL-699GP-A



● SOL-699GP-B



